

LOT	Ring	Kgs	€/Kg	€/Hd	Breed	Q/A	QA Days
-----	------	-----	------	------	-------	-----	---------

Bullock Ring

1B	BULLOCK	480	1.78	855	FR	N	- 3Mv
1B	BULLOCK	480	1.78	855	FR	N	- 3Mv
1C	BULLOCK	420	1.77	745	FR	N	- 3Mv
1D	BULLOCK	460	1.80	830	FR	N	- 3Mv
1E	BULLOCK	490	1.87	915	HE	N	- 2Mv
1H	BULLOCK	410	1.87	765	FR	N	- 3Mv
2B	BULLOCK	463	2.29	1060	LM	N	- 2Mv
2B	BULLOCK	463	2.29	1060	LM	N	- 2Mv
2B	BULLOCK	463	2.29	1060	LM	N	- 2Mv
2B	BULLOCK	463	2.29	1060	LM	N	- 3Mv
2C	BULLOCK	510	1.96	1000	HE	N	- 3Mv
2C	BULLOCK	510	1.96	1000	HE	N	- 3Mv
2D	BULLOCK	410	2.05	840	HE	N	- 3Mv
3	BULLOCK	495	1.86	920	AA	Y	70+d - 5Mv
3A	BULLOCK	435	2.06	895	LM	Y	70+d - 2Mv
3B	BULLOCK	375	2.35	880	LM	Y	70+d - 2Mv
3C	BULLOCK	405	2.32	940	LM	Y	70+d - 3Mv
3D	BULLOCK	400	1.95	780	AA	Y	70+d - 3Mv
3E	BULLOCK	405	2.07	840	SIM	Y	70+d - 2Mv
4	BULLOCK	302	2.65	800	LM	N	- 2Mv
4	BULLOCK	302	2.65	800	LM	N	- 2Mv
4	BULLOCK	302	2.65	800	LM	N	- 2Mv
4	BULLOCK	302	2.65	800	LM	N	- 2Mv
4A	BULLOCK	490	1.63	800	FR	N	- 4Mv
4A	BULLOCK	490	1.63	800	FR	N	- 3Mv
5	BULLOCK	352	1.79	630	FR	N	- 2Mv
5	BULLOCK	352	1.79	630	FR	N	- 3Mv
6E	BULLOCK	424	1.80	765	FR	N	- 2Mv
6E	BULLOCK	424	1.80	765	FR	N	- 2Mv
6E	BULLOCK	424	1.80	765	FR	N	- 4Mv
6E	BULLOCK	424	1.80	765	FR	N	- 2Mv
6E	BULLOCK	424	1.80	765	FR	N	- 2Mv
6E	BULLOCK	424	1.80	765	FR	N	- 2Mv
7H	BULLOCK	550	1.56	860	FR	N	- 4Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
8E	BULLOCK	434	1.77	770	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv

9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
9E	BULLOCK	451	1.83	825	FR	Y	70+d - 3Mv
10E	BULLOCK	534	1.86	995	FR	N	- 2Mv
10E	BULLOCK	534	1.86	995	FR	N	- 2Mv
10E	BULLOCK	534	1.86	995	FR	N	- 2Mv
10E	BULLOCK	534	1.86	995	FR	N	- 2Mv
10E	BULLOCK	534	1.86	995	FR	N	- 2Mv
10H	BULLOCK	530	1.85	980	FR	N	- 2Mv
10H	BULLOCK	530	1.85	980	FR	N	- 2Mv
10H	BULLOCK	530	1.85	980	FR	N	- 3Mv
10H	BULLOCK	530	1.85	980	FR	N	- 1Mv
11E	BULLOCK	480	1.85	890	FR	N	- 2Mv
11E	BULLOCK	480	1.85	890	FR	N	- 3Mv
11E	BULLOCK	480	1.85	890	FR	N	- 2Mv
11E	BULLOCK	480	1.85	890	FR	N	- 2Mv
11E	BULLOCK	480	1.85	890	FR	N	- 1Mv
11H	BULLOCK	448	1.91	855	FR	N	- 1Mv
11H	BULLOCK	448	1.91	855	FR	N	- 1Mv
11H	BULLOCK	448	1.91	855	FR	N	- 1Mv
11H	BULLOCK	448	1.91	855	FR	N	- 2Mv
11H	BULLOCK	448	1.91	855	FR	N	- 1Mv
12E	BULLOCK	391	2.11	825	AA	Y	70+d - 1Mv
12E	BULLOCK	391	2.11	825	AA	Y	70+d - 1Mv
12E	BULLOCK	391	2.11	825	AA	Y	70+d - 1Mv
12H	BULLOCK	449	1.83	820	FR	Y	70+d - 1Mv
12H	BULLOCK	449	1.83	820	FR	Y	70+d - 1Mv
12H	BULLOCK	449	1.83	820	FR	Y	70+d - 1Mv
12H	BULLOCK	449	1.83	820	FR	Y	70+d - 1Mv
12H	BULLOCK	449	1.83	820	FR	Y	70+d - 1Mv
13	BULLOCK	397	1.98	785	FR	Y	70+d - 1Mv
13	BULLOCK	397	1.98	785	FR	Y	70+d - 1Mv
13	BULLOCK	397	1.98	785	FR	Y	70+d - 1Mv
13	BULLOCK	397	1.98	785	AA	Y	70+d - 1Mv
13A	BULLOCK	496	1.80	895	FR	Y	70+d - 1Mv
13A	BULLOCK	496	1.80	895	FR	Y	70+d - 2Mv
13A	BULLOCK	496	1.80	895	FR	Y	70+d - 1Mv
13B	BULLOCK	325	2.11	685	CH	Y	70+d - 1Mv
13D	BULLOCK	430	2.07	890	BB	N	- 1Mv
14	BULLOCK	485	1.87	905	FR	Y	70+d - 3Mv
14	BULLOCK	485	1.87	905	FR	Y	70+d - 3Mv
14A	BULLOCK	535	1.87	1000	FR	Y	70+d - 2Mv
14B	BULLOCK	515	1.95	1005	LM	Y	70+d - 2Mv
14C	BULLOCK	482	1.93	930	FR	N	70+d - 1Mv
14C	BULLOCK	482	1.93	930	AA	N	70+d - 1Mv
14C	BULLOCK	482	1.93	930	AA	N	70+d - 1Mv
14C	BULLOCK	482	1.93	930	FR	N	70+d - 1Mv
15	BULLOCK	465	1.66	770	FR	N	70+d - 3Mv
15	BULLOCK	465	1.66	770	FR	N	70+d - 3Mv

20A	BULLOCK	683	1.79	1220	HE	N	- 1Mv
20C	BULLOCK	683	1.79	1220	HE	N	- 1Mv
20D	BULLOCK	450	2.56	1150	CH	Y	70+d - 1Mv
20E	BULLOCK	345	2.90	1000	CH	Y	70+d - 1Mv
20H	BULLOCK	435	1.84	800	FR	Y	70+d - 1Mv
20H	BULLOCK	435	1.84	800	FR	Y	70+d - 1Mv
20H	BULLOCK	435	1.84	800	FR	Y	70+d - 1Mv
21	BULLOCK	500	1.90	950	AA	N	- 1Mv
21A	BULLOCK	425	2.02	860	AA	N	- 1Mv
21C	BULLOCK	541	1.71	925	FR	Y	70+d - 3Mv
21C	BULLOCK	541	1.71	925	FR	Y	70+d - 3Mv
21C	BULLOCK	541	1.71	925	FR	Y	70+d - 2Mv
21E	BULLOCK	590	2.02	1190	AA	Y	70+d - 1Mv
22	BULLOCK	490	2.02	990	AA	N	- 2Mv
22K	BULLOCK	405	2.20	890	LM	N	- 2Mv
22X	BULLOCK	440	2.16	950	SIM	N	- 2Mv
23	BULLOCK	500	1.65	825	FR	Y	70+d - 2Mv
23	BULLOCK	500	1.65	825	FR	Y	70+d - 2Mv
23A	BULLOCK	450	1.83	825	FR	Y	70+d - 2Mv
23A	BULLOCK	450	1.83	825	FR	Y	70+d - 2Mv
23A	BULLOCK	450	1.83	825	FR	Y	70+d - 2Mv
23B	BULLOCK	430	1.71	735	FR	Y	70+d - 2Mv
23B	BULLOCK	430	1.71	735	FR	Y	70+d - 2Mv
24	BULLOCK	545	2.07	1130	CH	N	- 2Mv
24	BULLOCK	545	2.07	1130	CH	N	- 2Mv
24A	BULLOCK	502	2.23	1120	CH	N	- 2Mv
24A	BULLOCK	502	2.23	1120	CH	N	- 2Mv
24B	BULLOCK	502	1.99	1000	BB	N	- 2Mv
24B	BULLOCK	502	1.99	1000	BB	N	- 3Mv
24C	BULLOCK	500	2.05	1025	LM	N	- 3Mv
24C	BULLOCK	500	2.05	1025	SAX	N	- 3Mv
25	BULLOCK	480	1.84	885	HE	Y	70+d - 4Mv
25	BULLOCK	480	1.84	885	AA	Y	70+d - 4Mv
25	BULLOCK	480	1.84	885	HE	Y	70+d - 3Mv
25	BULLOCK	480	1.84	885	HE	Y	70+d - 3Mv
25	BULLOCK	480	1.84	885	SIM	Y	70+d - 4Mv
26C	BULLOCK	465	1.86	865	HE	N	- 2Mv
26C	BULLOCK	465	1.86	865	HE	N	- 2Mv
26C	BULLOCK	465	1.86	865	HE	N	- 3Mv
26C	BULLOCK	465	1.86	865	SIM	N	- 1Mv
26C	BULLOCK	465	1.86	865	HE	N	- 3Mv
26C	BULLOCK	465	1.86	865	SIM	N	- 3Mv
26C	BULLOCK	465	1.86	865	FR	N	- 2Mv
27	BULLOCK	507	1.70	860	FR	N	- 2Mv
27	BULLOCK	507	1.70	860	FR	N	- 2Mv
27	BULLOCK	507	1.70	860	FR	N	- 2Mv
27	BULLOCK	507	1.70	860	FR	N	- 2Mv
27A	BULLOCK	568	1.80	1020	FR	Y	70+d - 1Mv
27A	BULLOCK	568	1.80	1020	FR	Y	70+d - 1Mv
27A	BULLOCK	568	1.80	1020	FR	Y	70+d - 1Mv

27A	BULLOCK	568	1.80	1020	FR	Y	70+d - 1Mv
27A	BULLOCK	568	1.80	1020	FR	Y	70+d - 1Mv
27B	BULLOCK	485	1.79	870	FR	Y	70+d - 1Mv
28B	BULLOCK	391	2.10	820	AA	N	- 1Mv
28B	BULLOCK	391	2.10	820	AA	N	- 1Mv
28B	BULLOCK	391	2.10	820	AA	N	- 1Mv
28B	BULLOCK	391	2.10	820	AA	N	- 1Mv
29	BULLOCK	485	2.32	1125	SIM	Y	70+d - 1Mv
29	BULLOCK	485	2.32	1125	SIM	Y	70+d - 1Mv
29A	BULLOCK	495	2.28	1130	LM	Y	70+d - 1Mv
29B	BULLOCK	447	1.94	865	FR	Y	51d - 2Mv
29B	BULLOCK	447	1.94	865	FR	Y	51d - 2Mv
30	BULLOCK	446	1.85	825	FR	Y	4d - 2Mv
30	BULLOCK	446	1.85	825	FR	Y	4d - 2Mv
30	BULLOCK	446	1.85	825	FR	Y	4d - 2Mv

Weanlings Bucket Fed & Suckled

40	WEAN MALE	262	1.74	455	FR	N	- 2Mv
40	WEAN MALE	262	1.74	455	FR	N	- 2Mv
40	WEAN MALE	262	1.74	455	AA	N	- 2Mv
40	WEAN MALE	262	1.74	455	FR	N	- 2Mv
40A	WEAN MALE	259	1.78	460	FR	N	- 2Mv
40A	WEAN MALE	259	1.78	460	FR	N	- 2Mv
40A	WEAN MALE	259	1.78	460	FR	N	- 2Mv
40A	WEAN MALE	259	1.78	460	FR	N	- 2Mv
40A	WEAN MALE	259	1.78	460	FR	N	- 2Mv
40A	WEAN MALE	259	1.78	460	FR	N	- 2Mv
40B	WEAN MALE	273	1.74	475	FR	N	- 2Mv
40B	WEAN MALE	273	1.74	475	FR	N	- 2Mv
40B	WEAN MALE	273	1.74	475	FR	N	- 2Mv
40B	WEAN MALE	273	1.74	475	FR	N	- 2Mv
40C	WEAN MALE	272	1.73	470	FR	N	- 2Mv
40C	WEAN MALE	272	1.73	470	FR	N	- 2Mv
40C	WEAN MALE	272	1.73	470	FR	N	- 2Mv
40C	WEAN MALE	272	1.73	470	FR	N	- 2Mv
40H	WEAN MALE	282	1.61	455	FR	N	- 2Mv
40H	WEAN MALE	282	1.61	455	FR	N	- 2Mv
40K	WEAN MALE	275	1.75	480	FR	N	- 2Mv
40K	WEAN MALE	275	1.75	480	FR	N	- 2Mv
40L	WEAN MALE	255	2.35	600	HE	N	- 2Mv
40L	WEAN MALE	255	2.35	600	HE	N	- 2Mv
41	WEAN MALE	320	2.39	765	LM	Y	70+d - 1Mv
41	WEAN MALE	320	2.39	765	LM	Y	70+d - 1Mv
41A	WEAN MALE	262	2.94	770	LM	Y	70+d - 1Mv
41A	WEAN MALE	262	2.94	770	LM	Y	70+d - 1Mv
41B	WEAN MALE	395	1.92	760	LM	Y	70+d - 1Mv
41C	WEAN MALE	400	2.40	960	LM	Y	70+d - 1Mv
41H	WEAN MALE	382	1.57	600	FR	N	- 3Mv
41H	WEAN MALE	382	1.57	600	FR	N	- 3Mv
41K	WEAN MALE	330	1.48	490	FR	N	- 2Mv
42	WEAN MALE	300	1.93	580	FR	N	- 2Mv

42	WEAN MALE	300	1.93	580	FR	N	- 2Mv
42	WEAN MALE	300	1.93	580	FR	N	- 2Mv
42B	WEAN MALE	330	2.50	825	CH	N	- 2Mv
42B	WEAN MALE	330	2.50	825	LM	N	- 2Mv
42B	WEAN MALE	330	2.50	825	CH	N	- 2Mv
42B	WEAN MALE	330	2.50	825	CH	N	- 2Mv
42C	WEAN MALE	306	2.68	820	CH	N	- 2Mv
42C	WEAN MALE	306	2.68	820	CH	N	- 2Mv
42C	WEAN MALE	306	2.68	820	CH	N	- 2Mv
43	WEAN MALE	270	1.70	460	FR	N	- 3Mv
43	WEAN MALE	270	1.70	460	FR	N	- 3Mv
43	WEAN MALE	270	1.70	460	FR	N	- 2Mv
43	WEAN MALE	270	1.70	460	FR	N	- 3Mv
43A	WEAN MALE	257	1.67	430	FR	N	- 2Mv
43A	WEAN MALE	257	1.67	430	FR	N	- 4Mv
43B	WEAN MALE	232	1.72	400	FR	N	- 2Mv
43B	WEAN MALE	232	1.72	400	FR	N	- 2Mv
43C	WEAN MALE	220	1.82	400	FR	N	- 2Mv
43C	WEAN MALE	220	1.82	400	FR	N	- 2Mv
43D	WEAN MALE	233	1.72	400	FR	N	- 3Mv
43D	WEAN MALE	233	1.72	400	FR	N	- 2Mv
43D	WEAN MALE	233	1.72	400	FR	N	- 2Mv
44	WEAN MALE	370	2.27	840	CH	N	- 1Mv
44	WEAN MALE	370	2.27	840	CH	N	- 1Mv
44	WEAN MALE	370	2.27	840	CH	N	- 1Mv
44A	WEAN MALE	346	2.31	800	CH	N	- 1Mv
44A	WEAN MALE	346	2.31	800	CH	N	- 1Mv
44A	WEAN MALE	346	2.31	800	CH	N	- 1Mv
44B	WEAN MALE	305	2.38	725	CH	N	- 1Mv
44C	WEAN MALE	292	2.55	745	CH	N	- 1Mv
44C	WEAN MALE	292	2.55	745	CH	N	- 1Mv
44D	WEAN MALE	263	2.66	700	CH	N	- 1Mv
44D	WEAN MALE	263	2.66	700	CH	N	- 1Mv
44D	WEAN MALE	263	2.66	700	CH	N	- 1Mv
44E	WEAN MALE	247	2.75	680	CH	N	- 1Mv
44E	WEAN MALE	247	2.75	680	CH	N	- 1Mv
44H	WEAN MALE	276	1.88	520	AA	N	- 2Mv
44H	WEAN MALE	276	1.88	520	AA	N	- 2Mv
44H	WEAN MALE	276	1.88	520	AA	N	- 2Mv
44K	WEAN MALE	510	2.31	1180	CH	Y	70+d - 1Mv
45	WEAN MALE	280	2.00	560	FR	Y	70+d - 1Mv
45	WEAN MALE	280	2.00	560	FR	Y	70+d - 1Mv
45	WEAN MALE	280	2.00	560	FR	Y	70+d - 1Mv
45A	WEAN MALE	227	2.29	520	FR	Y	70+d - 1Mv
45A	WEAN MALE	227	2.29	520	FR	Y	70+d - 1Mv
45B	WEAN MALE	290	2.09	605	AA	Y	70+d - 1Mv
45C	WEAN MALE	535	2.07	1110	CH	N	- 1Mv
45D	WEAN MALE	470	2.28	1070	CH	N	- 1Mv
45E	WEAN MALE	480	2.17	1040	CH	N	- 1Mv
46	WEAN MALE	297	1.89	560	HE	Y	70+d - 1Mv

46	WEAN MALE	297	1.89	560	LM	Y	70+d - 1Mv
46A	WEAN MALE	242	2.23	540	HE	Y	70+d - 1Mv
46A	WEAN MALE	242	2.23	540	LM	Y	70+d - 1Mv
46A	WEAN MALE	242	2.23	540	CH	Y	70+d - 1Mv
46A	WEAN MALE	242	2.23	540	LM	Y	70+d - 1Mv
46B	WEAN MALE	270	2.41	650	CH	N	- 1Mv
46C	WEAN MALE	280	2.93	820	CH	N	- 1Mv
46D	WEAN MALE	445	1.78	790	FR	N	- 1Mv
47	WEAN MALE	308	1.88	580	LM	N	- 1Mv
47	WEAN MALE	308	1.88	580	LM	N	- 1Mv
47	WEAN MALE	308	1.88	580	LM	N	- 1Mv
47A	WEAN MALE	286	2.01	575	LM	N	- 1Mv
47A	WEAN MALE	286	2.01	575	LM	N	- 1Mv
47A	WEAN MALE	286	2.01	575	LM	N	- 1Mv
47B	WEAN MALE	298	2.01	600	LM	N	- 1Mv
47B	WEAN MALE	298	2.01	600	LM	N	- 1Mv
47B	WEAN MALE	298	2.01	600	LM	N	- 1Mv
48	WEAN MALE	287	1.78	510	FR	N	- 1Mv
48	WEAN MALE	287	1.78	510	FR	N	- 1Mv
48A	WEAN MALE	300	1.97	590	LM	N	- 1Mv
48A	WEAN MALE	300	1.97	590	LM	N	- 1Mv
48B	WEAN MALE	265	2.17	575	LM	N	- 1Mv
48B	WEAN MALE	265	2.17	575	LM	N	- 1Mv
48C	WEAN MALE	177	2.77	490	HE	N	- 2Mv
48C	WEAN MALE	177	2.77	490	HE	N	- 2Mv
48H	WEAN MALE	215	3.09	665	LM	N	- 1Mv
49	WEAN MALE	302	2.05	620	FR	Y	70+d - 1Mv
49	WEAN MALE	302	2.05	620	FR	Y	70+d - 1Mv
49	WEAN MALE	302	2.05	620	FR	Y	70+d - 1Mv
49	WEAN MALE	302	2.05	620	FR	Y	70+d - 1Mv
49	WEAN MALE	302	2.05	620	FR	Y	70+d - 1Mv
49A	WEAN MALE	268	2.05	550	FR	Y	70+d - 1Mv
49A	WEAN MALE	268	2.05	550	FR	Y	70+d - 1Mv
49A	WEAN MALE	268	2.05	550	FR	Y	70+d - 1Mv
49A	WEAN MALE	268	2.05	550	FR	Y	70+d - 1Mv
49B	WEAN MALE	245	2.06	505	FR	Y	70+d - 1Mv
49B	WEAN MALE	245	2.06	505	FR	Y	70+d - 1Mv
49B	WEAN MALE	245	2.06	505	FR	Y	70+d - 1Mv
49C	WEAN MALE	245	2.04	500	FR	Y	70+d - 1Mv
49C	WEAN MALE	245	2.04	500	FR	Y	70+d - 1Mv
49C	WEAN MALE	245	2.04	500	FR	Y	70+d - 1Mv
50	WEAN MALE	342	1.64	560	FR	Y	70+d - 3Mv
50	WEAN MALE	342	1.64	560	FR	Y	70+d - 2Mv
50	WEAN MALE	342	1.64	560	FR	Y	70+d - 2Mv
50	WEAN MALE	342	1.64	560	FR	Y	70+d - 2Mv
50	WEAN MALE	342	1.64	560	FR	Y	70+d - 2Mv
50A	WEAN MALE	315	1.75	550	FR	Y	70+d - 2Mv
50A	WEAN MALE	315	1.75	550	FR	Y	70+d - 2Mv
50A	WEAN MALE	315	1.75	550	FR	Y	70+d - 2Mv
50A	WEAN MALE	315	1.75	550	FR	Y	70+d - 2Mv

50A	WEAN MALE	315	1.75	550	FR	Y	70+d - 2Mv
51	WEAN MALE	281	1.89	530	FR	Y	70+d - 2Mv
51	WEAN MALE	281	1.89	530	FR	Y	70+d - 2Mv
51	WEAN MALE	281	1.89	530	FR	Y	70+d - 2Mv
51	WEAN MALE	281	1.89	530	FR	Y	70+d - 2Mv
51	WEAN MALE	281	1.89	530	FR	Y	70+d - 2Mv
51A	WEAN MALE	312	1.76	550	FR	Y	70+d - 2Mv
51A	WEAN MALE	312	1.76	550	FR	Y	70+d - 2Mv
51A	WEAN MALE	312	1.76	550	FR	Y	70+d - 2Mv
51A	WEAN MALE	312	1.76	550	FR	Y	70+d - 2Mv
51A	WEAN MALE	312	1.76	550	FR	Y	70+d - 2Mv
51A	WEAN MALE	312	1.76	550	FR	Y	70+d - 2Mv
52	WEAN MALE	315	2.16	680	LM	N	- 1Mv
52A	WEAN MALE	210	2.57	540	SIM	N	- 1Mv
52B	WEAN MALE	270	2.13	575	AA	N	- 1Mv
52C	WEAN MALE	290	2.07	600	SHX	N	- 1Mv
52D	WEAN MALE	365	2.36	860	CH	N	- 1Mv
52E	WEAN MALE	335	2.60	870	CH	N	- 1Mv
53	WEAN MALE	313	1.66	520	FR	N	- 1Mv
53	WEAN MALE	313	1.66	520	FR	N	- 1Mv
53	WEAN MALE	313	1.66	520	FR	N	- 1Mv
53A	WEAN MALE	290	1.72	500	FR	N	- 1Mv
53A	WEAN MALE	290	1.72	500	FR	N	- 1Mv
53A	WEAN MALE	290	1.72	500	FR	N	- 1Mv
53A	WEAN MALE	290	1.72	500	FR	N	- 1Mv
54	WEAN MALE	286	1.75	500	FR	N	- 1Mv
54	WEAN MALE	286	1.75	500	FR	N	- 1Mv
54	WEAN MALE	286	1.75	500	FR	N	- 1Mv
54	WEAN MALE	286	1.75	500	FR	N	- 1Mv
54	WEAN MALE	286	1.75	500	FR	N	- 1Mv
54A	WEAN MALE	274	1.82	500	FR	N	- 1Mv
54A	WEAN MALE	274	1.82	500	FR	N	- 1Mv
54A	WEAN MALE	274	1.82	500	FR	N	- 1Mv
54A	WEAN MALE	274	1.82	500	FR	N	- 1Mv
54A	WEAN MALE	274	1.82	500	FR	N	- 1Mv
55	WEAN MALE	385	1.61	620	FR	N	- 2Mv
55A	WEAN MALE	285	1.54	440	FR	N	- 2Mv

Heifer Ring

400	HEIFER	345	2.10	725	CH	N	- 1Mv
400A	HEIFER	327	2.32	760	CH	N	70+d - 1Mv
400A	HEIFER	327	2.32	760	CH	N	70+d - 1Mv
400C	HEIFER	390	1.92	750	LM	N	70+d - 1Mv
400C	HEIFER	390	1.92	750	AA	N	70+d - 2Mv
401	HEIFER	450	1.91	860	HE	N	- 1Mv
401	HEIFER	450	1.91	860	HE	N	- 2Mv
401	HEIFER	450	1.91	860	HE	N	- 3Mv
401	HEIFER	450	1.91	860	HE	N	- 1Mv
401	HEIFER	450	1.91	860	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 1Mv

402D	HEIFER	371	2.10	780	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 1Mv
402D	HEIFER	371	2.10	780	HE	N	- 2Mv
403	HEIFER	415	1.86	770	AA	Y	70+d - 1Mv
403A	HEIFER	408	2.21	900	BB	N	70+d - 1Mv
403A	HEIFER	408	2.21	900	FR	N	70+d - 1Mv
403A	HEIFER	408	2.21	900	FR	N	70+d - 1Mv
403B	HEIFER	397	1.94	770	FR	N	70+d - 1Mv
403B	HEIFER	397	1.94	770	AA	N	70+d - 1Mv
403C	HEIFER	460	2.20	1010	CH	Y	70+d - 1Mv
403D	HEIFER	397	2.27	900	CH	Y	70+d - 1Mv
403D	HEIFER	397	2.27	900	CH	Y	70+d - 1Mv
404	HEIFER	500	2.00	1000	BB	Y	42d - 2Mv
404A	HEIFER	550	2.11	1160	BB	Y	70+d - 1Mv
404A	HEIFER	550	2.11	1160	BB	Y	70+d - 1Mv
404B	HEIFER	488	1.97	960	AA	Y	70+d - 1Mv
404B	HEIFER	488	1.97	960	AA	Y	70+d - 1Mv
404B	HEIFER	488	1.97	960	AA	Y	70+d - 1Mv
404B	HEIFER	488	1.97	960	AA	Y	70+d - 1Mv
404C	HEIFER	500	2.08	1040	BB	Y	70+d - 1Mv
404D	HEIFER	480	2.10	1010	LM	Y	70+d - 1Mv
404E	HEIFER	375	2.21	830	AA	Y	70+d - 1Mv
405	HEIFER	202	2.35	475	LM	N	- 2Mv
405	HEIFER	202	2.35	475	AA	N	- 2Mv
405B	HEIFER	545	1.94	1055	SIM	Y	70+d - 1Mv
405B	HEIFER	545	1.94	1055	SIM	Y	70+d - 1Mv
405C	HEIFER	430	1.91	820	AA	Y	70+d - 1Mv
405D	HEIFER	435	2.01	875	SIM	Y	70+d - 1Mv
406	HEIFER	230	1.35	310	FR	Y	70+d - 1Mv
406	HEIFER	230	1.35	310	FR	Y	70+d - 1Mv
406A	HEIFER	177	1.41	250	FR	Y	70+d - 1Mv
406A	HEIFER	177	1.41	250	FR	Y	70+d - 1Mv
406B	HEIFER	355	1.13	400	FR	Y	70+d - 1Mv
406C	HEIFER	307	2.51	770	CH	N	- 1Mv
406C	HEIFER	307	2.51	770	CH	N	- 2Mv
406D	HEIFER	360	2.28	820	CH	N	- 1Mv
406E	HEIFER	245	2.33	570	CH	N	- 1Mv
406H	HEIFER	425	1.98	840	CH	N	- 1Mv
407	HEIFER	328	2.32	760	CH	N	- 1Mv
407	HEIFER	328	2.32	760	CH	N	- 1Mv
407	HEIFER	328	2.32	760	CH	N	- 1Mv
407A	HEIFER	290	2.45	710	CH	N	- 1Mv
407A	HEIFER	290	2.45	710	CH	N	- 1Mv
407C	HEIFER	302	2.25	680	CH	N	- 1Mv
407C	HEIFER	302	2.25	680	CH	N	- 1Mv
407D	HEIFER	227	2.53	575	CH	N	- 1Mv

414	HEIFER	182	2.47	450	BB	N	- 1Mv
414	HEIFER	182	2.47	450	BB	N	- 1Mv
414	HEIFER	182	2.47	450	BB	N	- 1Mv
414	HEIFER	182	2.47	450	BB	N	- 1Mv
414A	HEIFER	205	2.27	465	AA	N	- 1Mv

Cull Cows

416B	DRY COW	565	1.35	760	LM	N	- 1Mv
416C	DRY COW	615	1.24	760	SIM	N	- 1Mv
416D	DRY COW	660	1.14	750	FR	N	70+d - 1Mv
416D	DRY COW	660	1.14	750	FR	N	70+d - 1Mv
416E	DRY COW	650	1.03	670	FR	N	70+d - 1Mv
416H	DRY COW	660	1.17	775	FR	Y	70+d - 2Mv
416K	DRY COW	710	1.09	775	FR	N	- 1Mv
417	DRY COW	595	0.91	540	FR	Y	- 5Mv
417A	DRY COW	640	1.41	900	LM	N	- 2Mv
417B	DRY COW	555	1.36	755	SIM	Y	70+d - 2Mv
417C	DRY COW	485	1.53	740	HE	Y	70+d - 4Mv
417D	DRY COW	475	1.47	700	AA	Y	70+d - 4Mv
417E	DRY COW	620	1.45	900	HE	Y	70+d - 1Mv
417H	DRY COW	745	1.46	1090	AA	N	- 2Mv
417K	DRY COW	665	1.40	930	CH	Y	70+d - 1Mv
418	DRY COW	560	1.23	690	FR	Y	70+d - 1Mv
418	DRY COW	560	1.23	690	FR	Y	70+d - 1Mv
418	DRY COW	560	1.23	690	FR	Y	70+d - 1Mv
418A	DRY COW	613	1.14	700	FR	Y	70+d - 1Mv
418A	DRY COW	613	1.14	700	FR	Y	70+d - 1Mv
418A	DRY COW	613	1.14	700	FR	Y	70+d - 1Mv
418B	DRY COW	568	1.14	645	FR	Y	70+d - 1Mv
418B	DRY COW	568	1.14	645	FR	Y	70+d - 1Mv
418B	DRY COW	568	1.14	645	FR	Y	70+d - 3Mv
419	DRY COW	600	1.17	700	FR	N	- 2Mv
419A	DRY COW	632	0.95	600	FR	N	- 1Mv
419A	DRY COW	632	0.95	600	FR	N	- 1Mv
421	DRY COW	515	1.07	550	FR	N	- 1Mv

Calf Ring

200	M CALF	151	271.5	410	AA	Y	70+d - 1Mv
200	M CALF	151	271.5	410	AA	Y	70+d - 1Mv
200	M CALF	151	271.5	410	AA	Y	70+d - 1Mv
201	M CALF	121	293.4	355	AA	Y	70+d - 1Mv
201	M CALF	121	293.4	355	AA	Y	70+d - 1Mv
201	M CALF	121	293.4	355	AA	Y	70+d - 1Mv
202	F CALF	155	245.2	380	AA	Y	70+d - 1Mv
202	F CALF	155	245.2	380	AA	Y	70+d - 1Mv
202	F CALF	155	245.2	380	AA	Y	70+d - 1Mv
203	F CALF	82	329.3	270	AA	Y	70+d - 1Mv
203	F CALF	82	329.3	270	AA	Y	27d - 1Mv
204	F CALF	160	253.1	405	AA	Y	70+d - 1Mv
213	M CALF	0	0	200	FR	Y	8d - 1Mv

213	M CALF	0	0	200	FR	Y	33d - 1Mv
214	M CALF	0	0	205	FR	Y	34d - 1Mv
214	M CALF	0	0	205	FR	Y	36d - 1Mv
216	M CALF	0	0	290	AA	N	- 2Mv
217	M CALF	0	0	280	AA	N	- 2Mv
218	M CALF	0	0	210	FR	N	- 1Mv
219	M CALF	0	0	160	FR	N	- 1Mv