

BULL WEANLINGS

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
1	WEAN MALE	275	1.60	440	FR	Y	70+d - 1Mv
1	WEAN MALE	275	1.60	440	FR	Y	70+d - 1Mv
1	WEAN MALE	275	1.60	440	FR	Y	70+d - 1Mv
1B	WEAN MALE	340	2.18	740	LM	N	- 2Mv
2A	WEAN MALE	388	2.11	820	LM	Y	49d - 2Mv
2A	WEAN MALE	388	2.11	820	LM	Y	49d - 2Mv
2A	WEAN MALE	388	2.11	820	LM	Y	49d - 2Mv
4B	WEAN MALE	217	1.61	350	FR	N	- 2Mv
4B	WEAN MALE	217	1.61	350	FR	N	- 2Mv
4B	WEAN MALE	217	1.61	350	FR	N	- 2Mv
4B	WEAN MALE	217	1.61	350	FR	N	- 2Mv
5	WEAN MALE	222	2.27	505	HE	N	- 2Mv
5	WEAN MALE	222	2.27	505	HE	N	- 2Mv
5A	WEAN MALE	315	2.22	700	AA	N	- 1Mv
5B	WEAN MALE	205	2.56	525	AA	N	- 1Mv
5C	WEAN MALE	232	1.64	380	FR	N	- 2Mv
5C	WEAN MALE	232	1.64	380	FR	N	- 2Mv
5D	WEAN MALE	250	2.60	650	CH	N	- 1Mv
5E	WEAN MALE	335	2.39	800	CH	N	- 1Mv
5E	WEAN MALE	335	2.39	800	CH	N	- 1Mv
5E	WEAN MALE	335	2.39	800	CH	N	- 1Mv
6B	WEAN MALE	189	2.33	440	HE	Y	70+d - 2Mv
6B	WEAN MALE	189	2.33	440	HE	Y	70+d - 2Mv
6B	WEAN MALE	189	2.33	440	HE	Y	70+d - 2Mv
6B	WEAN MALE	189	2.33	440	HE	Y	70+d - 2Mv
6B	WEAN MALE	189	2.33	440	HE	Y	70+d - 2Mv
6B	WEAN MALE	189	2.33	440	HE	Y	70+d - 2Mv
7	WEAN MALE	315	2.35	740	LM	Y	70+d - 1Mv
7A	WEAN MALE	305	2.46	750	LM	Y	70+d - 1Mv
7B	WEAN MALE	390	2.26	880	LM	Y	70+d - 1Mv
7C	WEAN MALE	350	2.30	805	LM	Y	70+d - 1Mv
7D	WEAN MALE	370	2.27	840	LM	Y	70+d - 1Mv
7E	WEAN MALE	405	2.22	900	LM	Y	70+d - 1Mv
7K	WEAN MALE	355	2.37	840	LM	Y	70+d - 1Mv
7T	WEAN MALE	280	2.50	700	LM	Y	70+d - 1Mv
8A	WEAN MALE	445	2.34	1040	CH	Y	70+d - 1Mv
10	WEAN MALE	425	2.21	940	BB	N	- 1Mv
10A	WEAN MALE	395	1.82	720	BB	N	- 1Mv
10B	WEAN MALE	265	2.72	720	SIM	N	- 2Mv
10B	WEAN MALE	265	2.72	720	SIM	N	- 2Mv
10C	WEAN MALE	240	2.96	710	LM	N	- 2Mv
10C	WEAN MALE	240	2.96	710	LM	N	- 2Mv
10C	WEAN MALE	240	2.96	710	LM	N	- 2Mv
10E	WEAN MALE	200	3.55	710	LM	N	- 2Mv
11	WEAN MALE	233	2.15	500	AA	Y	70+d - 1Mv
11	WEAN MALE	233	2.15	500	AA	Y	70+d - 1Mv
11	WEAN MALE	233	2.15	500	AA	Y	70+d - 1Mv

11	WEAN MALE	233	2.15	500	AA	Y	70+d - 1Mv
11	WEAN MALE	233	2.15	500	AA	Y	70+d - 1Mv
11A	WEAN MALE	272	1.65	450	FR	Y	70+d - 1Mv
11A	WEAN MALE	272	1.65	450	FR	Y	70+d - 1Mv
12	WEAN MALE	295	2.03	600	LM	N	- 1Mv
12A	WEAN MALE	420	2.00	840	CH	Y	70+d - 1Mv
12B	WEAN MALE	415	2.05	850	CH	Y	70+d - 1Mv
12C	WEAN MALE	395	2.18	860	CH	Y	70+d - 1Mv
12D	WEAN MALE	370	2.18	805	CH	Y	70+d - 1Mv
12E	WEAN MALE	330	2.12	700	CH	Y	70+d - 1Mv
12H	WEAN MALE	365	2.07	755	SAX	Y	70+d - 1Mv
13	WEAN MALE	352	2.39	840	CH	N	- 1Mv
13	WEAN MALE	352	2.39	840	CH	N	- 1Mv
13A	WEAN MALE	350	2.09	730	LM	N	- 1Mv
13B	WEAN MALE	405	2.25	910	CH	N	- 2Mv
13C	WEAN MALE	340	2.09	710	CH	N	- 2Mv
13H	WEAN MALE	380	2.11	800	CH	N	- 2Mv
13K	WEAN MALE	255	2.75	700	LM	N	- 1Mv
14	WEAN MALE	382	2.34	895	LM	N	- 1Mv
14	WEAN MALE	382	2.34	895	LM	N	- 1Mv
14A	WEAN MALE	385	2.42	930	LM	N	- 1Mv
14B	WEAN MALE	326	2.65	865	LM	N	- 1Mv
14B	WEAN MALE	326	2.65	865	LM	N	- 1Mv
14B	WEAN MALE	326	2.65	865	LM	N	- 1Mv
14C	WEAN MALE	330	2.58	850	LM	N	- 1Mv
14C	WEAN MALE	330	2.58	850	LM	N	- 1Mv
14D	WEAN MALE	235	2.64	620	LM	N	- 1Mv
14D	WEAN MALE	235	2.64	620	LM	N	- 1Mv
14E	WEAN MALE	325	2.35	765	LM	N	- 1Mv
15	WEAN MALE	228	1.58	360	FR	N	- 2Mv
15	WEAN MALE	228	1.58	360	FR	N	- 2Mv
15	WEAN MALE	228	1.58	360	FR	N	- 2Mv
15	WEAN MALE	228	1.58	360	JE/JY	N	- 2Mv
15	WEAN MALE	228	1.58	360	FR	N	- 2Mv
18	WEAN MALE	257	2.45	630	LM	N	- 1Mv
18	WEAN MALE	257	2.45	630	LM	N	- 1Mv
18A	WEAN MALE	205	2.10	430	AA	Y	70+d - 1Mv
18A	WEAN MALE	205	2.10	430	AA	Y	70+d - 1Mv
18B	WEAN MALE	275	2.02	555	LM	Y	70+d - 1Mv
18B	WEAN MALE	275	2.02	555	LM	Y	70+d - 1Mv
18C	WEAN MALE	255	1.96	500	BB	Y	70+d - 1Mv
18D	WEAN MALE	462	1.76	815	BB	N	- 1Mv
18D	WEAN MALE	462	1.76	815	BB	N	- 1Mv
18E	WEAN MALE	490	1.78	870	AA	N	- 1Mv
19	WEAN MALE	322	2.33	750	CH	Y	70+d - 1Mv
19	WEAN MALE	322	2.33	750	CH	Y	70+d - 1Mv
19A	WEAN MALE	328	2.27	745	CH	N	- 1Mv
19A	WEAN MALE	328	2.27	745	CH	N	- 1Mv
19A	WEAN MALE	328	2.27	745	CH	N	- 1Mv
19B	WEAN MALE	316	2.31	730	CH	N	- 1Mv

19B	WEAN MALE	316	2.31	730	CH	N	- 1Mv
19B	WEAN MALE	316	2.31	730	CH	N	- 1Mv
19C	WEAN MALE	352	2.12	745	CH	N	- 1Mv
19C	WEAN MALE	352	2.12	745	CH	N	- 1Mv
20C	WEAN MALE	222	1.80	400	FR	Y	70+d - 1Mv
20C	WEAN MALE	222	1.80	400	FR	Y	70+d - 1Mv
20C	WEAN MALE	222	1.80	400	FR	Y	70+d - 1Mv
20C	WEAN MALE	222	1.80	400	FR	Y	70+d - 1Mv
21	WEAN MALE	225	2.16	485	AA	Y	70+d - 1Mv
21	WEAN MALE	225	2.16	485	AA	Y	70+d - 1Mv
21A	WEAN MALE	187	2.35	440	HE	Y	70+d - 1Mv
21A	WEAN MALE	187	2.35	440	HE	Y	70+d - 1Mv
21B	WEAN MALE	191	2.30	440	AA	Y	70+d - 1Mv
21B	WEAN MALE	191	2.30	440	AA	Y	70+d - 1Mv
21B	WEAN MALE	191	2.30	440	AA	Y	70+d - 1Mv
21B	WEAN MALE	191	2.30	440	AA	Y	70+d - 1Mv
21B	WEAN MALE	191	2.30	440	AA	Y	70+d - 1Mv
21H	WEAN MALE	285	1.47	420	FR	N	- 2Mv
21K	WEAN MALE	269	1.77	475	FR	N	- 2Mv
21K	WEAN MALE	269	1.77	475	FR	N	- 2Mv
21K	WEAN MALE	269	1.77	475	RW	N	- 2Mv
21K	WEAN MALE	269	1.77	475	FR	N	- 2Mv
21K	WEAN MALE	269	1.77	475	RW	N	- 2Mv
22A	WEAN MALE	230	1.48	340	RW	N	- 2Mv
22A	WEAN MALE	230	1.48	340	RW	N	- 2Mv
22A	WEAN MALE	230	1.48	340	RW	N	- 2Mv
22B	WEAN MALE	225	1.76	395	FR	N	- 2Mv
22B	WEAN MALE	225	1.76	395	AA	N	- 2Mv
22C	WEAN MALE	242	1.94	470	FR	N	- 2Mv
22C	WEAN MALE	242	1.94	470	RW	N	- 2Mv
22C	WEAN MALE	242	1.94	470	AA	N	- 2Mv
22C	WEAN MALE	242	1.94	470	FR	N	- 2Mv
23H	WEAN MALE	208	2.45	510	LM	Y	70+d - 1Mv
23H	WEAN MALE	208	2.45	510	LM	Y	70+d - 1Mv
23H	WEAN MALE	208	2.45	510	LM	Y	70+d - 1Mv
24	WEAN MALE	285	2.30	655	LM	Y	70+d - 1Mv
25	WEAN MALE	385	2.00	770	SAX	N	- 1Mv
25A	WEAN MALE	330	1.97	650	SAX	N	- 1Mv
25B	WEAN MALE	278	2.46	685	SAX	N	- 1Mv
25B	WEAN MALE	278	2.46	685	SAX	N	- 1Mv
25B	WEAN MALE	278	2.46	685	SAX	N	- 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
26K	WEAN MALE	251	2.11	530	AA	Y	70+d - 1Mv
27	WEAN MALE	325	1.85	600	AA	Y	70+d - 1Mv

27A	WEAN MALE	261	1.65	430	FR	Y	70+d - 2Mv
27A	WEAN MALE	261	1.65	430	FR	Y	70+d - 2Mv
27A	WEAN MALE	261	1.65	430	FR	Y	70+d - 2Mv
27A	WEAN MALE	261	1.65	430	FR	Y	70+d - 2Mv
27B	WEAN MALE	256	1.60	410	FR	Y	70+d - 2Mv
27B	WEAN MALE	256	1.60	410	FR	Y	70+d - 2Mv
27B	WEAN MALE	256	1.60	410	FR	Y	70+d - 2Mv
27B	WEAN MALE	256	1.60	410	FR	Y	70+d - 2Mv
27K	WEAN MALE	220	2.27	500	AA	Y	70+d - 1Mv
27K	WEAN MALE	220	2.27	500	AA	Y	70+d - 1Mv
27K	WEAN MALE	220	2.27	500	AA	Y	70+d - 1Mv
27K	WEAN MALE	220	2.27	500	AA	Y	70+d - 1Mv
27K	WEAN MALE	220	2.27	500	AA	Y	70+d - 1Mv
27K	WEAN MALE	220	2.27	500	AA	Y	70+d - 1Mv
28A	WEAN MALE	267	1.52	405	FR	N	- 2Mv
28A	WEAN MALE	267	1.52	405	FR	N	- 2Mv
28A	WEAN MALE	267	1.52	405	FR	N	- 2Mv
28A	WEAN MALE	267	1.52	405	FR	N	- 2Mv
28B	WEAN MALE	232	1.55	360	FR	N	- 2Mv
28B	WEAN MALE	232	1.55	360	FR	N	- 2Mv
28B	WEAN MALE	232	1.55	360	FR	N	- 2Mv
28B	WEAN MALE	232	1.55	360	FR	N	- 2Mv

HEIFER WEANLINGS

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
400	WEAN FEMALE	311	1.98	615	CH	N	- 2Mv
400	WEAN FEMALE	311	1.98	615	CH	N	- 2Mv
400	WEAN FEMALE	311	1.98	615	CH	N	- 2Mv
400	WEAN FEMALE	311	1.98	615	CH	N	- 2Mv
400	WEAN FEMALE	311	1.98	615	CH	N	- 2Mv
400	WEAN FEMALE	311	1.98	615	CH	N	- 2Mv
400A	WEAN FEMALE	295	1.97	580	CH	N	- 2Mv
400A	WEAN FEMALE	295	1.97	580	CH	N	- 2Mv
401A	WEAN FEMALE	325	2.15	700	LM	Y	70+d - 1Mv
401A	WEAN FEMALE	325	2.15	700	LM	Y	70+d - 1Mv
401A	WEAN FEMALE	325	2.15	700	LM	Y	70+d - 1Mv
401B	WEAN FEMALE	267	2.60	695	LM	Y	70+d - 1Mv
401B	WEAN FEMALE	267	2.60	695	LM	Y	70+d - 1Mv
401C	WEAN FEMALE	350	2.14	750	LM	Y	70+d - 1Mv
401E	WEAN FEMALE	250	2.20	550	HE	N	- 2Mv
401H	WEAN FEMALE	225	2.27	510	AA	N	- 1Mv
401T	WEAN FEMALE	255	2.59	660	LM	Y	70+d - 1Mv
402B	WEAN FEMALE	230	2.04	470	AA	Y	70+d - 1Mv
402B	WEAN FEMALE	230	2.04	470	AA	Y	70+d - 1Mv
402B	WEAN FEMALE	230	2.04	470	AA	Y	70+d - 1Mv
402B	WEAN FEMALE	230	2.04	470	AA	Y	70+d - 1Mv
402C	WEAN FEMALE	207	2.25	465	AA	Y	70+d - 1Mv
402C	WEAN FEMALE	207	2.25	465	AA	Y	70+d - 1Mv
402C	WEAN FEMALE	207	2.25	465	AA	Y	70+d - 1Mv
402C	WEAN FEMALE	207	2.25	465	AA	Y	70+d - 1Mv

402D	WEAN FEMALE	305	2.25	685	LM	N	- 1Mv
402D	WEAN FEMALE	305	2.25	685	LM	N	- 1Mv
402E	WEAN FEMALE	430	1.91	820	LM	N	- 1Mv
403	WEAN FEMALE	265	2.64	700	CH	N	- 1Mv
403B	WEAN FEMALE	365	1.97	720	CH	N	- 1Mv
403C	WEAN FEMALE	171	2.46	420	LM	Y	70+d - 1Mv
403C	WEAN FEMALE	171	2.46	420	LM	Y	70+d - 1Mv
403C	WEAN FEMALE	171	2.46	420	LM	Y	70+d - 1Mv
403C	WEAN FEMALE	171	2.46	420	LM	Y	70+d - 1Mv
403C	WEAN FEMALE	171	2.46	420	LM	Y	70+d - 1Mv
403C	WEAN FEMALE	171	2.46	420	LM	Y	70+d - 1Mv
404B	WEAN FEMALE	271	2.51	680	LM	N	- 1Mv
404B	WEAN FEMALE	271	2.51	680	LM	N	- 1Mv
404B	WEAN FEMALE	271	2.51	680	LM	N	- 1Mv
404C	WEAN FEMALE	265	2.72	720	LM	N	- 1Mv
404C	WEAN FEMALE	265	2.72	720	LM	N	- 1Mv
404C	WEAN FEMALE	265	2.72	720	LM	N	- 1Mv
404D	WEAN FEMALE	305	2.30	700	LM	N	- 1Mv
404D	WEAN FEMALE	305	2.30	700	LM	N	- 1Mv
404D	WEAN FEMALE	305	2.30	700	LM	N	- 1Mv
405A	WEAN FEMALE	187	3.42	640	LM	N	- 1Mv
405A	WEAN FEMALE	187	3.42	640	LM	N	- 1Mv
405B	WEAN FEMALE	307	2.31	710	LM	N	- 1Mv
405B	WEAN FEMALE	307	2.31	710	LM	N	- 1Mv
405C	WEAN FEMALE	375	1.97	740	LM	N	- 1Mv
405D	WEAN FEMALE	225	1.87	420	AA	N	- 3Mv
406B	WEAN FEMALE	227	2.16	490	LM	N	- 1Mv
406B	WEAN FEMALE	227	2.16	490	LM	N	- 1Mv
406B	WEAN FEMALE	227	2.16	490	LM	N	- 1Mv
406B	WEAN FEMALE	227	2.16	490	AA	N	- 1Mv
406C	WEAN FEMALE	300	1.73	520	AA	N	- 1Mv
406C	WEAN FEMALE	300	1.73	520	LM	N	- 1Mv
406D	WEAN FEMALE	225	2.98	670	CH	Y	70+d - 1Mv
407B	WEAN FEMALE	212	2.26	480	AA	Y	70+d - 1Mv
407B	WEAN FEMALE	212	2.26	480	AA	Y	70+d - 1Mv
407B	WEAN FEMALE	212	2.26	480	AA	Y	70+d - 1Mv
407B	WEAN FEMALE	212	2.26	480	AA	Y	70+d - 1Mv
408B	WEAN FEMALE	270	2.56	690	CH	N	- 1Mv
408B	WEAN FEMALE	270	2.56	690	CH	N	- 1Mv
408B	WEAN FEMALE	300	2.33	700	CH	N	- 1Mv
408B	WEAN FEMALE	300	2.30	690	CH	N	- 1Mv
408B	WEAN FEMALE	300	2.30	690	CH	N	- 1Mv
408E	WEAN FEMALE	325	2.06	670	CH	N	- 1Mv
410	WEAN FEMALE	194	2.11	410	AA	Y	70+d - 1Mv
410	WEAN FEMALE	194	2.11	410	AA	Y	70+d - 1Mv
410	WEAN FEMALE	194	2.11	410	AA	Y	70+d - 1Mv
410	WEAN FEMALE	194	2.11	410	AA	Y	70+d - 1Mv
410	WEAN FEMALE	194	2.11	410	AA	Y	70+d - 1Mv
410A	WEAN FEMALE	185	2.32	430	HE	Y	70+d - 1Mv
411	WEAN FEMALE	240	2.08	500	LM	Y	70+d - 1Mv

412	WEAN FEMALE	243	1.87	455	FR	Y	70+d - 1Mv
412	WEAN FEMALE	243	1.87	455	FR	Y	70+d - 1Mv
412	WEAN FEMALE	243	1.87	455	FR	Y	70+d - 1Mv
412A	WEAN FEMALE	270	1.78	480	HE	Y	70+d - 1Mv
412B	WEAN FEMALE	365	2.11	770	CH	Y	70+d - 1Mv