

WEANLING BULLS

LOT	Type Des	KG	€/KG	€/HD	Breed	DOB	QAS	QA/ Moves
1	WEAN MALE	303	2.43	735	LM	190217	N	- 1Mv
1	WEAN MALE	303	2.43	735	LM	260217	N	- 1Mv
1	WEAN MALE	303	2.43	735	LM	270217	N	- 1Mv
1A	WEAN MALE	215	2.77	595	LM	200417	N	- 1Mv
1B	WEAN MALE	278	2.52	700	LM	270317	N	- 1Mv
1B	WEAN MALE	278	2.52	700	LM	100317	N	- 1Mv
1B	WEAN MALE	278	2.52	700	LM	260217	N	- 1Mv
1B	WEAN MALE	278	2.52	700	LM	170217	N	- 1Mv
2	WEAN MALE	275	2.27	625	LM	280217	N	- 1Mv
2	WEAN MALE	275	2.27	625	AA	150217	N	- 2Mv
2A	WEAN MALE	460	2.28	1050	LM	11116	N	70+d - 1Mv
3	WEAN MALE	352	2.39	840	LM	20117	N	- 1Mv
3	WEAN MALE	352	2.39	840	LM	311016	N	- 1Mv
3A	WEAN MALE	347	2.42	840	LM	301016	N	- 1Mv
3A	WEAN MALE	347	2.42	840	LM	240217	N	- 1Mv
3B	WEAN MALE	455	2.22	1010	LM	60117	N	- 1Mv
3C	WEAN MALE	495	2.22	1100	CH	180516	N	- 1Mv
3D	WEAN MALE	540	2.19	1180	CH	80516	N	- 1Mv
4	WEAN MALE	411	2.48	1020	LM	130217	N	- 1Mv
4	WEAN MALE	411	2.48	1020	LM	80117	N	- 1Mv
4	WEAN MALE	411	2.48	1020	LM	80117	N	- 1Mv
4	WEAN MALE	411	2.48	1020	LM	80117	N	- 1Mv
4	WEAN MALE	411	2.48	1020	LM	80117	N	- 1Mv
4A	WEAN MALE	353	2.41	850	LM	290117	N	- 1Mv
4A	WEAN MALE	353	2.41	850	LM	80117	N	- 1Mv
4A	WEAN MALE	353	2.41	850	LM	80117	N	- 1Mv
5	WEAN MALE	342	2.57	880	LM	140117	N	- 1Mv
5	WEAN MALE	342	2.57	880	LM	200117	N	- 1Mv
5A	WEAN MALE	268	2.84	760	LM	120217	N	- 1Mv
5A	WEAN MALE	268	2.84	760	LM	150317	N	- 1Mv
5A	WEAN MALE	268	2.84	760	LM	240117	N	- 1Mv
5A	WEAN MALE	268	2.84	760	LM	290317	N	- 1Mv
5A	WEAN MALE	268	2.84	760	LM	110217	N	- 1Mv
5B	WEAN MALE	360	2.56	920	LM	240117	N	- 1Mv
5C	WEAN MALE	365	2.67	975	LM	230117	N	- 1Mv
5D	WEAN MALE	255	2.88	735	LM	100317	N	- 1Mv
5D	WEAN MALE	255	2.88	735	LM	270317	N	- 1Mv
6A	WEAN MALE	255	2.71	690	LM	260317	N	- 1Mv
6A	WEAN MALE	255	2.71	690	LM	220517	N	- 1Mv
6B	WEAN MALE	226	3.08	695	LM	290317	N	- 1Mv
6B	WEAN MALE	226	3.08	695	LM	310317	N	- 1Mv
6B	WEAN MALE	226	3.08	695	LM	230417	N	- 1Mv
6B	WEAN MALE	226	3.08	695	LM	100517	N	- 1Mv
6C	WEAN MALE	205	3.27	670	LM	100417	N	- 1Mv
6C	WEAN MALE	205	3.27	670	LM	290317	N	- 1Mv
6C	WEAN MALE	205	3.27	670	LM	290317	N	- 1Mv
6C	WEAN MALE	205	3.27	670	LM	230417	N	- 1Mv

7	WEAN MALE	490	2.52	1235	CH	41216	N	- 1Mv
7A	WEAN MALE	430	2.48	1065	CH	20117	N	- 1Mv
7B	WEAN MALE	370	2.78	1030	CH	200317	N	- 1Mv
7B	WEAN MALE	370	2.78	1030	CH	20117	N	- 1Mv
7B	WEAN MALE	370	2.78	1030	CH	90217	N	- 1Mv
7B	WEAN MALE	370	2.78	1030	CH	50117	N	- 1Mv
7C	WEAN MALE	407	2.31	940	CH	90117	N	- 1Mv
7C	WEAN MALE	407	2.31	940	CH	80217	N	- 1Mv
7D	WEAN MALE	297	2.81	835	CH	140317	N	- 1Mv
7D	WEAN MALE	297	2.81	835	CH	200317	N	- 1Mv
7E	WEAN MALE	265	2.58	685	LM	20517	N	- 2Mv
8	WEAN MALE	400	2.28	910	CH	250217	N	- 1Mv
8	WEAN MALE	400	2.28	910	CH	10117	N	- 1Mv
8A	WEAN MALE	385	2.48	955	CH	270217	N	- 1Mv
8B	WEAN MALE	300	3.12	935	CH	220217	N	- 1Mv
8C	WEAN MALE	265	2.75	730	CH	130317	N	- 1Mv
8D	WEAN MALE	275	2.62	720	CH	190417	N	- 1Mv
9	WEAN MALE	375	2.35	880	CH	200217	Y	70+d - 1Mv
9	WEAN MALE	375	2.35	880	CH	300317	Y	70+d - 1Mv
9A	WEAN MALE	315	2.41	760	CH	210217	Y	70+d - 1Mv
9A	WEAN MALE	315	2.41	760	CH	30417	Y	70+d - 1Mv
9B	WEAN MALE	355	2.42	860	BB	200217	Y	70+d - 2Mv
9C	WEAN MALE	358	2.01	720	AA	141216	Y	70+d - 2Mv
9C	WEAN MALE	358	2.01	720	AA	130117	Y	70+d - 2Mv
9C	WEAN MALE	358	2.01	720	AA	10117	Y	70+d - 2Mv
9C	WEAN MALE	358	2.01	720	AA	240117	Y	70+d - 2Mv
9C	WEAN MALE	358	2.01	720	AA	90117	Y	70+d - 2Mv
9D	WEAN MALE	222	2.55	565	AA	10417	N	- 1Mv
9D	WEAN MALE	222	2.55	565	AA	40417	N	- 1Mv
12	WEAN MALE	240	1.67	400	FR	50217	Y	70+d - 1Mv
12	WEAN MALE	240	1.67	400	FR	200217	Y	70+d - 1Mv
12	WEAN MALE	240	1.67	400	FR	190217	Y	70+d - 1Mv
12	WEAN MALE	240	1.67	400	FR	60217	Y	70+d - 1Mv
12A	WEAN MALE	230	1.74	400	FR	110217	Y	70+d - 1Mv
12A	WEAN MALE	230	1.74	400	FR	180217	Y	70+d - 1Mv
12A	WEAN MALE	230	1.74	400	FR	120217	Y	70+d - 1Mv
12A	WEAN MALE	230	1.74	400	FR	40217	Y	70+d - 1Mv
13	WEAN MALE	250	2.34	585	HE	190217	Y	70+d - 1Mv
13	WEAN MALE	250	2.34	585	HE	50217	Y	70+d - 1Mv
13	WEAN MALE	250	2.34	585	HE	40217	Y	70+d - 1Mv
13	WEAN MALE	250	2.34	585	HE	30217	Y	70+d - 1Mv
13A	WEAN MALE	236	2.54	600	HE	180217	Y	70+d - 1Mv
13A	WEAN MALE	236	2.54	600	HE	100217	Y	70+d - 1Mv
13A	WEAN MALE	236	2.54	600	HE	50217	Y	70+d - 1Mv
13B	WEAN MALE	265	2.11	560	LM	170816	N	- 1Mv
14	WEAN MALE	336	2.69	905	LM	280117	N	- 1Mv
14	WEAN MALE	336	2.69	905	LM	230117	N	- 1Mv
14	WEAN MALE	336	2.69	905	LM	30217	N	- 1Mv
14A	WEAN MALE	381	2.41	920	LM	270117	N	- 1Mv
14A	WEAN MALE	381	2.41	920	LM	40217	N	- 1Mv

14A	WEAN MALE	381	2.41	920	LM	260117	N	- 1Mv
14B	WEAN MALE	370	2.09	775	LM	40217	N	- 1Mv
14C	WEAN MALE	445	2.52	1120	LM	240117	N	- 1Mv
15	WEAN MALE	402	2.66	1070	CH	100117	N	- 1Mv
15	WEAN MALE	402	2.66	1070	CH	90117	N	- 1Mv
15A	WEAN MALE	400	2.38	950	CH	60117	N	- 1Mv
15A	WEAN MALE	400	2.38	950	CH	80117	N	- 1Mv
15B	WEAN MALE	312	2.95	920	CH	110117	N	- 1Mv
15B	WEAN MALE	312	2.95	920	CH	70317	N	- 1Mv
15C	WEAN MALE	415	2.39	990	CH	70117	N	- 1Mv
15C	WEAN MALE	415	2.39	990	CH	281216	N	- 1Mv
16	WEAN MALE	466	2.40	1120	LM	121016	Y	70+d - 1Mv
16	WEAN MALE	466	2.40	1120	LM	260916	Y	70+d - 1Mv
16	WEAN MALE	466	2.40	1120	LM	280916	Y	70+d - 1Mv
16A	WEAN MALE	457	2.10	960	LM	10916	Y	70+d - 1Mv
16A	WEAN MALE	457	2.10	960	LM	21016	Y	70+d - 1Mv
17	WEAN MALE	240	1.50	360	FR	240117	N	- 2Mv
17	WEAN MALE	240	1.50	360	FR	240117	N	- 2Mv
18	WEAN MALE	407	2.43	990	LM	11216	Y	70+d - 1Mv
18	WEAN MALE	407	2.43	990	LM	31116	Y	70+d - 1Mv
18A	WEAN MALE	370	2.34	865	LM	230117	Y	70+d - 1Mv
18A	WEAN MALE	370	2.34	865	LM	21116	Y	70+d - 1Mv
18B	WEAN MALE	395	2.56	1010	LM	21216	Y	70+d - 1Mv
19	WEAN MALE	334	2.63	880	CH	40317	N	- 2Mv
19	WEAN MALE	334	2.63	880	AA	50317	N	- 2Mv
19	WEAN MALE	334	2.63	880	CH	10317	N	- 2Mv
19	WEAN MALE	334	2.63	880	CH	240117	N	- 2Mv
19	WEAN MALE	334	2.63	880	CH	70317	N	- 2Mv
19A	WEAN MALE	337	2.61	880	CH	140217	N	- 2Mv
19A	WEAN MALE	337	2.61	880	LM	210117	N	- 2Mv
19B	WEAN MALE	320	2.69	860	LM	80217	N	- 2Mv
19B	WEAN MALE	320	2.69	860	LM	140217	N	- 2Mv
19B	WEAN MALE	320	2.69	860	LM	180317	N	- 2Mv
19C	WEAN MALE	309	2.75	850	LM	90317	N	- 2Mv
19C	WEAN MALE	309	2.75	850	LM	181016	N	- 2Mv
19C	WEAN MALE	309	2.75	850	LM	191016	N	- 2Mv
19C	WEAN MALE	309	2.75	850	LM	260217	N	- 2Mv
19C	WEAN MALE	309	2.75	850	LM	210117	N	- 2Mv
19D	WEAN MALE	248	3.04	755	LM	30417	N	- 2Mv
19D	WEAN MALE	248	3.04	755	LM	20317	N	- 2Mv
19D	WEAN MALE	248	3.04	755	LM	120317	N	- 2Mv
19D	WEAN MALE	248	3.04	755	LM	210317	N	- 2Mv
19E	WEAN MALE	280	2.43	680	LM	50317	N	- 2Mv
19E	WEAN MALE	280	2.43	680	LM	100417	N	- 2Mv
19E	WEAN MALE	280	2.43	680	LM	210117	N	- 2Mv
20	WEAN MALE	395	2.27	895	CH	30317	Y	70+d - 1Mv
20A	WEAN MALE	398	2.25	895	CH	270217	Y	70+d - 1Mv
20A	WEAN MALE	398	2.25	895	CH	10317	Y	70+d - 1Mv
20B	WEAN MALE	372	2.28	850	CH	60317	Y	70+d - 1Mv
20B	WEAN MALE	372	2.28	850	CH	230317	Y	70+d - 1Mv

20C	WEAN MALE	347	2.36	820	CH	50317	Y	70+d - 1Mv
20C	WEAN MALE	347	2.36	820	CH	40317	Y	70+d - 1Mv
21	WEAN MALE	325	2.74	890	LM	110217	N	- 1Mv
21	WEAN MALE	325	2.74	890	LM	150217	N	- 1Mv
21A	WEAN MALE	317	2.71	860	LM	20217	N	- 1Mv
21A	WEAN MALE	317	2.71	860	LM	240317	N	- 1Mv
21B	WEAN MALE	260	3.19	830	LM	30417	N	- 1Mv
21B	WEAN MALE	260	3.19	830	LM	220317	N	- 1Mv
21B	WEAN MALE	260	3.19	830	LM	240117	N	- 1Mv
21C	WEAN MALE	280	3.04	850	LM	160217	N	- 1Mv
23	WEAN MALE	275	2.95	810	LM	60417	N	- 1Mv
23	WEAN MALE	275	2.95	810	LM	110417	N	- 1Mv
23A	WEAN MALE	205	3.02	620	LM	70517	N	- 1Mv
23A	WEAN MALE	205	3.02	620	LM	120417	N	- 1Mv
24	WEAN MALE	380	2.32	880	SIM	90317	Y	70+d - 1Mv
24A	WEAN MALE	295	2.51	740	SIM	160317	Y	70+d - 1Mv
24B	WEAN MALE	345	2.17	750	SIM	140317	Y	70+d - 1Mv
24C	WEAN MALE	322	2.52	810	SIM	70317	Y	70+d - 1Mv
24C	WEAN MALE	322	2.52	810	SIM	130317	Y	70+d - 1Mv
24D	WEAN MALE	327	2.42	790	SIM	60317	Y	70+d - 1Mv
24D	WEAN MALE	327	2.42	790	SIM	10317	Y	70+d - 1Mv
25	WEAN MALE	395	2.41	950	CH	100317	Y	70+d - 1Mv
25A	WEAN MALE	350	2.44	855	CH	120317	Y	70+d - 1Mv
25C	WEAN MALE	395	2.29	905	SAX	120117	Y	70+d - 1Mv
25D	WEAN MALE	400	2.35	940	CH	110317	Y	70+d - 1Mv
26	WEAN MALE	325	2.26	735	SIM	60317	N	- 1Mv
26A	WEAN MALE	300	2.00	600	CH	100317	N	- 1Mv

WEANLING HEIFERS

LOT	Type Des	KG	€/KG	€/HD	Breed	DOB	QAS	QA/ Moves
403	WEAN FEMALE	425	2.05	870	CH	11216	Y	- 1Mv
403A	WEAN FEMALE	380	2.36	895	LM	31216	Y	- 1Mv
403B	WEAN FEMALE	395	2.18	860	LM	271116	Y	- 1Mv
403C	WEAN FEMALE	313	2.36	740	LM	151116	N	- 1Mv
403C	WEAN FEMALE	313	2.36	740	LM	30217	N	- 1Mv
403C	WEAN FEMALE	313	2.36	740	LM	271116	N	- 1Mv
403D	WEAN FEMALE	385	2.23	860	LM	241016	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	80117	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	80117	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	80117	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	80117	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	80117	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	290117	N	- 1Mv
404C	WEAN FEMALE	357	2.38	850	LM	80117	N	- 1Mv
404D	WEAN FEMALE	385	2.26	870	LM	31016	N	- 1Mv
404D	WEAN FEMALE	385	2.26	870	LM	31016	N	- 1Mv
404E	WEAN FEMALE	455	2.18	990	LM	31016	N	- 1Mv
405	WEAN FEMALE	255	2.71	690	LM	270217	N	- 1Mv
405A	WEAN FEMALE	227	3.08	700	LM	150317	N	- 1Mv
405A	WEAN FEMALE	227	3.08	700	LM	120317	N	- 1Mv
405B	WEAN FEMALE	300	2.68	805	LM	170217	N	- 1Mv

405C	WEAN FEMALE	267	2.17	580	LM	80217	N	- 1Mv
405C	WEAN FEMALE	267	2.17	580	LM	220217	N	- 1Mv
405C	WEAN FEMALE	267	2.17	580	LM	240217	N	- 1Mv
405C	WEAN FEMALE	267	2.17	580	LM	60317	N	- 1Mv
405D	WEAN FEMALE	241	2.28	550	LM	210217	N	- 1Mv
405D	WEAN FEMALE	241	2.28	550	LM	80317	N	- 1Mv
405E	WEAN FEMALE	241	2.28	550	LM	280217	N	- 1Mv
405E	WEAN FEMALE	241	2.28	550	LM	80317	N	- 1Mv
406C	WEAN FEMALE	230	2.78	640	CH	270317	Y	70+d - 1Mv
406C	WEAN FEMALE	230	2.78	640	CH	20417	Y	70+d - 1Mv
406D	WEAN FEMALE	350	2.54	890	CH	301216	N	- 2Mv
406E	WEAN FEMALE	300	2.58	775	CH	30117	N	- 1Mv
407	WEAN FEMALE	212	2.15	455	HE	140217	Y	70+d - 1Mv
407	WEAN FEMALE	212	2.15	455	HE	150217	Y	70+d - 1Mv
407	WEAN FEMALE	212	2.15	455	HE	90217	Y	70+d - 1Mv
407	WEAN FEMALE	212	2.15	455	HE	20217	Y	70+d - 1Mv
407A	WEAN FEMALE	210	2.29	480	HE	70217	Y	70+d - 1Mv
407A	WEAN FEMALE	210	2.29	480	HE	170217	Y	70+d - 1Mv
407A	WEAN FEMALE	210	2.29	480	HE	170217	Y	70+d - 1Mv
407A	WEAN FEMALE	210	2.29	480	HE	60217	Y	70+d - 1Mv
408	WEAN FEMALE	435	2.17	945	CH	101116	Y	30d - 2Mv
408A	WEAN FEMALE	430	2.16	930	AA	230416	Y	6d - 2Mv
408A	WEAN FEMALE	430	2.16	930	AA	51016	Y	18d - 2Mv
409	WEAN FEMALE	215	2.49	535	LM	210317	N	- 1Mv
409A	WEAN FEMALE	308	1.98	610	CH	220217	Y	70+d - 1Mv
409A	WEAN FEMALE	308	1.98	610	CH	50217	Y	70+d - 1Mv
409A	WEAN FEMALE	308	1.98	610	CH	230317	Y	70+d - 1Mv
409B	WEAN FEMALE	270	2.07	560	HE	50217	Y	70+d - 1Mv
410	WEAN FEMALE	430	2.21	950	LM	81116	Y	70+d - 1Mv
410A	WEAN FEMALE	390	2.22	865	LM	121116	Y	70+d - 1Mv
410B	WEAN FEMALE	335	2.36	790	LM	151116	Y	70+d - 1Mv
410B	WEAN FEMALE	335	2.36	790	LM	20217	Y	70+d - 1Mv
410C	WEAN FEMALE	360	2.36	850	CH	190516	Y	70+d - 2Mv
410C	WEAN FEMALE	360	2.36	850	LM	30716	Y	70+d - 1Mv
411	WEAN FEMALE	470	2.23	1050	CH	110117	Y	70+d - 1Mv
411A	WEAN FEMALE	240	1.67	400	AA	240117	N	- 2Mv
411A	WEAN FEMALE	240	1.67	400	AA	240117	N	- 2Mv
411B	WEAN FEMALE	320	2.30	735	SIM	30317	N	- 1Mv
412	WEAN FEMALE	305	2.39	730	CH	260217	N	- 1Mv
412	WEAN FEMALE	305	2.39	730	SIM	90317	N	- 1Mv
412	WEAN FEMALE	305	2.39	730	CH	150317	N	- 1Mv
412	WEAN FEMALE	305	2.39	730	CH	250217	N	- 1Mv
412A	WEAN FEMALE	285	2.11	600	CH	311016	N	- 1Mv