

WEANLING BULLS

LOT	Type Des	KG	€/KG	€/HD	Breed	QAS	QA Days
1	WEAN MALE	450	2.24	1010	CH	N	- 1Mv
1	WEAN MALE	450	2.24	1010	CH	N	- 1Mv
1	WEAN MALE	450	2.24	1010	CH	N	- 1Mv
1A	WEAN MALE	455	1.46	665	FR	N	- 2Mv
1A	WEAN MALE	455	1.46	665	FR	N	- 2Mv
4	WEAN MALE	234	2.26	530	AA	Y	70+d - 1Mv
4	WEAN MALE	234	2.26	530	AA	Y	70+d - 1Mv
4	WEAN MALE	234	2.26	530	AA	Y	70+d - 1Mv
4	WEAN MALE	234	2.26	530	AA	Y	70+d - 1Mv
4	WEAN MALE	234	2.26	530	AA	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
4A	WEAN MALE	258	1.78	460	FR	Y	70+d - 1Mv
5	WEAN MALE	242	1.82	440	FR	Y	70+d - 1Mv
5	WEAN MALE	242	1.82	440	FR	Y	70+d - 1Mv
5A	WEAN MALE	285	1.72	490	FR	Y	70+d - 1Mv
5A	WEAN MALE	285	1.72	490	FR	Y	70+d - 1Mv
5B	WEAN MALE	258	1.71	440	FR	Y	70+d - 1Mv
5B	WEAN MALE	258	1.71	440	FR	Y	70+d - 1Mv
5B	WEAN MALE	258	1.71	440	FR	Y	70+d - 1Mv
6	WEAN MALE	371	2.67	990	CH	Y	70+d - 1Mv
6	WEAN MALE	371	2.67	990	CH	Y	70+d - 1Mv
6	WEAN MALE	371	2.67	990	CH	Y	70+d - 1Mv
6	WEAN MALE	371	2.67	990	CH	Y	70+d - 1Mv
6	WEAN MALE	371	2.67	990	CH	Y	70+d - 1Mv
6A	WEAN MALE	322	2.61	840	CH	Y	70+d - 1Mv
6A	WEAN MALE	322	2.61	840	CH	Y	70+d - 1Mv
6A	WEAN MALE	322	2.61	840	CH	Y	70+d - 1Mv
6A	WEAN MALE	322	2.61	840	CH	Y	70+d - 1Mv
7	WEAN MALE	447	2.25	1005	CH	Y	70+d - 1Mv
7	WEAN MALE	447	2.25	1005	CH	Y	70+d - 1Mv
7A	WEAN MALE	352	2.27	800	CH	Y	70+d - 1Mv
7A	WEAN MALE	352	2.27	800	CH	Y	70+d - 1Mv
7C	WEAN MALE	295	2.47	730	CH	Y	70+d - 1Mv
7C	WEAN MALE	295	2.47	730	CH	Y	70+d - 1Mv
8	WEAN MALE	390	2.33	910	LM	Y	70+d - 1Mv
8A	WEAN MALE	290	3.10	900	LM	Y	70+d - 1Mv
8B	WEAN MALE	310	2.35	730	LM	Y	70+d - 1Mv
8C	WEAN MALE	245	2.73	670	CH	Y	70+d - 1Mv
8E	WEAN MALE	382	2.30	880	LM	Y	70+d - 1Mv
8E	WEAN MALE	382	2.30	880	LM	Y	70+d - 1Mv
9	WEAN MALE	405	2.32	940	LM	N	- 1Mv
9A	WEAN MALE	295	2.44	720	LM	N	- 1Mv
9B	WEAN MALE	196	3.29	645	CH	N	- 1Mv

9B	WEAN MALE	196	3.29	645	CH	N	- 1Mv
9B	WEAN MALE	196	3.29	645	CH	N	- 1Mv
9C	WEAN MALE	245	2.65	650	CH	N	- 1Mv
9D	WEAN MALE	245	2.29	560	PT	Y	70+d - 1Mv
9E	WEAN MALE	285	2.42	690	PT	Y	70+d - 1Mv
9E	WEAN MALE	285	2.42	690	PT	Y	70+d - 1Mv
9E	WEAN MALE	285	2.42	690	PT	Y	70+d - 1Mv
9H	WEAN MALE	385	2.08	800	HE	Y	70+d - 1Mv
9H	WEAN MALE	385	2.08	800	HE	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
10	WEAN MALE	236	1.99	470	FR	Y	70+d - 1Mv
11	WEAN MALE	326	1.72	560	FR	Y	70+d - 1Mv
11	WEAN MALE	326	1.72	560	FR	Y	70+d - 1Mv
11	WEAN MALE	326	1.72	560	FR	Y	70+d - 1Mv
11	WEAN MALE	326	1.72	560	FR	Y	70+d - 1Mv
11	WEAN MALE	326	1.72	560	FR	Y	70+d - 1Mv
11	WEAN MALE	326	1.72	560	FR	Y	70+d - 1Mv
11A	WEAN MALE	301	1.73	520	FR	Y	70+d - 1Mv
11A	WEAN MALE	301	1.73	520	FR	Y	70+d - 1Mv
11A	WEAN MALE	301	1.73	520	FR	Y	70+d - 1Mv
11A	WEAN MALE	301	1.73	520	FR	Y	70+d - 1Mv
11A	WEAN MALE	301	1.73	520	FR	Y	70+d - 1Mv
11A	WEAN MALE	301	1.73	520	FR	Y	70+d - 1Mv
12	WEAN MALE	288	1.53	440	FR	Y	70+d - 1Mv
12	WEAN MALE	288	1.53	440	FR	Y	70+d - 1Mv
12	WEAN MALE	288	1.53	440	FR	Y	70+d - 1Mv
12	WEAN MALE	288	1.53	440	FR	Y	70+d - 1Mv
12	WEAN MALE	288	1.53	440	FR	Y	70+d - 1Mv
13	WEAN MALE	310	2.23	690	AA	N	- 1Mv
13A	WEAN MALE	280	2.38	665	AA	N	- 1Mv
13B	WEAN MALE	235	2.30	540	AA	N	- 1Mv
13C	WEAN MALE	300	2.25	675	SIM	N	- 1Mv
13D	WEAN MALE	355	2.34	830	SIM	N	- 1Mv
14	WEAN MALE	400	2.30	920	LM	N	- 1Mv
14	WEAN MALE	400	2.30	920	LM	N	- 1Mv
14	WEAN MALE	400	2.30	920	LM	N	- 1Mv
14A	WEAN MALE	310	2.66	825	LM	N	- 1Mv
14B	WEAN MALE	320	2.27	725	LM	N	- 1Mv
14C	WEAN MALE	390	2.26	880	LM	N	- 1Mv
14D	WEAN MALE	445	2.07	920	LM	N	- 1Mv
14E	WEAN MALE	345	2.42	835	LM	N	- 1Mv
14H	WEAN MALE	455	1.91	870	HE	N	- 2Mv
14K	WEAN MALE	365	2.36	860	LM	N	- 1Mv
15	WEAN MALE	390	2.05	800	LM	Y	70+d - 1Mv

15A	WEAN MALE	370	2.16	800	LM	Y	70+d - 1Mv
15B	WEAN MALE	292	2.28	665	LM	Y	70+d - 1Mv
15B	WEAN MALE	292	2.28	665	LM	Y	70+d - 1Mv
15C	WEAN MALE	295	2.71	800	LM	Y	70+d - 1Mv
15D	WEAN MALE	310	2.65	820	LM	Y	70+d - 1Mv
15E	WEAN MALE	245	2.80	685	LM	Y	70+d - 1Mv
15H	WEAN MALE	350	2.16	755	LM	Y	70+d - 1Mv
16	WEAN MALE	305	2.41	735	LM	Y	70+d - 1Mv
16	WEAN MALE	305	2.41	735	LM	Y	70+d - 1Mv
16A	WEAN MALE	245	2.65	650	LM	Y	70+d - 1Mv
16A	WEAN MALE	245	2.65	650	LM	Y	70+d - 1Mv
16B	WEAN MALE	245	2.33	570	LM	Y	70+d - 1Mv
16C	WEAN MALE	250	2.20	550	LM	Y	70+d - 1Mv
17	WEAN MALE	440	2.30	1010	CH	Y	70+d - 1Mv
17	WEAN MALE	440	2.30	1010	CH	Y	70+d - 1Mv
17A	WEAN MALE	442	2.24	990	CH	Y	70+d - 1Mv
17A	WEAN MALE	442	2.24	990	CH	Y	70+d - 1Mv
17B	WEAN MALE	335	2.57	860	CH	Y	70+d - 1Mv
17B	WEAN MALE	335	2.57	860	CH	Y	70+d - 1Mv
17B	WEAN MALE	335	2.57	860	CH	Y	70+d - 1Mv
18	WEAN MALE	335	2.30	770	SIM	N	- 1Mv
18	WEAN MALE	335	2.30	770	SIM	N	- 1Mv
18A	WEAN MALE	340	2.38	810	CH	N	- 2Mv
18D	WEAN MALE	245	2.65	650	LM	N	- 2Mv
18D	WEAN MALE	245	2.65	650	LM	N	- 2Mv
18D	WEAN MALE	245	2.65	650	LM	N	- 2Mv
19	WEAN MALE	297	2.76	820	LM	N	- 2Mv
19	WEAN MALE	297	2.76	820	CH	N	- 2Mv
19	WEAN MALE	297	2.76	820	CH	N	- 2Mv
19	WEAN MALE	297	2.76	820	CH	N	- 2Mv
19A	WEAN MALE	260	2.88	750	CH	N	- 2Mv
19A	WEAN MALE	260	2.88	750	CH	N	- 2Mv
19A	WEAN MALE	260	2.88	750	CH	N	- 2Mv
19C	WEAN MALE	325	2.63	855	CH	N	- 2Mv
19C	WEAN MALE	325	2.63	855	CH	N	- 2Mv
19C	WEAN MALE	325	2.63	855	CH	N	- 2Mv
19D	WEAN MALE	322	2.66	855	LM	N	- 2Mv
19D	WEAN MALE	322	2.66	855	LM	N	- 2Mv
19E	WEAN MALE	246	2.68	660	LM	N	- 2Mv
19E	WEAN MALE	246	2.68	660	LM	N	- 2Mv
19E	WEAN MALE	246	2.68	660	LM	N	- 2Mv
19H	WEAN MALE	257	2.57	660	LM	N	- 2Mv
19H	WEAN MALE	0	#DIV/0!	660	LM	N	- 2Mv
19K	WEAN MALE	230	2.87	660	CH	N	- 2Mv
19K	WEAN MALE	230	2.87	660	CH	N	- 2Mv
21A	WEAN MALE	268	2.50	670	SIM	N	- 2Mv
21A	WEAN MALE	268	2.50	670	LM	N	- 2Mv
21A	WEAN MALE	268	2.50	670	SHX	N	- 2Mv
21A	WEAN MALE	268	2.50	670	LM	N	- 2Mv
21A	WEAN MALE	268	2.50	670	LM	N	- 2Mv

21A	WEAN MALE	268	2.50	670	LM	N	- 2Mv
22	WEAN MALE	345	2.43	840	CH	Y	70+d - 1Mv
22	WEAN MALE	345	2.43	840	CH	Y	70+d - 1Mv
22	WEAN MALE	345	2.43	840	CH	Y	70+d - 1Mv
22	WEAN MALE	345	2.43	840	CH	Y	70+d - 1Mv
22	WEAN MALE	345	2.43	840	CH	Y	70+d - 1Mv
22A	WEAN MALE	353	2.62	925	CH	Y	70+d - 1Mv
22A	WEAN MALE	353	2.62	925	CH	Y	70+d - 1Mv
22A	WEAN MALE	353	2.62	925	CH	Y	70+d - 1Mv
22A	WEAN MALE	353	2.62	925	CH	Y	70+d - 1Mv
23A	WEAN MALE	415	2.18	905	CH	Y	70+d - 1Mv
23B	WEAN MALE	300	2.48	745	CH	Y	70+d - 1Mv
23D	WEAN MALE	345	2.61	900	CH	Y	70+d - 1Mv
23E	WEAN MALE	295	2.32	685	AA	Y	70+d - 1Mv
23H	WEAN MALE	290	2.00	580	AA	Y	70+d - 1Mv
24	WEAN MALE	340	2.71	920	CH	N	- 1Mv
24	WEAN MALE	340	2.71	920	CH	N	- 1Mv
24A	WEAN MALE	365	2.08	760	LM	N	- 2Mv
24A	WEAN MALE	365	2.08	760	LM	N	- 2Mv
24B	WEAN MALE	515	2.19	1130	CH	N	- 1Mv
24C	WEAN MALE	375	2.32	870	CH	N	- 1Mv
24E	WEAN MALE	445	2.00	890	CH	N	- 1Mv
24H	WEAN MALE	320	2.56	820	LM	Y	70+d - 1Mv
24H	WEAN MALE	320	2.56	820	LM	Y	70+d - 1Mv
24K	WEAN MALE	415	2.01	835	LM	Y	70+d - 1Mv
25	WEAN MALE	376	2.47	930	SIM	Y	70+d - 1Mv
25	WEAN MALE	376	2.47	930	SIM	Y	70+d - 1Mv
25	WEAN MALE	376	2.47	930	SIM	Y	70+d - 1Mv
25A	WEAN MALE	390	2.19	855	SIM	Y	70+d - 1Mv
25A	WEAN MALE	390	2.19	855	SIM	Y	70+d - 1Mv
25B	WEAN MALE	382	2.15	820	SIM	Y	70+d - 1Mv
25B	WEAN MALE	382	2.15	820	SIM	Y	70+d - 1Mv
26	WEAN MALE	400	2.16	865	SIM	Y	70+d - 1Mv
26	WEAN MALE	400	2.16	865	SIM	Y	70+d - 1Mv
26A	WEAN MALE	330	2.74	905	SIM	Y	70+d - 1Mv
26B	WEAN MALE	395	2.10	830	FR	Y	70+d - 1Mv
27A	WEAN MALE	255	2.47	630	LM	Y	70+d - 1Mv
27A	WEAN MALE	255	2.47	630	LM	Y	70+d - 1Mv
27B	WEAN MALE	247	2.69	665	CH	Y	70+d - 1Mv
27B	WEAN MALE	247	2.69	665	CH	Y	70+d - 1Mv
27C	WEAN MALE	295	2.44	720	LM	Y	70+d - 1Mv
27D	WEAN MALE	310	2.37	735	CH	Y	70+d - 1Mv
33	WEAN MALE	470	1.60	750	SIM	N	- 1Mv
33A	WEAN MALE	330	2.58	850	CH	N	- 1Mv
33A	WEAN MALE	330	2.58	850	SIM	N	- 1Mv
33A	WEAN MALE	330	2.58	850	CH	N	- 1Mv
33A	WEAN MALE	330	2.58	850	CH	N	- 1Mv
33A	WEAN MALE	330	2.58	850	CH	N	- 1Mv
33A	WEAN MALE	330	2.58	850	CH	N	- 1Mv
34	WEAN MALE	275	2.58	710	CH	N	- 1Mv

34	WEAN MALE	275	2.58	710	CH	N	- 1Mv
34	WEAN MALE	275	2.58	710	CH	N	- 1Mv
34	WEAN MALE	275	2.58	710	CH	N	- 1Mv
34	WEAN MALE	275	2.58	710	CH	N	- 1Mv
37	WEAN MALE	335	2.54	850	CH	N	- 1Mv
37	WEAN MALE	335	2.54	850	CH	N	- 1Mv
37A	WEAN MALE	395	2.30	910	CH	N	- 1Mv
37A	WEAN MALE	395	2.30	910	CH	N	- 1Mv
37B	WEAN MALE	390	2.33	910	CH	N	- 1Mv
37B	WEAN MALE	390	2.33	910	CH	N	- 1Mv
38	WEAN MALE	258	1.74	450	FR	Y	70+d - 1Mv
38	WEAN MALE	258	1.74	450	FR	Y	70+d - 1Mv
38	WEAN MALE	258	1.74	450	FR	Y	70+d - 1Mv
38	WEAN MALE	258	1.74	450	FR	Y	70+d - 1Mv
38A	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
38A	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
38A	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
38A	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
39	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
39	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
39	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
39	WEAN MALE	235	1.70	400	FR	Y	70+d - 1Mv
39A	WEAN MALE	219	1.62	355	FR	Y	70+d - 1Mv
39A	WEAN MALE	219	1.62	355	FR	Y	70+d - 1Mv
39A	WEAN MALE	219	1.62	355	FR	Y	70+d - 1Mv
39A	WEAN MALE	219	1.62	355	FR	Y	70+d - 1Mv
39A	WEAN MALE	219	1.62	355	FR	Y	70+d - 1Mv
40B	WEAN MALE	360	2.08	750	LM	N	- 2Mv
42	WEAN MALE	280	1.68	470	FR	Y	70+d - 1Mv
42	WEAN MALE	280	1.68	470	FR	Y	70+d - 1Mv
42	WEAN MALE	280	1.68	470	FR	Y	70+d - 1Mv
42	WEAN MALE	280	1.68	470	FR	Y	70+d - 1Mv
42	WEAN MALE	280	1.68	470	FR	Y	70+d - 1Mv
42	WEAN MALE	280	1.68	470	FR	Y	70+d - 1Mv
42A	WEAN MALE	295	1.73	510	FR	Y	70+d - 1Mv
42A	WEAN MALE	295	1.73	510	FR	Y	70+d - 1Mv
42B	WEAN MALE	312	1.70	530	FR	Y	70+d - 1Mv
42B	WEAN MALE	312	1.70	530	FR	Y	70+d - 1Mv
43	WEAN MALE	256	1.52	390	FR	Y	70+d - 1Mv
43	WEAN MALE	256	1.52	390	FR	Y	70+d - 1Mv
43	WEAN MALE	256	1.52	390	FR	Y	70+d - 1Mv
43	WEAN MALE	256	1.52	390	FR	Y	70+d - 1Mv
43A	WEAN MALE	246	1.71	420	FR	Y	70+d - 1Mv
43A	WEAN MALE	246	1.71	420	FR	Y	70+d - 1Mv
43A	WEAN MALE	246	1.71	420	FR	Y	70+d - 1Mv
43A	WEAN MALE	246	1.71	420	FR	Y	70+d - 1Mv
43A	WEAN MALE	246	1.71	420	FR	Y	70+d - 1Mv
43A	WEAN MALE	246	1.71	420	FR	Y	70+d - 1Mv
44A	WEAN MALE	272	1.47	400	FR	Y	70+d - 1Mv
44A	WEAN MALE	272	1.47	400	FR	Y	70+d - 1Mv

44B	WEAN MALE	260	1.87	485	AA	Y	70+d - 1Mv
44C	WEAN MALE	225	1.93	435	AA	Y	70+d - 1Mv
44D	WEAN MALE	203	2.39	485	AA	Y	70+d - 1Mv
44D	WEAN MALE	203	2.39	485	AA	Y	70+d - 1Mv
44D	WEAN MALE	203	2.39	485	AA	Y	70+d - 1Mv
44D	WEAN MALE	203	2.39	485	AA	Y	70+d - 1Mv
45	WEAN MALE	260	1.44	375	FR	N	- 2Mv
45	WEAN MALE	260	1.44	375	FR	N	- 2Mv
45	WEAN MALE	260	1.44	375	FR	N	- 2Mv
45	WEAN MALE	260	1.44	375	FR	N	- 2Mv
45	WEAN MALE	260	1.44	375	FR	N	- 2Mv
45A	WEAN MALE	233	1.59	370	FR	N	- 2Mv
45A	WEAN MALE	233	1.59	370	FR	N	- 2Mv
45A	WEAN MALE	233	1.59	370	FR	N	- 2Mv
45A	WEAN MALE	233	1.59	370	FR	N	- 2Mv
45A	WEAN MALE	233	1.59	370	FR	N	- 2Mv

WEANLING HEIFERS

LOT	Type Des	KG	€/KG	€/HD	Breed	QAS	QA Days
401	WEAN FEMALE	217	2.49	540	BB	N	- 1Mv
401	WEAN FEMALE	217	2.49	540	BB	N	- 1Mv
401	WEAN FEMALE	217	2.49	540	BB	N	- 1Mv
401	WEAN FEMALE	217	2.49	540	BB	N	- 1Mv
401	WEAN FEMALE	217	2.49	540	BB	N	- 1Mv
401A	WEAN FEMALE	391	1.92	750	CH	N	- 1Mv
401A	WEAN FEMALE	391	1.92	750	CH	N	- 1Mv
401A	WEAN FEMALE	391	1.92	750	CH	N	- 1Mv
401B	WEAN FEMALE	475	1.54	730	SAX	N	- 2Mv
401B	WEAN FEMALE	475	1.54	730	SAX	N	- 2Mv
402	WEAN FEMALE	265	2.42	640	CH	N	- 1Mv
402A	WEAN FEMALE	222	2.57	570	CH	N	- 1Mv
402A	WEAN FEMALE	222	2.57	570	CH	N	- 1Mv
402A	WEAN FEMALE	222	2.57	570	CH	N	- 1Mv
402A	WEAN FEMALE	222	2.57	570	CH	N	- 1Mv
402B	WEAN FEMALE	245	2.55	625	CH	N	- 1Mv
402B	WEAN FEMALE	245	2.55	625	CH	N	- 1Mv
402C	WEAN FEMALE	215	2.67	575	CH	N	- 1Mv
403	WEAN FEMALE	325	2.34	760	LM	N	- 1Mv
403A	WEAN FEMALE	246	2.44	600	CH	N	- 1Mv
403A	WEAN FEMALE	246	2.44	600	CH	N	- 1Mv
403A	WEAN FEMALE	246	2.44	600	CH	N	- 1Mv
403A	WEAN FEMALE	246	2.44	600	CH	N	- 1Mv
403A	WEAN FEMALE	246	2.44	600	CH	N	- 1Mv
403B	WEAN FEMALE	258	2.21	570	CH	N	- 1Mv
403B	WEAN FEMALE	258	2.21	570	CH	N	- 1Mv
403B	WEAN FEMALE	258	2.21	570	CH	N	- 1Mv
404	WEAN FEMALE	285	2.39	680	LM	Y	70+d - 1Mv
404	WEAN FEMALE	285	2.39	680	LM	Y	70+d - 1Mv
404B	WEAN FEMALE	220	2.27	500	LM	Y	70+d - 1Mv
404C	WEAN FEMALE	242	2.69	650	LM	Y	70+d - 1Mv

404C	WEAN FEMALE	242	2.69	650	LM	Y	70+d - 1Mv
405	WEAN FEMALE	350	2.34	820	BB	N	- 1Mv
405A	WEAN FEMALE	330	2.30	760	BB	N	- 1Mv
405B	WEAN FEMALE	300	2.13	640	BB	N	- 1Mv
405C	WEAN FEMALE	350	2.00	700	BB	N	- 1Mv
405D	WEAN FEMALE	265	3.17	840	BB	N	- 1Mv
405E	WEAN FEMALE	362	2.15	780	CH	Y	70+d - 1Mv
405E	WEAN FEMALE	362	2.15	780	CH	Y	70+d - 1Mv
405H	WEAN FEMALE	327	2.45	800	CH	Y	70+d - 1Mv
405H	WEAN FEMALE	327	2.45	800	CH	Y	70+d - 1Mv
405K	WEAN FEMALE	305	2.48	755	CH	Y	70+d - 1Mv
405K	WEAN FEMALE	305	2.48	755	CH	Y	70+d - 1Mv
405K	WEAN FEMALE	305	2.48	755	CH	Y	70+d - 1Mv
406	WEAN FEMALE	317	2.37	750	CH	N	- 1Mv
406	WEAN FEMALE	317	2.37	750	CH	N	- 1Mv
406B	WEAN FEMALE	375	2.19	820	CH	N	- 1Mv
406C	WEAN FEMALE	320	2.03	650	CH	N	- 1Mv
406D	WEAN FEMALE	230	2.43	560	CH	N	- 1Mv
406E	WEAN FEMALE	335	2.24	750	LM	N	- 2Mv
406H	WEAN FEMALE	280	2.25	630	SIM	N	- 1Mv
406K	WEAN FEMALE	380	2.24	850	BB	N	- 1Mv
409	WEAN FEMALE	201	2.14	430	AA	N	- 2Mv
409	WEAN FEMALE	201	2.14	430	AA	N	- 2Mv
409	WEAN FEMALE	201	2.14	430	AA	N	- 2Mv
409A	WEAN FEMALE	195	2.31	450	LM	N	- 2Mv
409A	WEAN FEMALE	195	2.31	450	LM	N	- 2Mv
409B	WEAN FEMALE	310	2.08	645	LM	N	- 1Mv
410	WEAN FEMALE	366	2.10	770	LM	N	- 1Mv
410	WEAN FEMALE	366	2.10	770	LM	N	- 1Mv
410	WEAN FEMALE	366	2.10	770	LM	N	- 1Mv
410	WEAN FEMALE	366	2.10	770	LM	N	- 1Mv
410	WEAN FEMALE	366	2.10	770	LM	N	- 1Mv
410A	WEAN FEMALE	313	2.33	730	LM	N	- 1Mv
410A	WEAN FEMALE	313	2.33	730	LM	N	- 1Mv
410A	WEAN FEMALE	313	2.33	730	LM	N	- 1Mv
410A	WEAN FEMALE	313	2.33	730	LM	N	- 1Mv
410A	WEAN FEMALE	313	2.33	730	LM	N	- 1Mv
411	WEAN FEMALE	310	2.39	740	CH	N	- 1Mv
411	WEAN FEMALE	310	2.39	740	CH	N	- 1Mv
411A	WEAN FEMALE	310	2.26	700	CH	N	- 1Mv
411A	WEAN FEMALE	310	2.26	700	CH	N	- 1Mv
411B	WEAN FEMALE	327	2.35	770	CH	N	- 1Mv
411B	WEAN FEMALE	327	2.35	770	CH	N	- 1Mv
411C	WEAN FEMALE	315	2.29	720	CH	N	- 1Mv
411C	WEAN FEMALE	315	2.29	720	CH	N	- 1Mv
412	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv
412	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv
412A	WEAN FEMALE	380	2.17	825	CH	N	- 1Mv
415	WEAN FEMALE	312	2.12	660	AA	N	- 1Mv
415	WEAN FEMALE	312	2.12	660	AA	N	- 1Mv

415	WEAN FEMALE	312	2.12	660	AA	N	- 1Mv
415	WEAN FEMALE	312	2.12	660	AA	N	- 1Mv
415	WEAN FEMALE	312	2.12	660	AA	N	- 1Mv
415	WEAN FEMALE	312	2.12	660	AA	N	- 1Mv