

Bull Weanlings

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
1	WEAN MALE	400	2.38	950	CH	N	- 1Mv
1A	WEAN MALE	352	2.29	805	CH	Y	70+d - 1Mv
1A	WEAN MALE	352	2.29	805	CH	Y	70+d - 1Mv
1B	WEAN MALE	275	2.25	620	CH	Y	70+d - 1Mv
1C	WEAN MALE	375	2.13	800	CH	Y	70+d - 1Mv
4C	WEAN MALE	225	2.82	635	LM	N	- 2Mv
4C	WEAN MALE	225	2.82	635	LM	N	- 2Mv
5B	WEAN MALE	372	2.27	845	LM	N	- 2Mv
5B	WEAN MALE	372	2.27	845	LM	N	- 2Mv
5B	WEAN MALE	372	2.27	845	LM	N	- 2Mv
5B	WEAN MALE	372	2.27	845	LM	N	- 2Mv
5B	WEAN MALE	372	2.27	845	LM	N	- 2Mv
8D	WEAN MALE	335	1.73	580	AA	N	- 3Mv
8D	WEAN MALE	335	1.73	580	AA	N	- 3Mv
8D	WEAN MALE	335	1.73	580	AA	N	- 3Mv
9	WEAN MALE	287	2.09	600	AA	N	- 1Mv
9	WEAN MALE	287	2.09	600	AA	N	- 1Mv
9A	WEAN MALE	310	1.97	610	AA	N	- 1Mv
9A	WEAN MALE	310	1.97	610	AA	N	- 1Mv
9B	WEAN MALE	285	1.96	560	AA	N	- 1Mv
9C	WEAN MALE	250	2.04	510	HE	Y	70+d - 1Mv
9D	WEAN MALE	235	2.17	510	HE	Y	70+d - 1Mv
9E	WEAN MALE	195	2.23	435	HE	Y	70+d - 1Mv
9H	WEAN MALE	200	2.20	440	HE	Y	70+d - 1Mv
9K	WEAN MALE	255	2.31	590	BB	Y	70+d - 1Mv
9L	WEAN MALE	250	2.26	565	LM	Y	70+d - 1Mv
9X	WEAN MALE	230	2.13	490	LM	Y	70+d - 1Mv
10	WEAN MALE	410	2.00	820	LM	Y	70+d - 1Mv
10	WEAN MALE	410	2.00	820	LM	Y	70+d - 1Mv
10A	WEAN MALE	307	2.41	740	LM	Y	70+d - 1Mv
10A	WEAN MALE	307	2.41	740	LM	Y	70+d - 1Mv
10B	WEAN MALE	292	2.21	645	LM	Y	70+d - 1Mv
10B	WEAN MALE	292	2.21	645	LM	Y	70+d - 1Mv
10C	WEAN MALE	445	1.87	830	LM	Y	70+d - 1Mv
10D	WEAN MALE	315	2.13	670	LM	Y	70+d - 1Mv
11	WEAN MALE	231	2.08	480	AA	Y	70+d - 1Mv
11	WEAN MALE	231	2.08	480	AA	Y	70+d - 1Mv
11	WEAN MALE	231	2.08	480	AA	Y	70+d - 1Mv
11	WEAN MALE	231	2.08	480	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
11A	WEAN MALE	258	1.90	490	AA	Y	70+d - 1Mv
12	WEAN MALE	258	2.15	555	HE	Y	70+d - 1Mv

12	WEAN MALE	258	2.15	555	HE	Y	70+d - 1Mv
12	WEAN MALE	258	2.15	555	HE	Y	70+d - 1Mv
12	WEAN MALE	258	2.15	555	HE	Y	70+d - 1Mv
12	WEAN MALE	258	2.15	555	HE	Y	70+d - 1Mv
12A	WEAN MALE	272	1.99	540	HE	Y	70+d - 1Mv
12A	WEAN MALE	272	1.99	540	HE	Y	70+d - 1Mv
13	WEAN MALE	346	2.49	860	CH	Y	70+d - 1Mv
13	WEAN MALE	346	2.49	860	CH	Y	70+d - 1Mv
13	WEAN MALE	346	2.49	860	CH	Y	70+d - 1Mv
13A	WEAN MALE	272	2.39	650	CH	Y	70+d - 1Mv
13A	WEAN MALE	272	2.39	650	CH	Y	70+d - 1Mv
13B	WEAN MALE	330	2.35	775	CH	Y	70+d - 1Mv
13C	WEAN MALE	340	1.59	540	FR	Y	70+d - 2Mv
13E	WEAN MALE	315	2.14	675	AA	N	- 1Mv
13E	WEAN MALE	315	2.14	675	AA	N	- 1Mv
13H	WEAN MALE	310	1.74	540	FR	N	- 1Mv
14	WEAN MALE	365	2.52	920	CH	N	- 1Mv
14A	WEAN MALE	340	2.44	830	CH	N	- 1Mv
14A	WEAN MALE	340	2.44	830	CH	N	- 1Mv
14B	WEAN MALE	385	2.31	890	CH	N	- 1Mv
14B	WEAN MALE	385	2.31	890	CH	N	- 1Mv
14B	WEAN MALE	385	2.31	890	CH	N	- 1Mv
14C	WEAN MALE	268	2.61	700	CH	N	- 1Mv
14C	WEAN MALE	268	2.61	700	CH	N	- 1Mv
14C	WEAN MALE	268	2.61	700	CH	N	- 1Mv
14C	WEAN MALE	268	2.61	700	CH	N	- 1Mv
14D	WEAN MALE	286	2.53	725	CH	N	- 1Mv
14D	WEAN MALE	286	2.53	725	CH	N	- 1Mv
14D	WEAN MALE	286	2.53	725	CH	N	- 1Mv
14E	WEAN MALE	232	2.50	580	CH	N	- 1Mv
14E	WEAN MALE	232	2.50	580	CH	N	- 1Mv
15	WEAN MALE	332	2.77	920	CH	N	- 1Mv
15	WEAN MALE	332	2.77	920	CH	N	- 1Mv
15A	WEAN MALE	360	2.33	840	BB	N	- 1Mv
15B	WEAN MALE	312	2.80	875	CH	N	- 1Mv
15B	WEAN MALE	312	2.80	875	CH	N	- 1Mv
15C	WEAN MALE	400	2.03	810	CH	N	- 1Mv
16	WEAN MALE	420	2.21	930	CH	N	- 1Mv
16A	WEAN MALE	440	2.17	955	CH	N	- 1Mv
16B	WEAN MALE	380	2.46	935	CH	N	- 1Mv
16C	WEAN MALE	405	2.15	870	CH	N	- 1Mv
16D	WEAN MALE	325	2.37	770	CH	N	- 1Mv
16E	WEAN MALE	365	2.33	850	LM	N	- 1Mv
16H	WEAN MALE	320	2.52	805	CH	N	- 1Mv
16K	WEAN MALE	325	2.34	760	LM	N	- 1Mv
16L	WEAN MALE	305	2.52	770	LM	N	- 1Mv
16P	WEAN MALE	325	2.40	780	CH	N	- 1Mv
17	WEAN MALE	290	2.52	730	LM	N	- 1Mv
17A	WEAN MALE	355	2.25	800	LM	N	- 1Mv
17B	WEAN MALE	265	2.00	530	LM	N	- 1Mv

17C	WEAN MALE	290	2.22	645	LM	N	- 1Mv
17D	WEAN MALE	310	2.60	805	CH	N	- 1Mv
17E	WEAN MALE	295	2.47	730	LM	N	- 1Mv
17E	WEAN MALE	295	2.47	730	LM	N	- 1Mv
17E	WEAN MALE	295	2.47	730	LM	N	- 1Mv
18	WEAN MALE	367	2.18	800	CH	N	- 1Mv
18	WEAN MALE	367	2.18	800	CH	N	- 1Mv
18A	WEAN MALE	395	2.20	870	CH	N	- 1Mv
18A	WEAN MALE	395	2.20	870	CH	N	- 1Mv
18B	WEAN MALE	360	2.36	850	CH	N	- 1Mv
18B	WEAN MALE	360	2.36	850	CH	N	- 1Mv
18C	WEAN MALE	377	2.15	810	CH	N	- 1Mv
18C	WEAN MALE	377	2.15	810	CH	N	- 1Mv
18D	WEAN MALE	380	2.29	870	CH	N	- 1Mv
18E	WEAN MALE	367	2.43	890	CH	N	- 1Mv
18E	WEAN MALE	367	2.43	890	CH	N	- 1Mv
18E	WEAN MALE	367	2.43	890	CH	N	- 1Mv
18E	WEAN MALE	367	2.43	890	CH	N	- 1Mv
18E	WEAN MALE	367	2.43	890	CH	N	- 1Mv
18H	WEAN MALE	225	2.22	500	CH	N	- 1Mv
19	WEAN MALE	393	1.60	630	CH	Y	70+d - 1Mv
19A	WEAN MALE	325	2.65	860	CH	Y	70+d - 1Mv
19C	WEAN MALE	210	2.98	625	CH	Y	70+d - 1Mv
19E	WEAN MALE	380	2.00	760	LM	N	- 1Mv
19H	WEAN MALE	295	2.47	730	LM	N	- 1Mv
19K	WEAN MALE	265	2.68	710	LM	N	- 1Mv
19L	WEAN MALE	275	2.00	550	LM	N	- 1Mv
19P	WEAN MALE	391	2.30	900	LM	Y	70+d - 1Mv
19P	WEAN MALE	391	2.30	900	LM	Y	70+d - 1Mv
19P	WEAN MALE	391	2.30	900	LM	Y	70+d - 1Mv
19P	WEAN MALE	391	2.30	900	LM	Y	70+d - 1Mv
19P	WEAN MALE	391	2.30	900	LM	Y	70+d - 1Mv
19T	WEAN MALE	300	2.63	790	LM	N	- 1Mv
19T	WEAN MALE	300	2.63	790	LM	N	- 1Mv
20A	WEAN MALE	297	2.63	780	LM	N	- 1Mv
20A	WEAN MALE	297	2.63	780	LM	N	- 1Mv
20B	WEAN MALE	242	2.07	500	AA	N	- 1Mv
20B	WEAN MALE	242	2.07	500	LM	N	- 1Mv
20C	WEAN MALE	222	2.39	530	LM	N	- 1Mv
20C	WEAN MALE	222	2.39	530	LM	N	- 1Mv
21	WEAN MALE	313	2.78	870	LM	N	- 1Mv
21	WEAN MALE	313	2.78	870	LM	N	- 1Mv
21	WEAN MALE	313	2.78	870	LM	N	- 1Mv
21	WEAN MALE	313	2.78	870	LM	N	- 1Mv
21	WEAN MALE	313	2.78	870	LM	N	- 1Mv
21A	WEAN MALE	305	2.26	690	LM	N	- 1Mv
21B	WEAN MALE	295	2.64	780	LM	N	- 1Mv
25	WEAN MALE	323	2.45	790	AU	Y	70+d - 1Mv
25	WEAN MALE	323	2.45	790	AU	Y	70+d - 1Mv
25	WEAN MALE	323	2.45	790	AU	Y	70+d - 1Mv

25A	WEAN MALE	315	2.22	700	AU	Y	70+d - 1Mv
25A	WEAN MALE	315	2.22	700	AU	Y	70+d - 1Mv
25A	WEAN MALE	315	2.22	700	AU	Y	70+d - 1Mv
25B	WEAN MALE	326	2.15	700	AU	Y	70+d - 1Mv
25B	WEAN MALE	326	2.15	700	AU	Y	70+d - 1Mv
25B	WEAN MALE	326	2.15	700	AU	Y	70+d - 1Mv
25B	WEAN MALE	326	2.15	700	AU	Y	70+d - 1Mv
26	WEAN MALE	465	2.26	1050	LM	Y	70+d - 1Mv
26A	WEAN MALE	405	2.32	940	LM	Y	70+d - 1Mv
27	WEAN MALE	272	2.10	570	LM	N	- 2Mv
27	WEAN MALE	272	2.10	570	HE	N	- 2Mv
27A	WEAN MALE	232	2.37	550	HE	N	- 2Mv
27A	WEAN MALE	232	2.37	550	HE	N	- 2Mv
27B	WEAN MALE	390	1.96	765	LM	N	- 3Mv
27D	WEAN MALE	500	2.11	1055	LM	Y	70+d - 1Mv
27E	WEAN MALE	415	2.07	860	SIM	Y	70+d - 1Mv
27H	WEAN MALE	455	2.18	990	SIM	Y	70+d - 1Mv
27K	WEAN MALE	435	1.93	840	SIM	Y	70+d - 1Mv
28A	WEAN MALE	280	2.46	690	LM	Y	70+d - 1Mv
28A	WEAN MALE	280	2.46	690	LM	Y	70+d - 1Mv
28B	WEAN MALE	215	2.70	580	CH	Y	70+d - 2Mv
28C	WEAN MALE	271	2.34	635	LM	Y	70+d - 2Mv
28C	WEAN MALE	271	2.34	635	LM	Y	70+d - 2Mv
28C	WEAN MALE	271	2.34	635	LM	Y	70+d - 1Mv
28C	WEAN MALE	271	2.34	635	LM	Y	70+d - 1Mv
28D	WEAN MALE	318	2.36	750	LM	Y	70+d - 1Mv
28D	WEAN MALE	318	2.36	750	LM	Y	70+d - 1Mv
28D	WEAN MALE	318	2.36	750	LM	Y	70+d - 1Mv
28D	WEAN MALE	318	2.36	750	LM	Y	70+d - 1Mv
28D	WEAN MALE	318	2.36	750	LM	Y	70+d - 1Mv
28D	WEAN MALE	318	2.36	750	LM	Y	70+d - 1Mv
28E	WEAN MALE	255	2.61	665	LM	Y	70+d - 1Mv
28E	WEAN MALE	255	2.61	665	LM	Y	70+d - 1Mv
28H	WEAN MALE	298	2.55	760	LM	Y	70+d - 1Mv
28H	WEAN MALE	298	2.55	760	LM	Y	70+d - 1Mv
28H	WEAN MALE	298	2.55	760	LM	Y	70+d - 1Mv
29A	WEAN MALE	317	2.24	710	LM	N	- 1Mv
29A	WEAN MALE	317	2.24	710	LM	N	- 1Mv
29A	WEAN MALE	317	2.24	710	LM	N	- 1Mv
29A	WEAN MALE	317	2.24	710	AA	N	- 1Mv
29C	WEAN MALE	500	2.17	1085	LM	N	- 1Mv
29D	WEAN MALE	485	1.69	820	HE	N	- 2Mv
29E	WEAN MALE	435	2.10	915	LM	N	- 1Mv
29H	WEAN MALE	390	2.21	860	LM	N	- 1Mv
29K	WEAN MALE	355	2.28	810	CH	N	- 1Mv
29L	WEAN MALE	382	2.12	810	LM	N	- 1Mv
29L	WEAN MALE	382	2.12	810	LM	N	- 1Mv
30B	WEAN MALE	345	2.46	850	LM	N	- 1Mv
30B	WEAN MALE	345	2.46	850	LM	N	- 1Mv
30B	WEAN MALE	345	2.46	850	LM	N	- 1Mv

30B	WEAN MALE	345	2.46	850	LM	N	- 1Mv
30B	WEAN MALE	345	2.46	850	LM	N	- 1Mv
30C	WEAN MALE	305	2.30	700	SIM	N	- 1Mv
30D	WEAN MALE	255	2.04	520	SIM	N	- 1Mv
31	WEAN MALE	391	1.92	750	LM	Y	70+d - 1Mv
31	WEAN MALE	391	1.92	750	LM	Y	70+d - 1Mv
31	WEAN MALE	391	1.92	750	LM	Y	70+d - 1Mv
31A	WEAN MALE	425	1.88	800	LM	Y	70+d - 1Mv
31A	WEAN MALE	425	1.88	800	LM	Y	70+d - 1Mv
31K	WEAN MALE	335	1.61	540	HE	N	- 1Mv
31K	WEAN MALE	335	1.61	540	HE	N	- 1Mv
32	WEAN MALE	460	2.35	1080	LM	Y	70+d - 1Mv
32A	WEAN MALE	443	2.37	1050	LM	Y	70+d - 1Mv
32A	WEAN MALE	443	2.37	1050	LM	Y	70+d - 1Mv
32A	WEAN MALE	443	2.37	1050	LM	Y	70+d - 1Mv
32B	WEAN MALE	375	2.21	830	LM	Y	70+d - 1Mv
34	WEAN MALE	140	1.64	230	AA	Y	70+d - 1Mv
34A	WEAN MALE	185	2.11	390	AA	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
36H	WEAN MALE	263	1.79	470	FR	Y	70+d - 1Mv
37B	WEAN MALE	240	1.67	400	FR	Y	70+d - 1Mv
37B	WEAN MALE	240	1.67	400	FR	Y	70+d - 1Mv
37B	WEAN MALE	240	1.67	400	FR	Y	70+d - 1Mv
37B	WEAN MALE	240	1.67	400	FR	Y	70+d - 1Mv
37B	WEAN MALE	240	1.67	400	FR	Y	70+d - 1Mv
37C	WEAN MALE	223	1.66	370	FR	Y	70+d - 1Mv
37C	WEAN MALE	223	1.66	370	FR	Y	70+d - 1Mv
37C	WEAN MALE	223	1.66	370	FR	Y	70+d - 1Mv
37C	WEAN MALE	223	1.66	370	FR	Y	70+d - 1Mv
37C	WEAN MALE	223	1.66	370	FR	Y	70+d - 1Mv
38B	WEAN MALE	210	1.90	400	FR	Y	70+d - 1Mv
38B	WEAN MALE	210	1.90	400	FR	Y	70+d - 1Mv
38B	WEAN MALE	210	1.90	400	FR	Y	70+d - 1Mv
38B	WEAN MALE	210	1.90	400	FR	Y	70+d - 1Mv
38B	WEAN MALE	210	1.90	400	FR	Y	70+d - 1Mv
39	WEAN MALE	382	2.21	845	CH	N	- 1Mv
39	WEAN MALE	382	2.21	845	CH	N	- 1Mv
39A	WEAN MALE	377	2.24	845	CH	N	- 1Mv
39A	WEAN MALE	377	2.24	845	CH	N	- 1Mv
39B	WEAN MALE	415	1.84	765	CH	N	- 1Mv
40	WEAN MALE	380	2.32	880	LM	N	- 1Mv
40A	WEAN MALE	270	2.59	700	LM	N	- 1Mv
40A	WEAN MALE	270	2.59	700	LM	N	- 1Mv
40B	WEAN MALE	295	2.68	790	LM	N	- 1Mv

40B	WEAN MALE	295	2.68	790	LM	N	- 1Mv
40C	WEAN MALE	313	2.68	840	LM	N	- 1Mv
40C	WEAN MALE	313	2.68	840	LM	N	- 1Mv
40C	WEAN MALE	313	2.68	840	LM	N	- 1Mv
40D	WEAN MALE	346	2.51	870	LM	N	- 1Mv
40D	WEAN MALE	346	2.51	870	LM	N	- 1Mv
40D	WEAN MALE	346	2.51	870	LM	N	- 1Mv

Heifer Weanlings

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
400	WEAN FEMALE	375	2.24	840	CH	N	- 1Mv
400	WEAN FEMALE	375	2.24	840	CH	N	- 1Mv
400A	WEAN FEMALE	310	2.47	765	CH	N	- 1Mv
400A	WEAN FEMALE	310	2.47	765	CH	N	- 1Mv
400K	WEAN FEMALE	340	2.18	740	CH	N	- 1Mv
400K	WEAN FEMALE	340	2.18	740	CH	N	- 1Mv
401	WEAN FEMALE	287	2.39	685	CH	N	- 1Mv
401	WEAN FEMALE	287	2.39	685	CH	N	- 1Mv
401	WEAN FEMALE	287	2.39	685	CH	N	- 1Mv
401	WEAN FEMALE	287	2.39	685	CH	N	- 1Mv
401A	WEAN FEMALE	245	2.73	670	CH	N	- 1Mv
401A	WEAN FEMALE	245	2.73	670	CH	N	- 1Mv
401A	WEAN FEMALE	245	2.73	670	CH	N	- 1Mv
401A	WEAN FEMALE	245	2.73	670	CH	N	- 1Mv
401B	WEAN FEMALE	340	2.21	750	SIM	N	- 1Mv
402	WEAN FEMALE	270	2.33	630	AA	N	- 1Mv
402	WEAN FEMALE	270	2.33	630	AA	N	- 1Mv
402A	WEAN FEMALE	287	2.13	610	AA	N	- 1Mv
402A	WEAN FEMALE	287	2.13	610	AA	N	- 1Mv
402B	WEAN FEMALE	240	1.88	450	AA	N	- 1Mv
402C	WEAN FEMALE	240	2.46	590	LM	Y	70+d - 1Mv
402K	WEAN FEMALE	225	1.96	440	HE	Y	70+d - 1Mv
403	WEAN FEMALE	262	2.25	590	LM	Y	70+d - 1Mv
403	WEAN FEMALE	262	2.25	590	LM	Y	70+d - 1Mv
403A	WEAN FEMALE	335	2.33	780	CH	N	- 1Mv
403A	WEAN FEMALE	335	2.33	780	CH	N	- 1Mv
403B	WEAN FEMALE	370	2.14	790	CH	N	- 1Mv
404	WEAN FEMALE	335	2.36	790	CH	Y	70+d - 1Mv
404A	WEAN FEMALE	315	2.29	720	CH	Y	21d - 1Mv
404B	WEAN FEMALE	300	2.07	620	CH	Y	21d - 1Mv
404C	WEAN FEMALE	280	2.43	680	CH	Y	70+d - 1Mv
404D	WEAN FEMALE	250	2.56	640	LM	Y	70+d - 2Mv
404E	WEAN FEMALE	220	2.59	570	CH	Y	70+d - 1Mv
404H	WEAN FEMALE	270	2.56	690	CH	Y	70+d - 1Mv
405	WEAN FEMALE	385	2.01	775	LM	Y	70+d - 1Mv
405A	WEAN FEMALE	320	2.52	805	LM	Y	70+d - 1Mv
405B	WEAN FEMALE	290	2.26	655	LM	Y	70+d - 1Mv
405C	WEAN FEMALE	300	2.45	735	LM	Y	70+d - 1Mv
405D	WEAN FEMALE	218	2.57	560	BB	Y	70+d - 1Mv
405D	WEAN FEMALE	218	2.57	560	BB	Y	70+d - 1Mv

405D	WEAN FEMALE	218	2.57	560	BB	Y	70+d - 1Mv
405D	WEAN FEMALE	218	2.57	560	BB	Y	70+d - 1Mv
405D	WEAN FEMALE	218	2.57	560	BB	Y	70+d - 1Mv
405E	WEAN FEMALE	237	2.07	490	AA	Y	70+d - 1Mv
405E	WEAN FEMALE	237	2.07	490	AA	Y	70+d - 1Mv
405E	WEAN FEMALE	237	2.07	490	AA	Y	70+d - 1Mv
406	WEAN FEMALE	285	2.46	700	LM	N	- 1Mv
406	WEAN FEMALE	285	2.46	700	LM	N	- 1Mv
406A	WEAN FEMALE	330	2.33	770	LM	N	- 1Mv
406B	WEAN FEMALE	345	2.46	850	LM	Y	70+d - 1Mv
406C	WEAN FEMALE	350	2.24	785	LM	Y	70+d - 1Mv
406D	WEAN FEMALE	350	2.11	740	PT	Y	70+d - 1Mv
406E	WEAN FEMALE	290	2.00	580	LM	Y	70+d - 1Mv
407	WEAN FEMALE	285	2.19	625	LM	Y	70+d - 1Mv
407	WEAN FEMALE	285	2.19	625	LM	Y	70+d - 1Mv
407	WEAN FEMALE	285	2.19	625	LM	Y	70+d - 1Mv
407	WEAN FEMALE	285	2.19	625	LM	Y	70+d - 1Mv
407	WEAN FEMALE	285	2.19	625	LM	Y	70+d - 1Mv
407	WEAN FEMALE	285	2.19	625	LM	Y	70+d - 1Mv
407B	WEAN FEMALE	305	2.36	720	LM	Y	70+d - 1Mv
407C	WEAN FEMALE	265	2.87	760	LM	Y	70+d - 1Mv
407C	WEAN FEMALE	265	2.87	760	LM	Y	70+d - 1Mv
407K	WEAN FEMALE	325	2.28	740	BB	Y	70+d - 1Mv
409A	WEAN FEMALE	276	2.68	740	LM	Y	4d - 2Mv
409A	WEAN FEMALE	276	2.68	740	LM	Y	4d - 2Mv
409A	WEAN FEMALE	276	2.68	740	LM	Y	4d - 2Mv
409A	WEAN FEMALE	276	2.68	740	LM	Y	4d - 2Mv
409D	WEAN FEMALE	475	2.11	1000	CH	Y	23d - 2Mv