

**BULLOCK RING**

<b>LOT</b>	<b>RING</b>	<b>KG</b>	<b>€/KG</b>	<b>€/HD</b>	<b>Breed</b>	<b>QAS</b>	<b>QA Days</b>
1	WEAN MALE	210	2.38	500	LM	Y	70+d - 1Mv
1	WEAN MALE	210	2.38	500	LM	Y	70+d - 1Mv
1	WEAN MALE	210	2.38	500	LM	Y	70+d - 1Mv
1	WEAN MALE	210	2.38	500	LM	Y	70+d - 1Mv
1	WEAN MALE	210	2.38	500	LM	Y	70+d - 1Mv
1A	WEAN MALE	162	2.38	385	LM	Y	70+d - 1Mv
1A	WEAN MALE	162	2.38	385	LM	Y	70+d - 1Mv
1A	WEAN MALE	162	2.38	385	LM	Y	70+d - 1Mv
1A	WEAN MALE	162	2.38	385	LM	Y	70+d - 1Mv
1B	WEAN MALE	110	1.82	200	LM	Y	70+d - 1Mv
1B	WEAN MALE	110	1.82	200	LM	Y	70+d - 1Mv
1C	WEAN MALE	150	1.60	240	FR	Y	70+d - 1Mv
2E	WEAN MALE	415	2.17	900	LM	N	- 1Mv
2H	WEAN MALE	350	2.29	800	LM	N	- 1Mv
2H	WEAN MALE	350	2.29	800	LM	N	- 1Mv
2K	WEAN MALE	305	2.33	710	LM	N	- 1Mv
2K	WEAN MALE	305	2.33	710	LM	N	- 1Mv
3	WEAN MALE	325	2.22	720	LM	N	- 1Mv
3	WEAN MALE	325	2.22	720	LM	N	- 1Mv
3A	WEAN MALE	300	2.48	745	LM	N	- 1Mv
3A	WEAN MALE	300	2.48	745	LM	N	- 1Mv
3B	WEAN MALE	322	2.25	725	LM	N	- 1Mv
3B	WEAN MALE	322	2.25	725	LM	N	- 1Mv
3C	WEAN MALE	345	2.49	860	LM	N	- 1Mv
4	WEAN MALE	260	2.38	620	LM	N	- 1Mv
4	WEAN MALE	260	2.38	620	LM	N	- 1Mv
4	WEAN MALE	260	2.38	620	LM	N	- 1Mv
4A	WEAN MALE	247	2.43	600	LM	N	- 1Mv
4A	WEAN MALE	247	2.43	600	LM	N	- 1Mv
4B	WEAN MALE	237	2.53	600	LM	N	- 1Mv
4B	WEAN MALE	237	2.53	600	LM	N	- 1Mv
5	WEAN MALE	390	2.15	840	LM	N	- 1Mv
5A	WEAN MALE	210	2.43	510	LM	N	- 1Mv
5B	WEAN MALE	412	2.04	840	BB	Y	58d - 1Mv
5B	WEAN MALE	412	2.04	840	BB	Y	58d - 1Mv
5D	WEAN MALE	307	2.65	815	LM	N	- 1Mv
5D	WEAN MALE	307	2.65	815	LM	N	- 1Mv
5E	WEAN MALE	365	2.55	930	LM	N	- 1Mv
5H	WEAN MALE	405	2.27	920	LM	N	- 1Mv
5K	WEAN MALE	360	2.28	820	LM	N	- 1Mv
6	WEAN MALE	296	2.84	840	LM	Y	- 1Mv
6	WEAN MALE	296	2.84	840	LM	Y	- 1Mv
6	WEAN MALE	296	2.84	840	LM	Y	- 1Mv
6A	WEAN MALE	245	2.78	680	LM	Y	- 1Mv
6A	WEAN MALE	245	2.78	680	LM	Y	- 1Mv
6B	WEAN MALE	420	2.31	970	LM	Y	- 1Mv
6B	WEAN MALE	420	2.31	970	LM	Y	- 1Mv

6C	WEAN MALE	475	2.24	1065	LM	Y	- 1Mv
6D	WEAN MALE	260	2.73	710	LM	Y	- 1Mv
6E	WEAN MALE	310	2.71	840	LM	Y	- 1Mv
7	WEAN MALE	200	2.83	565	LM	Y	70+d - 1Mv
7A	WEAN MALE	315	2.41	760	LM	Y	70+d - 1Mv
7B	WEAN MALE	340	2.21	750	LM	Y	70+d - 1Mv
7C	WEAN MALE	435	2.11	920	LM	Y	70+d - 1Mv
8	WEAN MALE	575	2.07	1190	CH	N	- 1Mv
8A	WEAN MALE	465	2.30	1070	CH	N	- 1Mv
8B	WEAN MALE	461	2.36	1090	CH	N	- 1Mv
8B	WEAN MALE	461	2.36	1090	CH	N	- 1Mv
8B	WEAN MALE	461	2.36	1090	CH	N	- 1Mv
8B	WEAN MALE	461	2.36	1090	CH	N	- 1Mv
8B	WEAN MALE	461	2.36	1090	CH	N	- 1Mv
8C	WEAN MALE	450	2.23	1005	CH	N	- 1Mv
9A	WEAN MALE	381	2.55	970	CH	N	- 1Mv
9A	WEAN MALE	381	2.55	970	CH	N	- 1Mv
9A	WEAN MALE	381	2.55	970	CH	N	- 1Mv
9B	WEAN MALE	350	2.71	950	CH	N	- 1Mv
9C	WEAN MALE	290	2.69	780	CH	N	- 1Mv
10	WEAN MALE	390	2.51	980	LM	N	- 1Mv
10	WEAN MALE	390	2.51	980	LM	N	- 1Mv
10	WEAN MALE	390	2.51	980	LM	N	- 1Mv
10	WEAN MALE	390	2.51	980	LM	N	- 1Mv
10	WEAN MALE	390	2.51	980	LM	N	- 1Mv
10A	WEAN MALE	428	2.38	1020	LM	N	- 1Mv
10A	WEAN MALE	428	2.38	1020	LM	N	- 1Mv
10A	WEAN MALE	428	2.38	1020	LM	N	- 1Mv
10B	WEAN MALE	365	2.40	875	LM	N	- 1Mv
10B	WEAN MALE	365	2.40	875	LM	N	- 1Mv
10B	WEAN MALE	365	2.40	875	LM	N	- 1Mv
10B	WEAN MALE	365	2.40	875	LM	N	- 1Mv
11	WEAN MALE	179	1.79	320	FR	Y	70+d - 2Mv
11	WEAN MALE	179	1.79	320	FR	Y	70+d - 2Mv
11	WEAN MALE	179	1.79	320	FR	Y	70+d - 2Mv
11	WEAN MALE	179	1.79	320	NO	Y	70+d - 2Mv
11	WEAN MALE	179	1.79	320	FR	Y	70+d - 2Mv
11	WEAN MALE	179	1.79	320	NO	Y	70+d - 2Mv
11A	WEAN MALE	200	1.60	320	FR	Y	70+d - 2Mv
14	WEAN MALE	410	2.20	900	LM	Y	70+d - 2Mv
14A	WEAN MALE	325	2.58	840	LM	Y	70+d - 1Mv
14B	WEAN MALE	235	3.06	720	CH	Y	68d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
14D	WEAN MALE	340	2.54	865	LM	Y	70+d - 1Mv
15	WEAN MALE	331	2.40	795	LM	Y	70+d - 1Mv

15	WEAN MALE	331	2.40	795	LM	Y	70+d - 1Mv
15	WEAN MALE	331	2.40	795	LM	Y	70+d - 1Mv
15A	WEAN MALE	230	2.61	600	LM	Y	70+d - 1Mv
15A	WEAN MALE	230	2.61	600	LM	Y	70+d - 1Mv
15B	WEAN MALE	225	2.84	640	LM	Y	70+d - 1Mv
15C	WEAN MALE	250	2.60	650	LM	Y	70+d - 1Mv
16	WEAN MALE	440	1.93	850	LM	N	- 1Mv
16A	WEAN MALE	423	2.03	860	LM	N	- 1Mv
16A	WEAN MALE	423	2.03	860	LM	N	- 1Mv
16A	WEAN MALE	423	2.03	860	LM	N	- 1Mv
16D	WEAN MALE	410	1.95	800	CH	N	- 2Mv
17A	WEAN MALE	320	2.81	900	LM	Y	70+d - 1Mv
17B	WEAN MALE	355	2.54	900	AA	Y	70+d - 1Mv
17C	WEAN MALE	400	2.38	950	CH	Y	70+d - 1Mv
17D	WEAN MALE	366	2.46	900	LM	Y	70+d - 1Mv
17D	WEAN MALE	366	2.46	900	LM	Y	70+d - 1Mv
17D	WEAN MALE	366	2.46	900	LM	Y	70+d - 1Mv
18	WEAN MALE	332	2.41	800	LM	N	- 2Mv
18	WEAN MALE	332	2.41	800	LM	N	- 2Mv
18A	WEAN MALE	287	2.79	800	LM	N	- 2Mv
18A	WEAN MALE	287	2.79	800	LM	N	- 2Mv
18B	WEAN MALE	258	3.06	790	CH	N	- 2Mv
18B	WEAN MALE	258	3.06	790	LM	N	- 2Mv
18B	WEAN MALE	258	3.06	790	CH	N	- 2Mv
18D	WEAN MALE	398	2.44	970	BAX	Y	30d - 3Mv
18D	WEAN MALE	398	2.44	970	BAX	Y	30d - 3Mv
18D	WEAN MALE	398	2.44	970	BAX	Y	30d - 3Mv
18E	WEAN MALE	475	1.85	880	BAX	Y	30d - 1Mv
18H	WEAN MALE	360	2.53	910	BAX	Y	30d - 1Mv
18K	WEAN MALE	405	2.32	940	BAX	Y	30d - 1Mv
18T	WEAN MALE	335	2.48	830	BAX	Y	30d - 1Mv
18X	WEAN MALE	340	2.44	830	LM	N	- 2Mv
19	WEAN MALE	402	2.14	860	CH	N	- 1Mv
19	WEAN MALE	402	2.14	860	CH	N	- 1Mv
19A	WEAN MALE	349	2.29	800	CH	N	- 1Mv
19A	WEAN MALE	349	2.29	800	CH	N	- 1Mv
19A	WEAN MALE	349	2.29	800	CH	N	- 1Mv
19A	WEAN MALE	349	2.29	800	CH	N	- 1Mv
19A	WEAN MALE	349	2.29	800	CH	N	- 1Mv
19A	WEAN MALE	349	2.29	800	CH	N	- 1Mv
19B	WEAN MALE	312	2.31	720	CH	N	- 1Mv
19B	WEAN MALE	312	2.31	720	CH	N	- 1Mv
19B	WEAN MALE	312	2.31	720	CH	N	- 1Mv
19B	WEAN MALE	312	2.31	720	CH	N	- 1Mv
19B	WEAN MALE	312	2.31	720	CH	N	- 1Mv
19B	WEAN MALE	312	2.31	720	CH	N	- 1Mv
19C	WEAN MALE	290	2.93	850	LM	N	- 1Mv
19D	WEAN MALE	310	2.68	830	LM	N	- 1Mv
19E	WEAN MALE	285	2.82	805	LM	N	- 1Mv
19E	WEAN MALE	285	2.82	805	LM	N	- 1Mv
19E	WEAN MALE	285	2.82	805	LM	N	- 1Mv

19H	WEAN MALE	266	2.82	750	LM	N	- 1Mv
19H	WEAN MALE	266	2.82	750	LM	N	- 1Mv
19H	WEAN MALE	266	2.82	750	LM	N	- 1Mv
19K	WEAN MALE	305	2.64	805	LM	N	- 1Mv
19L	WEAN MALE	255	2.69	685	LM	N	- 1Mv
19M	WEAN MALE	218	3.17	690	LM	N	- 1Mv
19M	WEAN MALE	218	3.17	690	LM	N	- 1Mv
19M	WEAN MALE	218	3.17	690	LM	N	- 1Mv
19Q	WEAN MALE	380	2.24	850	CH	Y	- 1Mv
19Q	WEAN MALE	380	2.24	850	CH	Y	- 1Mv
19T	WEAN MALE	345	2.75	950	CH	Y	- 1Mv
19X	WEAN MALE	400	2.25	900	LM	Y	- 1Mv
19Y	WEAN MALE	395	2.25	890	LM	Y	- 1Mv
19Z	WEAN MALE	270	2.31	625	PT	Y	70+d - 1Mv
20	WEAN MALE	231	2.88	665	LM	N	- 1Mv
20	WEAN MALE	231	2.88	665	LM	N	- 1Mv
20	WEAN MALE	231	2.88	665	LM	N	- 1Mv
20A	WEAN MALE	270	2.59	700	LM	N	- 1Mv
20A	WEAN MALE	270	2.59	700	LM	N	- 1Mv
20B	WEAN MALE	455	2.35	1070	CH	N	- 1Mv
20B	WEAN MALE	455	2.35	1070	CH	N	- 1Mv
20C	WEAN MALE	400	2.50	1000	CH	N	- 1Mv
20D	WEAN MALE	380	2.26	860	LM	N	- 1Mv
21	WEAN MALE	274	1.68	460	FR	Y	70+d - 1Mv
21	WEAN MALE	274	1.68	460	FR	Y	70+d - 1Mv
21	WEAN MALE	274	1.68	460	FR	Y	70+d - 1Mv
21	WEAN MALE	274	1.68	460	FR	Y	70+d - 1Mv
21	WEAN MALE	274	1.68	460	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
21A	WEAN MALE	228	1.93	440	FR	Y	70+d - 1Mv
22	WEAN MALE	395	2.38	940	CH	Y	70+d - 1Mv
22	WEAN MALE	395	2.38	940	CH	Y	70+d - 1Mv
22	WEAN MALE	395	2.38	940	CH	Y	70+d - 1Mv
22A	WEAN MALE	367	2.32	850	CH	Y	70+d - 1Mv
22A	WEAN MALE	367	2.32	850	CH	Y	70+d - 1Mv
22B	WEAN MALE	367	2.18	800	CH	Y	70+d - 1Mv
22B	WEAN MALE	367	2.18	800	CH	Y	70+d - 1Mv
23	WEAN MALE	475	1.94	920	CH	Y	70+d - 1Mv
23A	WEAN MALE	365	2.27	830	CH	Y	70+d - 1Mv
23B	WEAN MALE	315	2.19	690	CH	Y	70+d - 1Mv
23C	WEAN MALE	385	2.13	820	AA	Y	70+d - 1Mv
23D	WEAN MALE	340	1.85	630	AA	Y	70+d - 1Mv
23E	WEAN MALE	370	2.05	760	AA	Y	70+d - 1Mv
23H	WEAN MALE	350	2.00	700	AA	Y	70+d - 1Mv
24A	WEAN MALE	308	2.11	650	LM	Y	70+d - 1Mv

24A	WEAN MALE	308	2.11	650	LM	Y	70+d - 1Mv
24A	WEAN MALE	308	2.11	650	LM	Y	70+d - 1Mv
24B	WEAN MALE	335	2.36	790	LM	Y	70+d - 1Mv
24C	WEAN MALE	360	2.00	720	CH	Y	70+d - 1Mv
24D	WEAN MALE	345	2.26	780	CH	Y	70+d - 1Mv
25	WEAN MALE	370	2.26	835	CH	Y	70+d - 1Mv
25	WEAN MALE	370	2.26	835	CH	Y	70+d - 1Mv
25	WEAN MALE	370	2.26	835	CH	Y	70+d - 1Mv
25	WEAN MALE	370	2.26	835	CH	Y	70+d - 1Mv
25A	WEAN MALE	393	2.39	940	CH	Y	70+d - 1Mv
25A	WEAN MALE	393	2.39	940	CH	Y	70+d - 1Mv
25A	WEAN MALE	393	2.39	940	CH	Y	70+d - 1Mv
25B	WEAN MALE	275	2.58	710	CH	Y	70+d - 1Mv
25B	WEAN MALE	275	2.58	710	CH	Y	70+d - 1Mv
26	WEAN MALE	440	2.25	990	CH	Y	70+d - 1Mv
26A	WEAN MALE	480	2.19	1050	LM	Y	70+d - 1Mv
26B	WEAN MALE	375	2.24	840	CH	Y	70+d - 1Mv
26C	WEAN MALE	315	2.40	755	CH	Y	70+d - 1Mv
26D	WEAN MALE	370	2.27	840	CH	Y	70+d - 1Mv
26E	WEAN MALE	460	2.17	1000	CH	Y	70+d - 1Mv
26H	WEAN MALE	385	2.17	835	CH	Y	70+d - 1Mv
27	WEAN MALE	325	2.48	805	CH	N	- 1Mv
27	WEAN MALE	325	2.48	805	CH	N	- 1Mv
27A	WEAN MALE	307	2.54	780	CH	N	- 1Mv
27A	WEAN MALE	307	2.54	780	CH	N	- 1Mv
27B	WEAN MALE	417	1.94	810	CH	N	- 1Mv
27B	WEAN MALE	417	1.94	810	CH	N	- 1Mv
28	WEAN MALE	347	2.31	800	CH	N	- 1Mv
28	WEAN MALE	347	2.31	800	CH	N	- 1Mv
28	WEAN MALE	347	2.31	800	CH	N	- 1Mv
28	WEAN MALE	347	2.31	800	CH	N	- 1Mv
28A	WEAN MALE	245	2.82	690	CH	N	- 1Mv
28B	WEAN MALE	257	2.53	650	CH	N	- 1Mv
28B	WEAN MALE	257	2.53	650	CH	N	- 1Mv
28C	WEAN MALE	285	2.46	700	CH	N	- 1Mv
28D	WEAN MALE	260	1.92	500	AA	N	- 1Mv
32	WEAN MALE	335	2.33	780	BAX	Y	70+d - 1Mv
32	WEAN MALE	335	2.33	780	BAX	Y	70+d - 1Mv
32	WEAN MALE	335	2.33	780	BAX	Y	70+d - 1Mv
32A	WEAN MALE	375	2.33	875	BAX	Y	70+d - 1Mv
32A	WEAN MALE	375	2.33	875	BAX	Y	70+d - 1Mv
32B	WEAN MALE	435	2.07	900	BAX	Y	70+d - 1Mv
32C	WEAN MALE	410	2.20	900	BAX	Y	70+d - 1Mv
32D	WEAN MALE	247	2.55	630	BAX	Y	70+d - 1Mv
32D	WEAN MALE	247	2.55	630	BAX	Y	70+d - 1Mv
32E	WEAN MALE	285	2.11	600	BAX	Y	70+d - 1Mv
35	WEAN MALE	265	2.06	545	AA	Y	70+d - 1Mv
35A	WEAN MALE	290	2.10	610	HE	Y	70+d - 1Mv
35B	WEAN MALE	195	2.08	405	AA	Y	70+d - 1Mv
35B	WEAN MALE	195	2.08	405	AA	Y	70+d - 1Mv

35B	WEAN MALE	195	2.08	405	AA	Y	70+d - 1Mv
35C	WEAN MALE	171	1.93	330	AA	Y	70+d - 1Mv
35C	WEAN MALE	171	1.93	330	AA	Y	70+d - 1Mv
35C	WEAN MALE	171	1.93	330	AA	Y	70+d - 1Mv
35C	WEAN MALE	171	1.93	330	AA	Y	70+d - 1Mv
35C	WEAN MALE	171	1.93	330	AA	Y	70+d - 1Mv
35D	WEAN MALE	221	1.86	410	FR	Y	70+d - 1Mv
35D	WEAN MALE	221	1.86	410	FR	Y	70+d - 1Mv
35D	WEAN MALE	221	1.86	410	FR	Y	70+d - 1Mv
35D	WEAN MALE	221	1.86	410	FR	Y	70+d - 1Mv
35D	WEAN MALE	221	1.86	410	FR	Y	70+d - 1Mv
36	WEAN MALE	204	1.72	350	FR	Y	70+d - 1Mv
36	WEAN MALE	204	1.72	350	FR	Y	70+d - 1Mv
36	WEAN MALE	204	1.72	350	FR	Y	70+d - 1Mv
36	WEAN MALE	204	1.72	350	FR	Y	70+d - 1Mv
36	WEAN MALE	204	1.72	350	FR	Y	70+d - 1Mv
36	WEAN MALE	204	1.72	350	FR	Y	70+d - 1Mv
36A	WEAN MALE	185	1.95	360	FR	Y	70+d - 1Mv
36A	WEAN MALE	185	1.95	360	FR	Y	70+d - 1Mv
36A	WEAN MALE	185	1.95	360	FR	Y	70+d - 1Mv
36A	WEAN MALE	185	1.95	360	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37	WEAN MALE	185	1.57	290	FR	Y	70+d - 1Mv
37A	WEAN MALE	181	1.66	300	FR	Y	70+d - 1Mv
37A	WEAN MALE	181	1.66	300	FR	Y	70+d - 1Mv
37A	WEAN MALE	181	1.66	300	FR	Y	70+d - 1Mv
37A	WEAN MALE	181	1.66	300	FR	Y	70+d - 1Mv
37A	WEAN MALE	181	1.66	300	FR	Y	70+d - 1Mv
38	WEAN MALE	310	2.39	740	LM	N	- 1Mv
38	WEAN MALE	310	2.39	740	LM	N	- 1Mv
38A	WEAN MALE	225	2.87	645	LM	N	- 1Mv
38A	WEAN MALE	225	2.87	645	LM	N	- 1Mv
38B	WEAN MALE	372	2.53	940	BAX	Y	70+d - 1Mv
38B	WEAN MALE	372	2.53	940	BAX	Y	70+d - 1Mv
38B	WEAN MALE	372	2.53	940	BAX	Y	70+d - 1Mv
38B	WEAN MALE	372	2.53	940	BAX	Y	70+d - 1Mv
38C	WEAN MALE	373	2.14	800	BAX	Y	70+d - 1Mv
38C	WEAN MALE	373	2.14	800	BAX	Y	70+d - 1Mv
38C	WEAN MALE	373	2.14	800	BAX	Y	70+d - 1Mv
38D	WEAN MALE	335	2.21	740	BAX	Y	70+d - 1Mv
38D	WEAN MALE	335	2.21	740	BAX	Y	70+d - 1Mv
38E	WEAN MALE	420	1.88	790	BAX	Y	70+d - 1Mv
39	WEAN MALE	293	2.18	640	BB	Y	70+d - 1Mv
39	WEAN MALE	293	2.18	640	BB	Y	70+d - 1Mv

39	WEAN MALE	293	2.18	640	BB	Y	70+d - 1Mv
39	WEAN MALE	293	2.18	640	BB	Y	70+d - 1Mv
39A	WEAN MALE	305	1.48	450	FR	Y	70+d - 1Mv
39A	WEAN MALE	305	1.48	450	FR	Y	70+d - 1Mv
39A	WEAN MALE	305	1.48	450	FR	Y	70+d - 1Mv
39A	WEAN MALE	305	1.48	450	FR	Y	70+d - 1Mv
39B	WEAN MALE	365	1.40	510	FR	Y	70+d - 1Mv
39B	WEAN MALE	365	1.40	510	FR	Y	70+d - 1Mv
39C	WEAN MALE	300	2.17	650	HE	Y	70+d - 1Mv
39C	WEAN MALE	300	2.17	650	HE	Y	70+d - 1Mv
39D	WEAN MALE	395	1.67	660	CH	Y	70+d - 1Mv
39E	WEAN MALE	335	2.09	700	BB	Y	70+d - 1Mv
39H	WEAN MALE	210	2.55	535	BB	Y	70+d - 1Mv
39K	WEAN MALE	157	2.52	395	HE	Y	70+d - 1Mv
39K	WEAN MALE	157	2.52	395	HE	Y	70+d - 1Mv
42A	WEAN MALE	400	2.38	950	CH	Y	70+d - 1Mv

### HEIFER RING

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
400	WEAN FEMALE	170	1.94	330	LM	Y	70+d - 1Mv
400	WEAN FEMALE	170	1.94	330	LM	Y	70+d - 1Mv
400A	WEAN FEMALE	155	2.13	330	LM	Y	70+d - 1Mv
400A	WEAN FEMALE	155	2.13	330	LM	Y	70+d - 1Mv
400B	WEAN FEMALE	130	1.15	150	LM	Y	70+d - 1Mv
400B	WEAN FEMALE	130	1.15	150	LM	Y	70+d - 1Mv
401	WEAN FEMALE	350	2.41	845	LM	N	- 1Mv
401A	WEAN FEMALE	265	2.42	640	LM	N	- 1Mv
401B	WEAN FEMALE	330	2.44	805	LM	N	- 1Mv
401C	WEAN FEMALE	240	2.54	610	LM	N	- 1Mv
401D	WEAN FEMALE	263	2.40	630	LM	N	- 1Mv
401D	WEAN FEMALE	263	2.40	630	LM	N	- 1Mv
401E	WEAN FEMALE	297	2.15	640	LM	N	- 1Mv
401E	WEAN FEMALE	297	2.15	640	LM	N	- 1Mv
402	WEAN FEMALE	305	2.57	785	LM	N	- 1Mv
402	WEAN FEMALE	305	2.57	785	LM	N	- 1Mv
402	WEAN FEMALE	305	2.57	785	LM	N	- 1Mv
402	WEAN FEMALE	305	2.57	785	LM	N	- 1Mv
402A	WEAN FEMALE	223	2.89	645	LM	N	- 1Mv
402A	WEAN FEMALE	223	2.89	645	LM	N	- 1Mv
402A	WEAN FEMALE	223	2.89	645	LM	N	- 1Mv
402B	WEAN FEMALE	275	2.24	615	LM	N	- 1Mv
403	WEAN FEMALE	230	2.76	635	LM	N	- 1Mv
403	WEAN FEMALE	230	2.76	635	LM	N	- 1Mv
403	WEAN FEMALE	230	2.76	635	LM	N	- 1Mv
403	WEAN FEMALE	230	2.76	635	LM	N	- 1Mv
403A	WEAN FEMALE	183	2.38	435	LM	N	- 1Mv
403A	WEAN FEMALE	183	2.38	435	LM	N	- 1Mv
403A	WEAN FEMALE	183	2.38	435	LM	N	- 1Mv
403C	WEAN FEMALE	257	2.49	640	LM	Y	- 1Mv
403C	WEAN FEMALE	257	2.49	640	LM	Y	- 1Mv

403D	WEAN FEMALE	185	2.86	530	LM	Y	- 1Mv
403D	WEAN FEMALE	185	2.86	530	LM	Y	- 1Mv
403E	WEAN FEMALE	200	2.93	585	LM	Y	- 1Mv
403H	WEAN FEMALE	225	2.36	530	LM	Y	- 1Mv
403K	WEAN FEMALE	275	2.13	585	LM	Y	- 1Mv
404	WEAN FEMALE	282	2.55	720	LM	Y	70+d - 1Mv
404	WEAN FEMALE	282	2.55	720	LM	Y	70+d - 1Mv
404A	WEAN FEMALE	315	2.30	725	LM	Y	70+d - 1Mv
404B	WEAN FEMALE	265	2.36	625	LM	Y	70+d - 1Mv
404C	WEAN FEMALE	310	2.29	710	LM	Y	70+d - 1Mv
404D	WEAN FEMALE	225	2.22	500	LM	Y	70+d - 1Mv
404E	WEAN FEMALE	180	3.08	555	LM	Y	70+d - 1Mv
404H	WEAN FEMALE	200	2.30	460	LM	Y	70+d - 1Mv
405	WEAN FEMALE	270	2.74	740	CH	Y	70+d - 1Mv
405B	WEAN FEMALE	247	2.53	625	CH	Y	70+d - 1Mv
405B	WEAN FEMALE	247	2.53	625	CH	Y	70+d - 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
405C	WEAN FEMALE	375	2.15	805	CH	N	- 1Mv
406	WEAN FEMALE	367	2.45	900	CH	N	- 1Mv
406	WEAN FEMALE	367	2.45	900	CH	N	- 1Mv
406A	WEAN FEMALE	347	2.31	800	LM	N	- 1Mv
406A	WEAN FEMALE	347	2.31	800	CH	N	- 1Mv
406B	WEAN FEMALE	332	2.42	805	CH	N	- 1Mv
406B	WEAN FEMALE	332	2.42	805	CH	N	- 1Mv
406C	WEAN FEMALE	340	2.41	820	CH	N	- 1Mv
406D	WEAN FEMALE	320	2.08	665	LM	N	- 1Mv
407	WEAN FEMALE	225	2.82	635	BB	Y	70+d - 1Mv
407	WEAN FEMALE	225	2.82	635	BB	Y	70+d - 1Mv
407A	WEAN FEMALE	210	1.88	395	AA	Y	70+d - 1Mv
407B	WEAN FEMALE	175	1.89	330	LM	Y	70+d - 1Mv
407C	WEAN FEMALE	165	1.79	295	AA	Y	70+d - 1Mv
407C	WEAN FEMALE	165	1.79	295	AA	Y	70+d - 1Mv
407D	WEAN FEMALE	375	2.13	800	BB	Y	44d - 2Mv
407E	WEAN FEMALE	365	1.97	720	HE	Y	70+d - 1Mv
408	WEAN FEMALE	331	2.39	790	CH	N	- 2Mv
408	WEAN FEMALE	331	2.39	790	CH	N	- 2Mv
408	WEAN FEMALE	331	2.39	790	CH	N	- 2Mv
408	WEAN FEMALE	331	2.39	790	CH	N	- 2Mv
409	WEAN FEMALE	325	2.15	700	CH	N	- 1Mv
409	WEAN FEMALE	325	2.15	700	CH	N	- 1Mv
409	WEAN FEMALE	325	2.15	700	CH	N	- 1Mv
409	WEAN FEMALE	325	2.15	700	CH	N	- 1Mv
409A	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv
409A	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv
409A	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv
409A	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv



409A	WEAN FEMALE	337	2.14	720	CH	N	- 1Mv
409B	WEAN FEMALE	333	2.43	810	CH	N	- 1Mv
409B	WEAN FEMALE	333	2.43	810	CH	N	- 1Mv
409B	WEAN FEMALE	333	2.43	810	CH	N	- 1Mv
410	WEAN FEMALE	290	2.07	600	PT	Y	70+d - 1Mv
410A	WEAN FEMALE	200	2.30	460	PT	Y	70+d - 1Mv
410B	WEAN FEMALE	260	2.23	580	PT	Y	70+d - 1Mv
410C	WEAN FEMALE	285	2.11	600	PT	Y	70+d - 1Mv
410D	WEAN FEMALE	250	2.30	575	PT	Y	70+d - 1Mv
411	WEAN FEMALE	270	1.67	450	BB	N	- 2Mv
411A	WEAN FEMALE	208	2.72	565	LM	N	- 1Mv
411A	WEAN FEMALE	208	2.72	565	LM	N	- 1Mv
411A	WEAN FEMALE	208	2.72	565	LM	N	- 1Mv
411B	WEAN FEMALE	323	2.54	820	LM	N	- 1Mv
411B	WEAN FEMALE	323	2.54	820	CH	N	- 1Mv
411B	WEAN FEMALE	323	2.54	820	CH	N	- 1Mv
411C	WEAN FEMALE	275	2.60	715	LM	N	- 1Mv
411D	WEAN FEMALE	370	2.61	965	CH	N	- 1Mv
411E	WEAN FEMALE	185	1.78	330	AA	Y	70+d - 1Mv
412	WEAN FEMALE	380	2.32	880	CH	Y	70+d - 1Mv
412	WEAN FEMALE	380	2.32	880	CH	Y	70+d - 1Mv
412	WEAN FEMALE	380	2.32	880	CH	Y	70+d - 1Mv
412A	WEAN FEMALE	323	2.41	780	CH	Y	70+d - 1Mv
412A	WEAN FEMALE	323	2.41	780	CH	Y	70+d - 1Mv
412A	WEAN FEMALE	323	2.41	780	CH	Y	70+d - 1Mv
412B	WEAN FEMALE	425	2.38	1010	LM	Y	70+d - 1Mv
412H	WEAN FEMALE	310	2.35	730	CH	Y	70+d - 1Mv
412H	WEAN FEMALE	310	2.35	730	CH	Y	70+d - 1Mv
412K	WEAN FEMALE	360	2.08	750	CH	Y	70+d - 1Mv
413	WEAN FEMALE	327	2.35	770	BAX	Y	70+d - 1Mv
413	WEAN FEMALE	327	2.35	770	BAX	Y	70+d - 1Mv
413A	WEAN FEMALE	247	2.31	570	BAX	Y	70+d - 1Mv
413A	WEAN FEMALE	247	2.31	570	BAX	Y	70+d - 1Mv
413B	WEAN FEMALE	345	1.91	660	BAX	Y	70+d - 1Mv
413C	WEAN FEMALE	345	1.74	600	BAX	Y	70+d - 1Mv
413D	WEAN FEMALE	338	2.22	750	BAX	Y	70+d - 1Mv
413D	WEAN FEMALE	338	2.22	750	BAX	Y	70+d - 1Mv
413D	WEAN FEMALE	338	2.22	750	BAX	Y	70+d - 1Mv
413D	WEAN FEMALE	338	2.22	750	BAX	Y	70+d - 1Mv
414	WEAN FEMALE	245	2.37	580	BAX	Y	70+d - 1Mv
414A	WEAN FEMALE	272	2.21	600	BAX	Y	70+d - 1Mv
414A	WEAN FEMALE	272	2.21	600	BAX	Y	70+d - 1Mv
414B	WEAN FEMALE	250	2.54	635	BAX	Y	70+d - 1Mv
414B	WEAN FEMALE	250	2.54	635	BAX	Y	70+d - 1Mv
414C	WEAN FEMALE	282	2.62	740	BAX	Y	70+d - 1Mv
414C	WEAN FEMALE	282	2.62	740	BAX	Y	70+d - 1Mv
414D	WEAN FEMALE	330	2.09	690	BAX	Y	70+d - 1Mv
414E	WEAN FEMALE	270	2.41	650	BAX	Y	70+d - 1Mv
416	WEAN FEMALE	315	2.10	660	CH	N	- 1Mv
416	WEAN FEMALE	315	2.10	660	CH	N	- 1Mv

416A	WEAN FEMALE	277	2.44	675	CH	N	- 1Mv
416A	WEAN FEMALE	277	2.44	675	CH	N	- 1Mv
416B	WEAN FEMALE	270	2.54	685	CH	N	- 1Mv
416B	WEAN FEMALE	270	2.54	685	CH	N	- 1Mv
416B	WEAN FEMALE	270	2.54	685	CH	N	- 1Mv
416C	WEAN FEMALE	290	2.07	600	LM	Y	70+d - 1Mv
416D	WEAN FEMALE	260	1.92	500	AA	Y	70+d - 1Mv