

## Weanling Bulls

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
1	WEAN MALE	335	1.64	550	RW	N	- 1Mv
1A	WEAN MALE	305	1.44	440	FR	N	- 1Mv
1A	WEAN MALE	305	1.44	440	FR	N	- 1Mv
1B	WEAN MALE	345	1.59	550	FR	N	- 1Mv
1B	WEAN MALE	345	1.59	550	FR	N	- 1Mv
1C	WEAN MALE	318	1.70	540	FR	N	- 1Mv
1C	WEAN MALE	318	1.70	540	FR	N	- 1Mv
1C	WEAN MALE	318	1.70	540	FR	N	- 1Mv
2	WEAN MALE	328	1.60	525	FR	N	- 1Mv
2	WEAN MALE	328	1.60	525	FR	N	- 1Mv
2	WEAN MALE	328	1.60	525	FR	N	- 1Mv
2	WEAN MALE	328	1.60	525	FR	N	- 1Mv
2A	WEAN MALE	302	1.71	515	FR	N	- 1Mv
2A	WEAN MALE	302	1.71	515	FR	N	- 1Mv
2A	WEAN MALE	302	1.71	515	FR	N	- 1Mv
2A	WEAN MALE	302	1.71	515	FR	N	- 1Mv
2A	WEAN MALE	302	1.71	515	FR	N	- 1Mv
2B	WEAN MALE	302	2.07	625	LM	Y	70+d - 1Mv
2B	WEAN MALE	302	2.07	625	LM	Y	70+d - 1Mv
3B	WEAN MALE	252	1.51	380	FR	N	- 1Mv
3B	WEAN MALE	252	1.51	380	FR	N	- 1Mv
3B	WEAN MALE	252	1.51	380	FR	N	- 1Mv
3B	WEAN MALE	252	1.51	380	FR	N	- 1Mv
3B	WEAN MALE	252	1.51	380	FR	N	- 1Mv
3C	WEAN MALE	240	1.50	360	FR	N	- 1Mv
3C	WEAN MALE	240	1.50	360	FR	N	- 1Mv
3C	WEAN MALE	240	1.50	360	FR	N	- 1Mv
3C	WEAN MALE	240	1.50	360	FR	N	- 1Mv
3C	WEAN MALE	240	1.50	360	FR	N	- 1Mv
4B	WEAN MALE	254	1.54	390	FR	N	- 1Mv
4B	WEAN MALE	254	1.54	390	FR	N	- 1Mv
4B	WEAN MALE	254	1.54	390	FR	N	- 1Mv
4B	WEAN MALE	254	1.54	390	FR	N	- 1Mv
4B	WEAN MALE	254	1.54	390	FR	N	- 1Mv
4C	WEAN MALE	283	1.59	450	FR	N	- 1Mv
4C	WEAN MALE	283	1.59	450	FR	N	- 1Mv
4C	WEAN MALE	283	1.59	450	FR	N	- 1Mv
4C	WEAN MALE	283	1.59	450	FR	N	- 1Mv
4C	WEAN MALE	283	1.59	450	FR	N	- 1Mv
5	WEAN MALE	320	2.28	730	CH	N	- 1Mv
5A	WEAN MALE	285	1.82	520	AA	N	- 1Mv
5K	WEAN MALE	155	1.94	300	AA	Y	70+d - 1Mv
6A	WEAN MALE	290	2.62	760	LM	N	- 2Mv
6A	WEAN MALE	290	2.62	760	LM	N	- 2Mv
8B	WEAN MALE	338	2.72	920	CH	Y	70+d - 1Mv
8B	WEAN MALE	338	2.72	920	CH	Y	70+d - 1Mv
8B	WEAN MALE	338	2.72	920	CH	Y	70+d - 1Mv

8B	WEAN MALE	338	2.72	920	CH	Y	70+d - 1Mv
8C	WEAN MALE	395	2.61	1030	CH	Y	70+d - 1Mv
9	WEAN MALE	430	2.30	990	CH	N	- 1Mv
9	WEAN MALE	430	2.30	990	CH	N	- 1Mv
9	WEAN MALE	430	2.30	990	CH	N	- 1Mv
9	WEAN MALE	430	2.30	990	CH	N	- 1Mv
9A	WEAN MALE	396	2.55	1010	CH	N	- 1Mv
9A	WEAN MALE	396	2.55	1010	CH	N	- 1Mv
9A	WEAN MALE	396	2.55	1010	CH	N	- 1Mv
9A	WEAN MALE	396	2.55	1010	CH	N	- 1Mv
10	WEAN MALE	420	1.99	835	LM	N	- 1Mv
10A	WEAN MALE	260	1.56	405	SHX	N	- 2Mv
10B	WEAN MALE	185	2.22	410	AA	Y	70+d - 1Mv
10C	WEAN MALE	250	2.86	715	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
11C	WEAN MALE	176	2.47	435	LM	N	- 1Mv
12	WEAN MALE	220	2.09	460	LM	N	- 1Mv
12	WEAN MALE	220	2.09	460	LM	N	- 1Mv
12	WEAN MALE	220	2.09	460	LM	N	- 1Mv
13	WEAN MALE	173	2.25	390	AA	N	- 2Mv
13	WEAN MALE	173	2.25	390	AA	N	- 2Mv
13	WEAN MALE	173	2.25	390	AA	N	- 2Mv
13A	WEAN MALE	170	2.47	420	LM	N	- 2Mv
13B	WEAN MALE	150	1.17	175	FR	N	- 2Mv
13C	WEAN MALE	305	1.77	540	FR	Y	21d - 1Mv
13C	WEAN MALE	305	1.77	540	FR	Y	21d - 1Mv
13C	WEAN MALE	305	1.77	540	FR	Y	21d - 1Mv
13C	WEAN MALE	305	1.77	540	FR	Y	21d - 1Mv
14	WEAN MALE	355	2.37	840	BB	N	- 1Mv
14A	WEAN MALE	300	2.47	740	SIM	N	- 1Mv
14B	WEAN MALE	257	2.08	535	AA	N	- 1Mv
14B	WEAN MALE	257	2.08	535	AA	N	- 1Mv
14B	WEAN MALE	257	2.08	535	FR	N	- 1Mv
14B	WEAN MALE	257	2.08	535	AA	N	- 1Mv
14C	WEAN MALE	185	2.03	375	AA	N	- 1Mv
14D	WEAN MALE	375	1.96	735	CH	N	- 1Mv
14E	WEAN MALE	220	2.20	485	CH	N	- 1Mv
14H	WEAN MALE	190	2.05	390	AA	N	- 1Mv
14L	WEAN MALE	445	2.38	1060	BAX	Y	18d - 1Mv
15	WEAN MALE	280	2.57	720	LM	N	- 1Mv
15A	WEAN MALE	300	1.72	515	FR	N	- 3Mv
15A	WEAN MALE	300	1.72	515	FR	N	- 3Mv
17A	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17A	WEAN MALE	276	2.75	760	CH	N	- 2Mv

17A	WEAN MALE	276	2.75	760	BAX	N	- 2Mv
17A	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17A	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17B	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17B	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17B	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17B	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17B	WEAN MALE	276	2.75	760	CH	N	- 2Mv
17C	WEAN MALE	265	2.79	740	CH	N	- 2Mv
17C	WEAN MALE	265	2.79	740	CH	N	- 2Mv
17C	WEAN MALE	265	2.79	740	CH	N	- 2Mv
18A	WEAN MALE	270	1.48	400	FR	N	- 2Mv
18A	WEAN MALE	270	1.48	400	FR	N	- 2Mv
18A	WEAN MALE	270	1.48	400	FR	N	- 2Mv
18A	WEAN MALE	270	1.48	400	FR	N	- 2Mv
18C	WEAN MALE	248	1.57	390	FR	N	- 2Mv
18C	WEAN MALE	248	1.57	390	FR	N	- 2Mv
18C	WEAN MALE	248	1.57	390	FR	N	- 2Mv
18C	WEAN MALE	248	1.57	390	FR	N	- 2Mv
18D	WEAN MALE	270	1.43	385	FR	Y	70+d - 2Mv
18E	WEAN MALE	305	1.38	420	FR	Y	70+d - 2Mv
19	WEAN MALE	280	2.68	750	LM	N	- 1Mv
19A	WEAN MALE	305	2.41	735	LM	N	- 1Mv
19B	WEAN MALE	400	2.08	830	LM	N	- 1Mv
19C	WEAN MALE	282	2.66	750	LM	N	- 1Mv
19C	WEAN MALE	282	2.66	750	LM	N	- 1Mv
19D	WEAN MALE	256	1.72	440	FR	Y	70+d - 1Mv
19D	WEAN MALE	256	1.72	440	FR	Y	70+d - 1Mv
19D	WEAN MALE	256	1.72	440	FR	Y	70+d - 1Mv
19E	WEAN MALE	260	1.73	450	FR	Y	70+d - 1Mv
19E	WEAN MALE	260	1.73	450	FR	Y	70+d - 1Mv
19E	WEAN MALE	260	1.73	450	FR	Y	70+d - 1Mv
19H	WEAN MALE	300	3.00	900	LM	Y	70+d - 1Mv
19K	WEAN MALE	275	2.71	745	LM	Y	70+d - 1Mv
19L	WEAN MALE	335	2.84	950	LM	Y	70+d - 1Mv
19P	WEAN MALE	335	2.81	940	LM	Y	70+d - 1Mv
19T	WEAN MALE	320	2.91	930	LM	Y	70+d - 1Mv
19X	WEAN MALE	360	2.50	900	LM	Y	70+d - 1Mv
19Y	WEAN MALE	295	2.59	765	LM	Y	70+d - 1Mv
20	WEAN MALE	361	2.11	760	LM	N	- 1Mv
20	WEAN MALE	361	2.11	760	LM	N	- 1Mv
20	WEAN MALE	361	2.11	760	AA	N	- 2Mv
20A	WEAN MALE	355	1.85	655	HE	N	- 3Mv
20A	WEAN MALE	355	1.85	655	LM	N	- 1Mv
20B	WEAN MALE	257	2.16	555	AA	N	- 2Mv
20B	WEAN MALE	257	2.16	555	AA	N	- 2Mv
20D	WEAN MALE	395	1.14	450	JE/JY	N	- 2Mv
21	WEAN MALE	239	2.55	610	LM	Y	70+d - 1Mv
21	WEAN MALE	239	2.55	610	LM	Y	70+d - 1Mv
21	WEAN MALE	239	2.55	610	LM	Y	70+d - 1Mv

21	WEAN MALE	239	2.55	610	LM	Y	70+d - 1Mv
21	WEAN MALE	239	2.55	610	LM	Y	70+d - 1Mv
21A	WEAN MALE	348	1.48	515	FR	Y	70+d - 2Mv
21A	WEAN MALE	348	1.48	515	FR	Y	70+d - 2Mv
21A	WEAN MALE	348	1.48	515	FR	Y	70+d - 2Mv
22A	WEAN MALE	217	2.17	470	AA	N	- 2Mv
22A	WEAN MALE	217	2.17	470	AA	N	- 2Mv
23A	WEAN MALE	307	2.31	710	LM	Y	70+d - 1Mv
23A	WEAN MALE	307	2.31	710	LM	Y	70+d - 1Mv
23B	WEAN MALE	170	2.50	425	AA	Y	70+d - 1Mv
23B	WEAN MALE	170	2.50	425	AA	Y	70+d - 1Mv
23C	WEAN MALE	277	2.17	600	AA	N	- 1Mv
23C	WEAN MALE	277	2.17	600	AA	N	- 1Mv
23D	WEAN MALE	275	2.29	630	AA	N	- 1Mv
23E	WEAN MALE	265	2.08	550	AA	N	- 1Mv
24A	WEAN MALE	256	1.54	395	FR	Y	70+d - 2Mv
24A	WEAN MALE	256	1.54	395	FR	Y	70+d - 2Mv
24A	WEAN MALE	256	1.54	395	FR	Y	70+d - 2Mv
24A	WEAN MALE	256	1.54	395	FR	Y	70+d - 2Mv
25	WEAN MALE	467	2.31	1080	CH	Y	70+d - 1Mv
25	WEAN MALE	467	2.31	1080	CH	Y	70+d - 1Mv
25A	WEAN MALE	415	2.36	980	CH	Y	70+d - 1Mv
25B	WEAN MALE	455	2.31	1050	CH	Y	70+d - 1Mv

### Weanling Heifers

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
400A	WEAN FEMALE	300	2.33	700	LM	N	- 1Mv
400A	WEAN FEMALE	300	2.33	700	LM	N	- 1Mv
400B	WEAN FEMALE	298	2.32	690	LM	N	- 1Mv
400B	WEAN FEMALE	298	2.32	690	LM	N	- 1Mv
400B	WEAN FEMALE	298	2.32	690	LM	N	- 1Mv
400C	WEAN FEMALE	300	2.30	690	LM	N	- 1Mv
400C	WEAN FEMALE	300	2.30	690	LM	N	- 1Mv
401	WEAN FEMALE	347	2.02	700	CH	N	- 1Mv
401	WEAN FEMALE	347	2.02	700	CH	N	- 1Mv
401A	WEAN FEMALE	300	2.23	670	CH	N	- 1Mv
401B	WEAN FEMALE	335	2.15	720	CH	N	- 1Mv
402	WEAN FEMALE	280	2.46	690	LM	N	- 1Mv
402A	WEAN FEMALE	275	2.44	670	LM	N	- 1Mv
402B	WEAN FEMALE	305	2.39	730	CH	N	- 1Mv
402C	WEAN FEMALE	346	2.24	775	CH	Y	70+d - 1Mv
402C	WEAN FEMALE	346	2.24	775	CH	Y	70+d - 1Mv
402C	WEAN FEMALE	346	2.24	775	CH	Y	70+d - 1Mv
403A	WEAN FEMALE	345	1.94	670	LM	N	- 2Mv
403A	WEAN FEMALE	345	1.94	670	LM	N	- 2Mv
403A	WEAN FEMALE	345	1.94	670	LM	N	- 2Mv
403A	WEAN FEMALE	345	1.94	670	LM	N	- 2Mv
403A	WEAN FEMALE	345	1.94	670	LM	N	- 2Mv
403B	WEAN FEMALE	340	1.82	620	HE	N	- 2Mv
403B	WEAN FEMALE	340	1.82	620	HE	N	- 3Mv

403B	WEAN FEMALE	340	1.82	620	HE	N	- 3Mv
404	WEAN FEMALE	175	2.23	390	BB	N	- 2Mv
404A	WEAN FEMALE	120	1.42	170	AA	N	- 2Mv
404B	WEAN FEMALE	175	2.09	365	HE	N	- 2Mv
404C	WEAN FEMALE	350	2.06	720	CH	Y	70+d - 1Mv
405A	WEAN FEMALE	240	2.42	580	AA	Y	70+d - 1Mv
405A	WEAN FEMALE	240	2.42	580	AA	Y	70+d - 1Mv
405A	WEAN FEMALE	240	2.42	580	AA	Y	70+d - 1Mv
405A	WEAN FEMALE	240	2.42	580	AA	Y	70+d - 1Mv
405A	WEAN FEMALE	240	2.42	580	AA	Y	70+d - 1Mv
405B	WEAN FEMALE	290	2.21	640	SHX	N	- 1Mv
405C	WEAN FEMALE	215	2.28	490	BB	N	- 2Mv
406	WEAN FEMALE	200	2.10	420	FR	N	- 1Mv
406A	WEAN FEMALE	367	1.96	720	AA	N	- 1Mv
406A	WEAN FEMALE	367	1.96	720	AA	N	- 1Mv
406B	WEAN FEMALE	235	1.74	410	AA	N	- 1Mv
406C	WEAN FEMALE	305	2.07	630	HE	N	- 1Mv
406D	WEAN FEMALE	242	2.56	620	CH	N	- 1Mv
406D	WEAN FEMALE	242	2.56	620	CH	N	- 1Mv
406X	WEAN FEMALE	145	2.21	320	FR	N	- 1Mv
407B	WEAN FEMALE	362	1.99	720	LM	Y	70+d - 1Mv
407B	WEAN FEMALE	362	1.99	720	LM	Y	70+d - 4Mv
407C	WEAN FEMALE	356	1.94	690	LM	Y	70+d - 3Mv
407C	WEAN FEMALE	356	1.94	690	AA	Y	70+d - 2Mv
407C	WEAN FEMALE	356	1.94	690	LM	Y	70+d - 2Mv
407C	WEAN FEMALE	356	1.94	690	AA	Y	70+d - 3Mv
407D	WEAN FEMALE	337	1.84	620	AA	Y	70+d - 3Mv
407D	WEAN FEMALE	337	1.84	620	AA	Y	70+d - 3Mv
407D	WEAN FEMALE	337	1.84	620	AA	Y	70+d - 3Mv
407D	WEAN FEMALE	337	1.84	620	AA	Y	70+d - 2Mv
408B	WEAN FEMALE	325	1.97	640	LM	N	- 1Mv
408B	WEAN FEMALE	325	1.97	640	LM	N	- 1Mv
408B	WEAN FEMALE	325	1.97	640	LM	N	- 1Mv
408C	WEAN FEMALE	340	2.18	740	LM	N	- 1Mv
408D	WEAN FEMALE	315	2.22	700	LM	N	- 1Mv
408E	WEAN FEMALE	195	2.62	510	LM	Y	70+d - 2Mv
408H	WEAN FEMALE	195	2.26	440	LM	Y	70+d - 2Mv
409	WEAN FEMALE	385	2.34	900	LM	N	- 1Mv
409A	WEAN FEMALE	320	1.97	630	AA	Y	70+d - 1Mv
409B	WEAN FEMALE	132	2.27	300	AA	Y	70+d - 1Mv
409B	WEAN FEMALE	132	2.27	300	AA	Y	70+d - 1Mv
409B	WEAN FEMALE	132	2.27	300	AA	Y	70+d - 1Mv
409B	WEAN FEMALE	132	2.27	300	AA	Y	70+d - 1Mv
409C	WEAN FEMALE	392	1.91	750	AA	N	- 3Mv
409C	WEAN FEMALE	392	1.91	750	AA	N	- 3Mv
409D	WEAN FEMALE	335	2.03	680	CH	N	- 3Mv
410	WEAN FEMALE	360	2.08	750	LM	Y	70+d - 1Mv