

**WEANLING BULLS**

<b>LOT</b>	<b>RING</b>	<b>KG</b>	<b>€/KG</b>	<b>€/HD</b>	<b>Breed</b>	<b>QAS</b>	<b>QA Days</b>
1	WEAN MALE	426	2.05	875	LM	Y	70+d - 1Mv
1	WEAN MALE	426	2.05	875	LM	Y	70+d - 1Mv
1	WEAN MALE	426	2.05	875	LM	Y	70+d - 1Mv
1A	WEAN MALE	420	2.14	900	LM	Y	70+d - 1Mv
1A	WEAN MALE	420	2.14	900	LM	Y	70+d - 1Mv
1A	WEAN MALE	420	2.14	900	LM	Y	70+d - 1Mv
1B	WEAN MALE	308	2.37	730	LM	Y	70+d - 1Mv
1C	WEAN MALE	308	2.37	730	LM	Y	70+d - 1Mv
1C	WEAN MALE	308	2.37	730	LM	Y	70+d - 1Mv
2	WEAN MALE	325	2.18	710	CH	N	- 1Mv
2	WEAN MALE	325	2.18	710	CH	N	- 1Mv
2A	WEAN MALE	245	2.31	565	CH	N	- 1Mv
3	WEAN MALE	340	2.03	690	AA	N	- 1Mv
3A	WEAN MALE	395	1.87	740	AA	N	- 1Mv
3B	WEAN MALE	335	2.00	670	AA	N	- 1Mv
3C	WEAN MALE	290	2.07	600	AA	N	- 1Mv
3D	WEAN MALE	401	2.19	880	CH	Y	70+d - 1Mv
3E	WEAN MALE	415	2.12	880	CH	Y	70+d - 1Mv
3H	WEAN MALE	385	2.29	880	CH	Y	70+d - 1Mv
3K	WEAN MALE	390	2.26	880	CH	Y	70+d - 1Mv
4	WEAN MALE	320	2.02	645	HE	N	- 1Mv
4A	WEAN MALE	180	2.22	400	HE	N	- 1Mv
6	WEAN MALE	251	2.59	650	AA	N	- 1Mv
6	WEAN MALE	251	2.59	650	AA	N	- 1Mv
6	WEAN MALE	251	2.59	650	AA	N	- 1Mv
6A	WEAN MALE	295	2.22	655	AA	N	- 1Mv
6B	WEAN MALE	215	2.21	475	AA	N	- 1Mv
6C	WEAN MALE	180	2.36	425	AA	N	- 1Mv
6C	WEAN MALE	180	2.36	425	AA	N	- 1Mv
6C	WEAN MALE	180	2.36	425	AA	N	- 1Mv
7	WEAN MALE	285	2.19	625	AA	Y	70+d - 1Mv
7	WEAN MALE	285	2.19	625	AA	Y	70+d - 1Mv
7	WEAN MALE	285	2.19	625	AA	Y	70+d - 1Mv
7A	WEAN MALE	260	2.40	625	AA	Y	70+d - 1Mv
7A	WEAN MALE	260	2.40	625	AA	Y	70+d - 1Mv
7B	WEAN MALE	302	2.07	625	AA	Y	70+d - 1Mv
7B	WEAN MALE	302	2.07	625	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8B	WEAN MALE	225	2.31	520	AA	Y	70+d - 1Mv
8C	WEAN MALE	241	1.74	420	FR	Y	70+d - 1Mv
8C	WEAN MALE	241	1.74	420	SIM	Y	70+d - 1Mv
8C	WEAN MALE	241	1.74	420	SIM	Y	70+d - 1Mv

8C	WEAN MALE	241	1.74	420	FR	Y	70+d - 1Mv
9D	WEAN MALE	210	2.81	590	LM	N	- 1Mv
9E	WEAN MALE	210	2.50	525	SIM	N	- 2Mv
10	WEAN MALE	255	1.73	440	FR	Y	70+d - 1Mv
10	WEAN MALE	255	1.73	440	FR	Y	70+d - 1Mv
10A	WEAN MALE	224	1.83	410	FR	Y	70+d - 1Mv
10A	WEAN MALE	224	1.83	410	FR	Y	70+d - 1Mv
10A	WEAN MALE	224	1.83	410	FR	Y	70+d - 1Mv
10A	WEAN MALE	224	1.83	410	FR	Y	70+d - 1Mv
10A	WEAN MALE	224	1.83	410	FR	Y	70+d - 1Mv
10B	WEAN MALE	199	1.71	340	FR	Y	70+d - 1Mv
10B	WEAN MALE	199	1.71	340	FR	Y	70+d - 1Mv
10B	WEAN MALE	199	1.71	340	FR	Y	70+d - 1Mv
10B	WEAN MALE	199	1.71	340	FR	Y	70+d - 1Mv
10B	WEAN MALE	199	1.71	340	FR	Y	70+d - 1Mv
10B	WEAN MALE	199	1.71	340	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11	WEAN MALE	181	1.93	350	FR	Y	70+d - 1Mv
11A	WEAN MALE	151	1.99	300	FR	Y	70+d - 1Mv
11A	WEAN MALE	151	1.99	300	FR	Y	70+d - 1Mv
11A	WEAN MALE	151	1.99	300	FR	Y	70+d - 1Mv
11A	WEAN MALE	151	1.99	300	FR	Y	70+d - 1Mv
12	WEAN MALE	190	2.71	515	LM	N	- 1Mv
12A	WEAN MALE	260	1.42	370	FR	N	- 2Mv
12A	WEAN MALE	260	1.42	370	FR	N	- 2Mv
12A	WEAN MALE	260	1.42	370	FR	N	- 2Mv
12A	WEAN MALE	260	1.42	370	FR	N	- 2Mv
12B	WEAN MALE	255	1.45	370	FR	N	- 2Mv
12B	WEAN MALE	255	1.45	370	FR	N	- 2Mv
12B	WEAN MALE	255	1.45	370	FR	N	- 2Mv
12B	WEAN MALE	255	1.45	370	FR	N	- 2Mv
13	WEAN MALE	267	1.39	370	FR	N	- 2Mv
13	WEAN MALE	267	1.39	370	FR	N	- 2Mv
13	WEAN MALE	267	1.39	370	FR	N	- 2Mv
13	WEAN MALE	267	1.39	370	FR	N	- 2Mv
13A	WEAN MALE	265	1.40	370	FR	N	- 2Mv
13A	WEAN MALE	265	1.40	370	FR	N	- 2Mv
13A	WEAN MALE	265	1.40	370	FR	N	- 2Mv
13A	WEAN MALE	265	1.40	370	FR	N	- 2Mv
14	WEAN MALE	460	1.90	875	LM	Y	14d - 1Mv
14A	WEAN MALE	430	1.91	820	BAX	Y	14d - 1Mv
15	WEAN MALE	303	2.57	780	SIM	N	- 1Mv
15	WEAN MALE	303	2.57	780	SIM	N	- 1Mv
15	WEAN MALE	303	2.57	780	SIM	N	- 1Mv
15A	WEAN MALE	297	2.37	705	SIM	N	- 1Mv

15A	WEAN MALE	297	2.37	705	SIM	N	- 1Mv
15B	WEAN MALE	290	2.59	750	SIM	N	- 1Mv
15B	WEAN MALE	290	2.59	750	SIM	N	- 1Mv
15C	WEAN MALE	235	2.55	600	LM	Y	70+d - 1Mv
15D	WEAN MALE	315	2.30	725	LM	Y	70+d - 1Mv
16B	WEAN MALE	365	2.11	770	LM	N	- 1Mv
16D	WEAN MALE	345	2.23	770	LM	N	- 1Mv
16K	WEAN MALE	412	2.26	930	CH	Y	70+d - 1Mv
16K	WEAN MALE	412	2.26	930	CH	Y	70+d - 1Mv
16K	WEAN MALE	412	2.26	930	CH	Y	70+d - 1Mv
16K	WEAN MALE	412	2.26	930	CH	Y	70+d - 1Mv
16K	WEAN MALE	412	2.26	930	CH	Y	70+d - 1Mv
17	WEAN MALE	355	2.31	820	CH	Y	70+d - 1Mv
17	WEAN MALE	355	2.31	820	CH	Y	70+d - 1Mv
17	WEAN MALE	355	2.31	820	CH	Y	70+d - 1Mv
17	WEAN MALE	355	2.31	820	CH	Y	70+d - 1Mv
17	WEAN MALE	355	2.31	820	CH	Y	70+d - 1Mv
17A	WEAN MALE	406	2.22	900	CH	Y	70+d - 1Mv
17A	WEAN MALE	406	2.22	900	CH	Y	70+d - 1Mv
17A	WEAN MALE	406	2.22	900	CH	Y	70+d - 1Mv
17B	WEAN MALE	430	2.33	1000	CH	Y	70+d - 1Mv
19	WEAN MALE	366	2.25	825	CH	Y	70+d - 1Mv
19	WEAN MALE	366	2.25	825	CH	Y	70+d - 1Mv
19	WEAN MALE	366	2.25	825	CH	Y	70+d - 1Mv
19	WEAN MALE	366	2.25	825	CH	Y	70+d - 1Mv
19A	WEAN MALE	340	2.44	830	PT	Y	70+d - 1Mv
19A	WEAN MALE	340	2.44	830	CH	Y	70+d - 1Mv
19B	WEAN MALE	325	2.51	815	CH	Y	70+d - 1Mv
19B	WEAN MALE	325	2.51	815	CH	Y	70+d - 1Mv
19C	WEAN MALE	455	2.04	930	CH	N	- 1Mv
19D	WEAN MALE	420	2.26	950	CH	N	- 1Mv
19E	WEAN MALE	460	2.17	1000	CH	N	- 1Mv
19H	WEAN MALE	475	2.25	1070	CH	N	- 1Mv
19K	WEAN MALE	495	2.06	1020	CH	N	- 1Mv
19T	WEAN MALE	330	2.27	750	LM	Y	8d - 2Mv
20	WEAN MALE	453	1.99	900	SIM	Y	70+d - 1Mv
20	WEAN MALE	453	1.99	900	SIM	Y	70+d - 1Mv
20	WEAN MALE	453	1.99	900	SIM	Y	70+d - 1Mv
20	WEAN MALE	453	1.99	900	SIM	Y	70+d - 1Mv
20	WEAN MALE	453	1.99	900	SIM	Y	70+d - 1Mv
20A	WEAN MALE	305	2.62	800	SIM	Y	70+d - 1Mv
20A	WEAN MALE	305	2.62	800	SIM	Y	70+d - 1Mv
20A	WEAN MALE	305	2.62	800	SIM	Y	70+d - 1Mv
20A	WEAN MALE	305	2.62	800	SIM	Y	70+d - 1Mv
20A	WEAN MALE	305	2.62	800	SIM	Y	70+d - 1Mv
21	WEAN MALE	266	2.56	680	SIM	Y	70+d - 1Mv
21	WEAN MALE	266	2.56	680	SIM	Y	70+d - 1Mv
21	WEAN MALE	266	2.56	680	SIM	Y	70+d - 1Mv
21	WEAN MALE	266	2.56	680	SIM	Y	70+d - 1Mv
21A	WEAN MALE	370	2.11	780	SIM	Y	70+d - 1Mv

21A	WEAN MALE	370	2.11	780	SIM	Y	70+d - 1Mv
21A	WEAN MALE	370	2.11	780	SIM	Y	70+d - 1Mv
21B	WEAN MALE	325	2.23	725	SIM	Y	70+d - 1Mv
22	WEAN MALE	370	2.03	750	BB	N	- 1Mv
22A	WEAN MALE	320	2.09	670	LM	N	- 1Mv
22B	WEAN MALE	330	2.35	775	BB	N	- 1Mv
22C	WEAN MALE	305	2.69	820	BB	N	- 1Mv
22D	WEAN MALE	235	2.09	490	AA	N	- 1Mv
26D	WEAN MALE	255	2.27	580	LM	Y	70+d - 1Mv
26E	WEAN MALE	260	2.40	625	LM	Y	70+d - 1Mv
26H	WEAN MALE	310	2.21	685	LM	Y	70+d - 1Mv
26K	WEAN MALE	295	2.14	630	LM	Y	70+d - 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	LM	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
28D	WEAN MALE	314	2.68	840	CH	N	- 1Mv
29	WEAN MALE	322	2.52	810	CH	N	- 1Mv
29	WEAN MALE	322	2.52	810	CH	N	- 1Mv
29A	WEAN MALE	340	2.50	850	CH	N	- 1Mv
29A	WEAN MALE	340	2.50	850	CH	N	- 1Mv
29B	WEAN MALE	347	2.44	845	CH	N	- 1Mv
29B	WEAN MALE	347	2.44	845	CH	N	- 1Mv
29D	WEAN MALE	330	2.36	780	LM	N	- 1Mv
29E	WEAN MALE	285	2.54	725	BAX	N	- 2Mv
29E	WEAN MALE	285	2.54	725	CH	N	- 1Mv
29E	WEAN MALE	285	2.54	725	LM	N	- 1Mv
29H	WEAN MALE	280	2.64	740	LM	N	- 1Mv
29H	WEAN MALE	280	2.64	740	LM	N	- 1Mv
29K	WEAN MALE	365	2.22	810	BAX	N	- 2Mv
29K	WEAN MALE	365	2.22	810	CH	N	- 1Mv
29L	WEAN MALE	225	2.67	600	CH	N	- 1Mv
29T	WEAN MALE	205	2.66	545	CH	N	- 1Mv
30	WEAN MALE	295	2.71	800	CH	N	- 1Mv
30	WEAN MALE	295	2.71	800	CH	N	- 1Mv
30	WEAN MALE	295	2.71	800	CH	N	- 1Mv
30	WEAN MALE	295	2.71	800	CH	N	- 1Mv
30A	WEAN MALE	225	2.93	660	CH	N	- 1Mv
30A	WEAN MALE	225	2.93	660	CH	N	- 1Mv
30A	WEAN MALE	225	2.93	660	CH	N	- 1Mv
30B	WEAN MALE	262	2.73	715	CH	N	- 1Mv
30B	WEAN MALE	262	2.73	715	CH	N	- 1Mv
30C	WEAN MALE	232	2.72	630	CH	N	- 1Mv
30C	WEAN MALE	232	2.72	630	CH	N	- 1Mv
31	WEAN MALE	375	2.40	900	CH	N	- 1Mv
31	WEAN MALE	375	2.40	900	CH	N	- 1Mv
32	WEAN MALE	243	2.57	625	LM	N	- 1Mv

32	WEAN MALE	243	2.57	625	LM	N	- 1Mv
32	WEAN MALE	243	2.57	625	LM	N	- 1Mv
32A	WEAN MALE	290	2.31	670	LM	N	- 1Mv
32B	WEAN MALE	325	2.32	755	LM	Y	70+d - 1Mv
32B	WEAN MALE	325	2.32	755	LM	Y	70+d - 1Mv
32B	WEAN MALE	325	2.32	755	LM	Y	70+d - 1Mv
34	WEAN MALE	335	2.12	710	SAX	N	- 1Mv
34	WEAN MALE	335	2.12	710	SAX	N	- 1Mv
34	WEAN MALE	335	2.12	710	SAX	N	- 1Mv
34A	WEAN MALE	320	1.91	610	SAX	N	- 1Mv
34B	WEAN MALE	450	1.82	820	LM	Y	70+d - 1Mv
34C	WEAN MALE	430	2.14	920	BB	Y	70+d - 1Mv
34D	WEAN MALE	420	2.17	910	LM	Y	70+d - 1Mv
34E	WEAN MALE	440	2.00	880	CH	Y	70+d - 1Mv
34H	WEAN MALE	365	2.19	800	CH	Y	70+d - 1Mv
36	WEAN MALE	468	1.97	920	LM	Y	70+d - 1Mv
36	WEAN MALE	468	1.97	920	LM	Y	70+d - 1Mv
36	WEAN MALE	468	1.97	920	LM	Y	70+d - 1Mv
36A	WEAN MALE	460	2.09	960	LM	Y	70+d - 1Mv
36B	WEAN MALE	375	2.13	800	LM	Y	70+d - 1Mv
36C	WEAN MALE	450	2.24	1010	LM	Y	70+d - 1Mv
37	WEAN MALE	215	1.47	315	FR	Y	70+d - 1Mv
37	WEAN MALE	215	1.47	315	FR	Y	70+d - 1Mv
37A	WEAN MALE	240	1.35	325	FR	Y	70+d - 1Mv
37A	WEAN MALE	240	1.35	325	PT	Y	70+d - 1Mv
37B	WEAN MALE	170	2.62	445	HE	Y	70+d - 1Mv
37B	WEAN MALE	170	2.62	445	HE	Y	70+d - 1Mv
37B	WEAN MALE	170	2.62	445	HE	Y	70+d - 1Mv
37B	WEAN MALE	170	2.62	445	HE	Y	70+d - 1Mv
37B	WEAN MALE	170	2.62	445	HE	Y	70+d - 1Mv
37B	WEAN MALE	170	2.62	445	HE	Y	70+d - 1Mv
37C	WEAN MALE	170	1.65	280	FR	Y	70+d - 1Mv
37C	WEAN MALE	170	1.65	280	FR	Y	70+d - 1Mv
37D	WEAN MALE	137	2.81	385	HE	Y	70+d - 1Mv
37D	WEAN MALE	137	2.81	385	HE	Y	70+d - 1Mv
38	WEAN MALE	192	2.76	530	HE	Y	70+d - 1Mv
38	WEAN MALE	192	2.76	530	HE	Y	70+d - 1Mv
38	WEAN MALE	192	2.76	530	HE	Y	70+d - 1Mv
38	WEAN MALE	192	2.76	530	HE	Y	70+d - 1Mv
38A	WEAN MALE	216	2.25	485	HE	Y	70+d - 1Mv
38A	WEAN MALE	216	2.25	485	HE	Y	70+d - 1Mv
38A	WEAN MALE	216	2.25	485	HE	Y	70+d - 1Mv
38B	WEAN MALE	175	2.51	440	PT	Y	70+d - 1Mv
38B	WEAN MALE	175	2.51	440	AA	Y	70+d - 1Mv
38B	WEAN MALE	175	2.51	440	PT	Y	70+d - 1Mv
38B	WEAN MALE	175	2.51	440	PT	Y	70+d - 1Mv
38C	WEAN MALE	160	1.38	220	LM	Y	70+d - 1Mv
38D	WEAN MALE	230	1.87	430	PT	Y	70+d - 1Mv
38D	WEAN MALE	230	1.87	430	PT	Y	70+d - 1Mv
38D	WEAN MALE	230	1.87	430	PT	Y	70+d - 1Mv

38E	WEAN MALE	275	1.42	390	FR	Y	70+d - 1Mv
39	WEAN MALE	187	2.14	400	AA	Y	70+d - 1Mv
39	WEAN MALE	187	2.14	400	AA	Y	70+d - 1Mv
39A	WEAN MALE	270	2.41	650	HE	Y	70+d - 1Mv
39A	WEAN MALE	270	2.41	650	HE	Y	70+d - 1Mv

### WEANLING HEIFERS

LOT	RING	KG	€/KG	€/HD	Breed	QAS	QA Days
400	WEAN FEMALE	285	1.40	400	AA	N	- 3Mv
400A	WEAN FEMALE	340	1.76	600	SIM	N	- 2Mv
400B	WEAN FEMALE	350	1.71	600	AA	N	- 1Mv
400C	WEAN FEMALE	270	1.52	410	AA	N	- 1Mv
400D	WEAN FEMALE	250	2.12	530	AA	N	- 1Mv
400E	WEAN FEMALE	225	1.96	440	AA	N	- 1Mv
400H	WEAN FEMALE	255	1.80	460	AA	N	- 1Mv
401	WEAN FEMALE	215	1.91	410	SIM	N	- 2Mv
401A	WEAN FEMALE	175	2.57	450	LM	N	- 1Mv
401B	WEAN FEMALE	210	2.24	470	SIM	N	- 2Mv
402	WEAN FEMALE	355	2.08	740	CH	N	- 1Mv
403	WEAN FEMALE	255	2.31	590	HE	N	- 1Mv
403A	WEAN FEMALE	325	2.37	770	CH	Y	70+d - 1Mv
403A	WEAN FEMALE	325	2.37	770	CH	Y	70+d - 1Mv
403B	WEAN FEMALE	292	2.05	600	CH	Y	70+d - 1Mv
403B	WEAN FEMALE	292	2.05	600	CH	Y	70+d - 1Mv
403C	WEAN FEMALE	315	1.95	615	LM	Y	70+d - 1Mv
403D	WEAN FEMALE	325	1.63	530	CH	Y	70+d - 1Mv
403E	WEAN FEMALE	280	1.96	550	CH	Y	70+d - 1Mv
404	WEAN FEMALE	253	2.15	545	LM	N	- 1Mv
404	WEAN FEMALE	253	2.15	545	LM	N	- 1Mv
404	WEAN FEMALE	253	2.15	545	LM	N	- 1Mv
404A	WEAN FEMALE	275	2.36	650	LM	Y	70+d - 1Mv
404B	WEAN FEMALE	235	2.47	580	LM	Y	70+d - 1Mv
405	WEAN FEMALE	350	2.21	775	CH	Y	70+d - 1Mv
405A	WEAN FEMALE	395	1.96	775	CH	Y	70+d - 1Mv
405B	WEAN FEMALE	280	1.21	340	FR	Y	70+d - 1Mv
406	WEAN FEMALE	290	2.34	680	CH	Y	70+d - 1Mv
406	WEAN FEMALE	290	2.34	680	CH	Y	70+d - 1Mv
406B	WEAN FEMALE	325	2.15	700	CH	Y	70+d - 1Mv
406B	WEAN FEMALE	325	2.15	700	CH	Y	70+d - 1Mv
406C	WEAN FEMALE	330	2.29	755	CH	Y	70+d - 1Mv
406C	WEAN FEMALE	330	2.29	755	CH	Y	70+d - 1Mv
406D	WEAN FEMALE	288	2.08	600	AA	Y	70+d - 1Mv
406D	WEAN FEMALE	288	2.08	600	AA	Y	70+d - 1Mv
406D	WEAN FEMALE	288	2.08	600	AA	Y	70+d - 1Mv
407	WEAN FEMALE	306	2.27	695	CH	Y	70+d - 1Mv
407	WEAN FEMALE	306	2.27	695	CH	Y	70+d - 1Mv
407	WEAN FEMALE	306	2.27	695	CH	Y	70+d - 1Mv
407B	WEAN FEMALE	265	2.55	675	CH	Y	70+d - 1Mv
407B	WEAN FEMALE	265	2.55	675	CH	Y	70+d - 1Mv
407B	WEAN FEMALE	265	2.55	675	CH	Y	70+d - 1Mv

407B	WEAN FEMALE	265	2.55	675	CH	Y	70+d - 1Mv
407C	WEAN FEMALE	360	2.06	740	CH	Y	70+d - 1Mv
408B	WEAN FEMALE	281	2.78	780	LM	Y	70+d - 1Mv
408B	WEAN FEMALE	281	2.78	780	LM	Y	70+d - 1Mv
408B	WEAN FEMALE	281	2.78	780	LM	Y	70+d - 1Mv
408B	WEAN FEMALE	281	2.78	780	LM	Y	70+d - 1Mv
408B	WEAN FEMALE	281	2.78	780	LM	Y	70+d - 1Mv
408B	WEAN FEMALE	281	2.78	780	LM	Y	70+d - 1Mv
408C	WEAN FEMALE	244	3.11	760	LM	Y	70+d - 1Mv
408C	WEAN FEMALE	244	3.11	760	LM	Y	70+d - 1Mv
408C	WEAN FEMALE	244	3.11	760	LM	Y	70+d - 1Mv
408C	WEAN FEMALE	244	3.11	760	LM	Y	70+d - 1Mv
408C	WEAN FEMALE	244	3.11	760	LM	Y	70+d - 1Mv
408C	WEAN FEMALE	244	3.11	760	LM	Y	70+d - 1Mv
409	WEAN FEMALE	210	2.86	600	LM	Y	70+d - 1Mv
409	WEAN FEMALE	210	2.86	600	LM	Y	70+d - 1Mv
409	WEAN FEMALE	210	2.86	600	LM	Y	70+d - 1Mv
409	WEAN FEMALE	210	2.86	600	LM	Y	70+d - 1Mv
409	WEAN FEMALE	210	2.86	600	LM	Y	70+d - 1Mv
409	WEAN FEMALE	210	2.86	600	LM	Y	70+d - 1Mv
410	WEAN FEMALE	315	2.30	725	CH	N	- 1Mv
410	WEAN FEMALE	315	2.30	725	SIM	N	- 1Mv
410A	WEAN FEMALE	360	1.94	700	CH	N	- 1Mv
410B	WEAN FEMALE	320	2.00	640	CH	N	- 1Mv
410C	WEAN FEMALE	380	1.89	720	CH	N	- 1Mv
411B	WEAN FEMALE	385	2.14	825	PT	Y	9d - 2Mv
411B	WEAN FEMALE	385	2.14	825	PT	Y	9d - 2Mv
412	WEAN FEMALE	217	2.17	470	CH	N	- 1Mv
412	WEAN FEMALE	217	2.17	470	CH	N	- 1Mv
412	WEAN FEMALE	217	2.17	470	BAX	N	- 2Mv
412	WEAN FEMALE	217	2.17	470	LM	N	- 1Mv
412	WEAN FEMALE	217	2.17	470	CH	N	- 1Mv
412	WEAN FEMALE	217	2.17	470	CH	N	- 1Mv
412A	WEAN FEMALE	295	2.29	675	LM	N	- 1Mv
412A	WEAN FEMALE	295	2.29	675	LM	N	- 1Mv
412A	WEAN FEMALE	295	2.29	675	LM	N	- 1Mv
412A	WEAN FEMALE	295	2.29	675	LM	N	- 1Mv
412A	WEAN FEMALE	295	2.29	675	BAX	N	- 1Mv
412B	WEAN FEMALE	257	2.49	640	LM	N	- 1Mv
412B	WEAN FEMALE	257	2.49	640	BAX	N	- 2Mv
417	WEAN FEMALE	285	2.39	680	LM	N	- 1Mv
417	WEAN FEMALE	285	2.39	680	LM	N	- 1Mv
417A	WEAN FEMALE	235	2.53	595	LM	N	- 1Mv
417A	WEAN FEMALE	235	2.53	595	LM	N	- 1Mv
417B	WEAN FEMALE	280	2.14	600	LM	N	- 1Mv
417B	WEAN FEMALE	280	2.14	600	LM	N	- 1Mv
418	WEAN FEMALE	365	1.99	725	SAX	N	- 1Mv
418A	WEAN FEMALE	331	2.02	670	SAX	N	- 1Mv
418A	WEAN FEMALE	331	2.02	670	SAX	N	- 1Mv
418A	WEAN FEMALE	331	2.02	670	SAX	N	- 1Mv

418B	WEAN FEMALE	247	2.06	510	SAX	N	- 1Mv
418B	WEAN FEMALE	247	2.06	510	SAX	N	- 1Mv
419	WEAN FEMALE	242	2.36	570	HE	Y	70+d - 1Mv
419	WEAN FEMALE	242	2.36	570	HE	Y	70+d - 1Mv
419A	WEAN FEMALE	180	2.19	395	AA	Y	70+d - 1Mv
419B	WEAN FEMALE	200	1.93	385	HE	Y	70+d - 1Mv
419B	WEAN FEMALE	200	1.93	385	HE	Y	70+d - 1Mv
419C	WEAN FEMALE	213	2.09	445	HE	Y	70+d - 1Mv
419C	WEAN FEMALE	213	2.09	445	HE	Y	70+d - 1Mv
419C	WEAN FEMALE	213	2.09	445	HE	Y	70+d - 1Mv
419C	WEAN FEMALE	213	2.09	445	HE	Y	70+d - 1Mv
419C	WEAN FEMALE	213	2.09	445	HE	Y	70+d - 1Mv
420	WEAN FEMALE	170	2.03	345	HE	Y	70+d - 1Mv
420	WEAN FEMALE	170	2.03	345	HE	Y	70+d - 1Mv
420	WEAN FEMALE	170	2.03	345	HE	Y	70+d - 1Mv
420A	WEAN FEMALE	197	2.01	395	HE	Y	70+d - 1Mv
420A	WEAN FEMALE	197	2.01	395	HE	Y	70+d - 1Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421A	WEAN FEMALE	215	2.33	500	HE	Y	70+d - 2Mv
421B	WEAN FEMALE	255	2.20	560	HE	Y	70+d - 1Mv
421C	WEAN FEMALE	203	2.12	430	AA	Y	70+d - 1Mv
421C	WEAN FEMALE	203	2.12	430	AA	Y	70+d - 1Mv
421C	WEAN FEMALE	203	2.12	430	AA	Y	70+d - 1Mv