

WEANLING BULLS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
1	WEAN MALE	252	2.66	670	HE	140417	N	- 2Mv
1	WEAN MALE	252	2.66	670	HE	130417	N	- 2Mv
1	WEAN MALE	252	2.66	670	HE	130417	N	- 2Mv
1	WEAN MALE	252	2.66	670	HE	140417	N	- 2Mv
1A	WEAN MALE	249	2.61	650	HE	200217	N	- 2Mv
1A	WEAN MALE	249	2.61	650	HE	180317	N	- 2Mv
1A	WEAN MALE	249	2.61	650	HE	60317	N	- 2Mv
1A	WEAN MALE	249	2.61	650	HE	180217	N	- 2Mv
1A	WEAN MALE	249	2.61	650	HE	180217	N	- 2Mv
1A	WEAN MALE	249	2.61	650	HE	10217	N	- 2Mv
2	WEAN MALE	330	2.52	830	CH	240417	Y	70+d - 1Mv
2A	WEAN MALE	291	2.61	760	CH	300417	Y	70+d - 1Mv
2A	WEAN MALE	291	2.61	760	CH	300417	Y	70+d - 1Mv
2A	WEAN MALE	291	2.61	760	CH	260417	Y	70+d - 1Mv
2B	WEAN MALE	270	2.69	725	CH	280417	Y	70+d - 1Mv
2B	WEAN MALE	270	2.69	725	CH	20617	Y	70+d - 1Mv
2C	WEAN MALE	260	2.69	700	CH	40517	Y	70+d - 1Mv
2C	WEAN MALE	260	2.69	700	CH	220417	Y	70+d - 1Mv
2D	WEAN MALE	225	2.64	595	LM	20517	Y	70+d - 1Mv
2D	WEAN MALE	225	2.64	595	LM	300417	Y	70+d - 1Mv
3	WEAN MALE	321	2.26	725	AA	210417	N	- 1Mv
3	WEAN MALE	321	2.26	725	AA	230417	N	- 1Mv
3	WEAN MALE	321	2.26	725	AA	220417	N	- 1Mv
3A	WEAN MALE	245	2.51	615	LM	80517	N	- 1Mv
3B	WEAN MALE	255	2.31	590	AA	260417	N	- 1Mv
3C	WEAN MALE	285	2.58	735	CH	180417	N	- 1Mv
3D	WEAN MALE	255	2.53	645	CH	200317	N	- 1Mv
3E	WEAN MALE	205	2.78	570	CH	10617	N	- 1Mv
3E	WEAN MALE	205	2.78	570	CH	230617	N	- 1Mv
3H	WEAN MALE	238	2.56	610	CH	200417	N	- 1Mv
3H	WEAN MALE	238	2.56	610	CH	150517	N	- 1Mv
3H	WEAN MALE	238	2.56	610	CH	250317	N	- 1Mv
4	WEAN MALE	195	2.79	545	LM	90517	N	- 1Mv
4A	WEAN MALE	298	2.47	735	LM	170117	Y	70+d - 1Mv
4A	WEAN MALE	298	2.47	735	LM	240117	Y	70+d - 1Mv
4A	WEAN MALE	298	2.47	735	LM	210217	Y	70+d - 1Mv
4A	WEAN MALE	298	2.47	735	LM	200117	Y	70+d - 1Mv
4A	WEAN MALE	298	2.47	735	LM	100317	Y	70+d - 1Mv
4B	WEAN MALE	291	2.20	640	AA	190217	Y	70+d - 1Mv
4B	WEAN MALE	291	2.20	640	AA	140217	Y	70+d - 1Mv
4B	WEAN MALE	291	2.20	640	AA	20217	Y	70+d - 1Mv
5A	WEAN MALE	370	2.16	800	LM	260217	N	- 1Mv
5B	WEAN MALE	340	2.53	860	LM	40317	N	- 1Mv
5C	WEAN MALE	365	2.38	870	LM	180317	N	- 1Mv
5D	WEAN MALE	205	2.41	495	HE	150317	Y	70+d - 1Mv
5D	WEAN MALE	205	2.41	495	HE	160317	Y	70+d - 1Mv
5E	WEAN MALE	220	2.39	525	HE	170317	Y	70+d - 1Mv

5E	WEAN MALE	220	2.39	525	HE	170317	Y	70+d - 1Mv
5H	WEAN MALE	235	2.30	540	HE	150317	Y	70+d - 1Mv
6	WEAN MALE	385	2.47	950	LM	210117	Y	- 2Mv
6A	WEAN MALE	330	2.20	725	HE	80317	Y	- 2Mv
6A	WEAN MALE	330	2.20	725	HE	80317	Y	- 2Mv
6A	WEAN MALE	330	2.20	725	HE	140217	Y	- 2Mv
6B	WEAN MALE	210	3.33	700	LM	250317	Y	- 2Mv
6B	WEAN MALE	210	3.33	700	LM	30417	Y	- 2Mv
6B	WEAN MALE	210	3.33	700	CH	230617	Y	- 2Mv
7	WEAN MALE	372	2.55	950	CH	20417	N	- 1Mv
7	WEAN MALE	372	2.55	950	CH	220417	N	- 1Mv
7	WEAN MALE	372	2.55	950	CH	40417	N	- 1Mv
7	WEAN MALE	372	2.55	950	CH	110417	N	- 1Mv
7A	WEAN MALE	370	2.53	935	CH	50417	N	- 1Mv
7A	WEAN MALE	370	2.53	935	CH	40417	N	- 1Mv
7A	WEAN MALE	370	2.53	935	CH	10417	N	- 1Mv
7A	WEAN MALE	370	2.53	935	LM	20417	N	- 1Mv
7B	WEAN MALE	367	2.43	890	LM	60417	N	- 1Mv
7B	WEAN MALE	367	2.43	890	LM	30417	N	- 1Mv
8A	WEAN MALE	327	2.25	735	LM	100417	N	- 1Mv
8A	WEAN MALE	327	2.25	735	LM	100417	N	- 1Mv
8B	WEAN MALE	318	2.55	810	CH	210417	N	- 1Mv
8B	WEAN MALE	318	2.55	810	LM	80417	N	- 1Mv
8B	WEAN MALE	318	2.55	810	CH	170417	N	- 1Mv
8B	WEAN MALE	318	2.55	810	CH	50417	N	- 1Mv
8C	WEAN MALE	317	2.60	825	CH	70417	N	- 1Mv
8C	WEAN MALE	317	2.60	825	CH	90417	N	- 1Mv
8D	WEAN MALE	395	2.28	900	SIM	200217	Y	70+d - 1Mv
8E	WEAN MALE	315	2.03	640	SIM	10517	Y	70+d - 1Mv
8H	WEAN MALE	425	2.29	975	SIM	180317	Y	70+d - 1Mv
9	WEAN MALE	255	1.88	480	AA	160217	Y	70+d - 1Mv
9A	WEAN MALE	310	1.66	515	FR	300117	Y	70+d - 1Mv
9B	WEAN MALE	246	1.75	430	FR	240217	Y	70+d - 1Mv
9B	WEAN MALE	246	1.75	430	FR	210217	Y	70+d - 1Mv
9B	WEAN MALE	246	1.75	430	FR	60217	Y	70+d - 1Mv
9B	WEAN MALE	246	1.75	430	FR	30217	Y	70+d - 1Mv
9C	WEAN MALE	303	1.45	440	FR	290117	Y	70+d - 1Mv
9C	WEAN MALE	303	1.45	440	FR	310117	Y	70+d - 1Mv
9C	WEAN MALE	303	1.45	440	FR	90217	Y	70+d - 1Mv
9C	WEAN MALE	303	1.45	440	FR	60217	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	10217	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	50217	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	170217	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	80217	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	300117	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	30217	Y	70+d - 1Mv
10	WEAN MALE	275	1.60	440	FR	230217	Y	70+d - 1Mv
10A	WEAN MALE	260	1.65	430	FR	200217	Y	70+d - 1Mv
10A	WEAN MALE	260	1.65	430	FR	90217	Y	70+d - 1Mv
10A	WEAN MALE	260	1.65	430	FR	190217	Y	70+d - 1Mv

10A	WEAN MALE	260	1.65	430	FR	150217	Y	70+d - 1Mv
10A	WEAN MALE	260	1.65	430	FR	90217	Y	70+d - 1Mv
10A	WEAN MALE	260	1.65	430	FR	70217	Y	70+d - 1Mv
11A	WEAN MALE	307	2.80	860	LM	30417	N	- 1Mv
11A	WEAN MALE	307	2.80	860	LM	10317	N	- 1Mv
11B	WEAN MALE	315	2.76	870	LM	180417	N	- 1Mv
11B	WEAN MALE	315	2.76	870	LM	10417	N	- 1Mv
11B	WEAN MALE	315	2.76	870	LM	300317	N	- 1Mv
11C	WEAN MALE	325	2.65	860	LM	170417	N	- 1Mv
11C	WEAN MALE	325	2.65	860	LM	210417	N	- 1Mv
12	WEAN MALE	367	2.51	920	PT	80117	Y	70+d - 1Mv
12	WEAN MALE	367	2.51	920	LM	290117	Y	70+d - 1Mv
12A	WEAN MALE	308	2.39	735	LM	70417	Y	70+d - 1Mv
12A	WEAN MALE	308	2.39	735	LM	300117	Y	70+d - 1Mv
12A	WEAN MALE	308	2.39	735	PT	140317	Y	70+d - 1Mv
12A	WEAN MALE	308	2.39	735	PT	140317	Y	70+d - 1Mv
12B	WEAN MALE	302	2.02	610	PT	60417	Y	70+d - 1Mv
12B	WEAN MALE	302	2.02	610	PT	70317	Y	70+d - 1Mv
12C	WEAN MALE	290	2.41	700	PT	60417	Y	70+d - 1Mv
12C	WEAN MALE	290	2.41	700	PT	210417	Y	70+d - 1Mv
12D	WEAN MALE	365	1.93	705	PT	150516	Y	70+d - 1Mv
13	WEAN MALE	490	2.00	980	CH	40117	Y	70+d - 1Mv
13A	WEAN MALE	470	2.28	1070	CH	90117	Y	70+d - 1Mv
13B	WEAN MALE	470	2.28	1070	LM	100117	Y	70+d - 1Mv
13C	WEAN MALE	385	2.44	940	LM	150117	Y	70+d - 1Mv
13D	WEAN MALE	388	2.47	960	CH	260317	Y	70+d - 1Mv
13D	WEAN MALE	388	2.47	960	CH	290117	Y	70+d - 1Mv
13D	WEAN MALE	388	2.47	960	CH	190317	Y	70+d - 1Mv
13D	WEAN MALE	388	2.47	960	LM	200117	Y	70+d - 1Mv
13E	WEAN MALE	317	2.37	750	PT	120317	Y	18d - 2Mv
13E	WEAN MALE	317	2.37	750	PT	230217	Y	18d - 2Mv
13H	WEAN MALE	380	2.16	820	PT	110217	Y	18d - 2Mv
14	WEAN MALE	300	2.93	880	CH	190517	N	- 1Mv
14A	WEAN MALE	240	3.17	760	CH	160517	N	- 1Mv
15	WEAN MALE	315	2.38	750	CH	10317	N	- 2Mv
15	WEAN MALE	315	2.38	750	CH	280417	N	- 2Mv
15B	WEAN MALE	290	2.71	785	CH	230317	N	- 2Mv
15B	WEAN MALE	290	2.71	785	CH	130417	N	- 2Mv
15B	WEAN MALE	290	2.71	785	CH	110217	N	- 2Mv
15B	WEAN MALE	290	2.71	785	CH	230317	N	- 2Mv
16	WEAN MALE	309	2.82	870	LM	260317	N	- 2Mv
16	WEAN MALE	309	2.82	870	LM	50317	N	- 2Mv
16	WEAN MALE	309	2.82	870	LM	120317	N	- 2Mv
16	WEAN MALE	309	2.82	870	LM	270317	N	- 2Mv
16	WEAN MALE	309	2.82	870	LM	300317	N	- 2Mv
16	WEAN MALE	309	2.82	870	LM	180317	N	- 2Mv
16A	WEAN MALE	350	2.14	750	SHX	100117	N	- 2Mv
16A	WEAN MALE	350	2.37	830	LM	220317	N	- 2Mv
16B	WEAN MALE	277	2.64	730	LM	210217	N	- 2Mv
16B	WEAN MALE	277	2.64	730	BAX	280717	N	- 2Mv

17	WEAN MALE	450	2.24	1010	CH	151216	Y	70+d - 1Mv
17A	WEAN MALE	500	2.20	1100	CH	121216	Y	70+d - 1Mv
17B	WEAN MALE	345	2.26	780	CH	280117	Y	70+d - 1Mv
17D	WEAN MALE	195	1.69	330	HE	80617	N	- 1Mv
17E	WEAN MALE	255	2.18	555	FR	260317	N	- 1Mv
17H	WEAN MALE	250	2.76	690	SIM	160417	N	- 1Mv
17K	WEAN MALE	260	2.40	625	AA	280317	N	- 1Mv
17T	WEAN MALE	265	2.70	715	AA	100417	N	- 1Mv
18	WEAN MALE	330	2.64	870	LM	110317	N	- 1Mv
18	WEAN MALE	330	2.64	870	LM	210317	N	- 1Mv
18A	WEAN MALE	275	2.58	710	LM	160417	N	- 1Mv
18B	WEAN MALE	330	2.45	810	LM	110317	N	- 1Mv
18C	WEAN MALE	317	2.81	890	LM	300317	N	- 1Mv
18C	WEAN MALE	317	2.81	890	LM	260317	N	- 1Mv
18D	WEAN MALE	392	2.09	820	LM	200317	N	- 1Mv
18D	WEAN MALE	392	2.09	820	LM	80217	N	- 1Mv
18E	WEAN MALE	300	2.53	760	LM	250317	N	- 1Mv
18H	WEAN MALE	260	2.73	710	LM	60517	N	- 1Mv
18K	WEAN MALE	370	2.50	925	LM	10217	N	- 1Mv
19	WEAN MALE	280	1.50	420	FR	70217	N	- 2Mv
19	WEAN MALE	280	1.50	420	FR	300117	N	- 2Mv
19	WEAN MALE	280	1.50	420	FR	70217	N	- 2Mv
19A	WEAN MALE	257	1.61	415	FR	120217	N	- 2Mv
19A	WEAN MALE	257	1.61	415	FR	90217	N	- 2Mv
19B	WEAN MALE	265	1.13	300	JE/JY	80217	N	- 2Mv
19B	WEAN MALE	265	1.13	300	FR	120217	N	- 2Mv
19C	WEAN MALE	242	1.51	365	FR	160217	N	- 2Mv
19C	WEAN MALE	242	1.51	365	FR	110217	N	- 2Mv
19D	WEAN MALE	253	2.96	750	CH	290417	N	- 1Mv
19D	WEAN MALE	253	2.96	750	CH	210317	N	- 1Mv
19D	WEAN MALE	253	2.96	750	CH	71016	N	- 1Mv
19D	WEAN MALE	253	2.96	750	CH	130317	N	- 1Mv
19E	WEAN MALE	331	2.39	790	CH	100217	N	- 1Mv
19E	WEAN MALE	331	2.39	790	CH	180317	N	- 1Mv
19E	WEAN MALE	331	2.39	790	CH	90317	N	- 1Mv
19E	WEAN MALE	331	2.39	790	CH	250217	N	- 1Mv
19E	WEAN MALE	331	2.39	790	CH	110816	N	- 1Mv
19H	WEAN MALE	380	1.50	570	SIM	290317	N	- 1Mv
21	WEAN MALE	270	2.37	640	LM	80517	Y	70+d - 1Mv
21A	WEAN MALE	240	2.67	640	LM	280517	Y	70+d - 1Mv
21B	WEAN MALE	200	2.90	580	LM	280517	Y	70+d - 1Mv
21D	WEAN MALE	285	2.56	730	LM	70417	Y	70+d - 1Mv
21H	WEAN MALE	245	2.82	690	LM	290317	Y	70+d - 1Mv
21L	WEAN MALE	315	2.35	740	LM	280217	Y	70+d - 1Mv
22	WEAN MALE	445	2.47	1100	LM	50217	Y	70+d - 1Mv
22	WEAN MALE	445	2.47	1100	LM	100117	Y	70+d - 1Mv
22	WEAN MALE	445	2.47	1100	LM	30117	Y	70+d - 1Mv
22A	WEAN MALE	361	2.47	890	LM	170317	Y	70+d - 1Mv
22A	WEAN MALE	361	2.47	890	LM	240117	Y	70+d - 1Mv
22A	WEAN MALE	361	2.47	890	LM	50117	Y	70+d - 1Mv

22B	WEAN MALE	407	2.58	1050	LM	210117	Y	70+d - 1Mv
22B	WEAN MALE	407	2.58	1050	LM	240117	Y	70+d - 1Mv
22C	WEAN MALE	360	2.61	940	LM	150317	Y	70+d - 1Mv
22D	WEAN MALE	435	2.74	1190	LM	240217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	170217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	120217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	140217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	160217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	50317	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	120217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	210217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	110217	Y	70+d - 1Mv
23	WEAN MALE	295	1.47	435	FR	70217	Y	70+d - 1Mv
23A	WEAN MALE	215	1.63	350	FR	30317	Y	70+d - 1Mv
23A	WEAN MALE	215	1.63	350	FR	70317	Y	70+d - 1Mv
26A	WEAN MALE	244	1.60	390	FR	220217	N	- 2Mv
26A	WEAN MALE	244	1.60	390	FR	150217	N	- 2Mv
26A	WEAN MALE	244	1.60	390	FR	120217	N	- 2Mv
26A	WEAN MALE	244	1.60	390	FR	240217	N	- 2Mv
26A	WEAN MALE	244	1.60	390	FR	240217	N	- 2Mv
26A	WEAN MALE	244	1.60	390	FR	300117	N	- 2Mv
26A	WEAN MALE	244	1.60	390	FR	70217	N	- 2Mv
27	WEAN MALE	265	2.36	625	AA	300117	Y	70+d - 1Mv
27	WEAN MALE	265	2.36	625	AA	10217	Y	70+d - 1Mv
27	WEAN MALE	265	2.36	625	AA	140217	Y	70+d - 1Mv
27	WEAN MALE	265	2.36	625	AA	90217	Y	70+d - 1Mv
27	WEAN MALE	265	2.36	625	AA	150217	Y	70+d - 1Mv
27A	WEAN MALE	265	2.43	645	BB	200217	Y	70+d - 1Mv
27B	WEAN MALE	271	1.66	450	FR	270117	Y	70+d - 1Mv
27B	WEAN MALE	271	1.66	450	FR	310117	Y	70+d - 1Mv
27B	WEAN MALE	271	1.66	450	FR	100217	Y	70+d - 1Mv
28	WEAN MALE	253	1.64	415	FR	210217	Y	70+d - 1Mv
28	WEAN MALE	253	1.64	415	FR	40217	Y	70+d - 1Mv
28	WEAN MALE	253	1.64	415	FR	90217	Y	70+d - 1Mv
28A	WEAN MALE	225	1.62	365	FR	220217	Y	70+d - 1Mv
28A	WEAN MALE	225	1.62	365	FR	10217	Y	70+d - 1Mv
28A	WEAN MALE	225	1.62	365	FR	10217	Y	70+d - 1Mv
28B	WEAN MALE	200	2.50	500	LM	270317	Y	70+d - 1Mv
28B	WEAN MALE	200	2.50	500	LM	310317	Y	70+d - 1Mv
28C	WEAN MALE	202	2.62	530	BB	170317	Y	70+d - 1Mv
28C	WEAN MALE	202	2.62	530	BB	170317	Y	70+d - 1Mv
28D	WEAN MALE	295	1.64	485	AA	270417	Y	70+d - 2Mv
30	WEAN MALE	350	2.23	780	LM	260417	N	- 1Mv
30A	WEAN MALE	230	2.83	650	LM	30617	N	- 1Mv
30B	WEAN MALE	305	2.13	650	HE	270417	N	- 1Mv
30C	WEAN MALE	305	2.26	690	BB	10417	N	- 1Mv
30D	WEAN MALE	370	2.51	930	BB	160317	N	- 1Mv
31	WEAN MALE	366	2.60	950	CH	200317	N	- 1Mv
31	WEAN MALE	366	2.60	950	CH	210317	N	- 1Mv
31	WEAN MALE	366	2.60	950	CH	60417	N	- 1Mv

31A	WEAN MALE	480	1.98	950	CH	31216	N	- 1Mv
31B	WEAN MALE	335	2.45	820	CH	200417	N	- 1Mv
33	WEAN MALE	290	1.59	460	FR	70117	Y	70+d - 1Mv
33A	WEAN MALE	337	1.54	520	FR	71216	Y	70+d - 1Mv
33A	WEAN MALE	337	1.54	520	FR	140117	Y	70+d - 1Mv
33B	WEAN MALE	232	2.63	610	CH	60217	Y	70+d - 1Mv
33B	WEAN MALE	232	2.63	610	CH	180117	Y	70+d - 1Mv
34	WEAN MALE	255	2.29	585	LM	260117	Y	70+d - 1Mv
34	WEAN MALE	255	2.29	585	AA	130317	Y	70+d - 1Mv
34A	WEAN MALE	225	2.89	650	HE	280117	Y	70+d - 1Mv
34C	WEAN MALE	210	2.71	570	LM	90217	Y	70+d - 1Mv
34C	WEAN MALE	210	2.71	570	LM	180217	Y	70+d - 1Mv
34D	WEAN MALE	205	2.68	550	LM	180217	Y	70+d - 1Mv
34D	WEAN MALE	205	2.68	550	LM	190217	Y	70+d - 1Mv
36B	WEAN MALE	445	1.84	820	CH	301116	N	- 1Mv
37	WEAN MALE	272	1.47	400	FR	40117	Y	70+d - 1Mv
37	WEAN MALE	272	1.47	400	FR	201016	Y	70+d - 1Mv
37A	WEAN MALE	272	1.47	400	FR	50217	Y	70+d - 1Mv
37A	WEAN MALE	272	1.47	400	FR	70217	Y	70+d - 1Mv
37A	WEAN MALE	272	1.47	400	HE	181016	Y	70+d - 1Mv
37B	WEAN MALE	308	1.66	510	HE	171016	Y	70+d - 1Mv
37B	WEAN MALE	308	1.66	510	HE	181016	Y	70+d - 1Mv
37B	WEAN MALE	308	1.66	510	HE	181016	Y	70+d - 1Mv
37B	WEAN MALE	308	1.66	510	HE	181016	Y	70+d - 1Mv
37C	WEAN MALE	230	1.96	450	HE	10217	Y	70+d - 1Mv
37C	WEAN MALE	230	1.96	450	HE	270317	Y	4d - 1Mv
37C	WEAN MALE	230	1.96	450	FR	40117	Y	4d - 1Mv

WEANLING HEIFERS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
400	WEAN FEMALE	350	2.29	800	LM	160317	N	- 1Mv
400	WEAN FEMALE	350	2.29	800	LM	220217	N	- 1Mv
400A	WEAN FEMALE	273	2.75	750	LM	130317	N	- 1Mv
400A	WEAN FEMALE	273	2.75	750	LM	280317	N	- 1Mv
400A	WEAN FEMALE	273	2.75	750	LM	130417	N	- 1Mv
400B	WEAN FEMALE	275	2.62	720	LM	90417	N	- 1Mv
400C	WEAN FEMALE	252	2.04	515	LM	30217	N	- 2Mv
400C	WEAN FEMALE	252	2.04	515	LM	60217	N	- 2Mv
401	WEAN FEMALE	286	2.78	795	CH	150317	N	- 1Mv
401	WEAN FEMALE	286	2.78	795	CH	80317	N	- 1Mv
401	WEAN FEMALE	286	2.78	795	CH	190317	N	- 1Mv
401A	WEAN FEMALE	240	1.83	440	FR	300317	N	- 1Mv
401A	WEAN FEMALE	240	1.83	440	FR	230317	N	- 1Mv
401B	WEAN FEMALE	270	1.89	510	SIM	140417	N	- 1Mv
402	WEAN FEMALE	235	2.68	630	LM	150317	N	- 1Mv
402	WEAN FEMALE	235	2.68	630	LM	200317	N	- 1Mv
402A	WEAN FEMALE	197	2.39	470	LM	270417	N	- 1Mv
402A	WEAN FEMALE	197	2.39	470	LM	280417	N	- 1Mv
402B	WEAN FEMALE	360	2.11	760	LM	70217	N	- 1Mv
402C	WEAN FEMALE	345	2.32	800	LM	80217	N	- 1Mv

402D	WEAN FEMALE	275	2.18	600	LM	230317	N	- 1Mv
402D	WEAN FEMALE	275	2.18	600	LM	80417	N	- 1Mv
402E	WEAN FEMALE	255	2.25	575	AA	100417	N	- 1Mv
403	WEAN FEMALE	250	2.64	660	CH	170317	N	- 1Mv
403	WEAN FEMALE	250	2.64	660	CH	170317	N	- 1Mv
403	WEAN FEMALE	250	2.64	660	CH	60517	N	- 1Mv
403	WEAN FEMALE	250	2.64	660	CH	100517	N	- 1Mv
403A	WEAN FEMALE	288	2.24	645	CH	210217	N	- 1Mv
403A	WEAN FEMALE	288	2.24	645	CH	250217	N	- 1Mv
403A	WEAN FEMALE	288	2.24	645	CH	40317	N	- 1Mv
403A	WEAN FEMALE	288	2.24	645	CH	50317	N	- 1Mv
403A	WEAN FEMALE	288	2.24	645	CH	190317	N	- 1Mv
404	WEAN FEMALE	252	2.72	685	CH	20417	N	- 1Mv
404	WEAN FEMALE	252	2.72	685	CH	160417	N	- 1Mv
404A	WEAN FEMALE	295	2.31	680	CH	140417	N	- 1Mv
404B	WEAN FEMALE	241	2.82	680	CH	180317	N	- 1Mv
404B	WEAN FEMALE	241	2.82	680	CH	120317	N	- 1Mv
404B	WEAN FEMALE	241	2.82	680	LM	230517	N	- 1Mv
404B	WEAN FEMALE	241	2.82	680	CH	90517	N	- 1Mv
404D	WEAN FEMALE	187	2.81	525	CH	270517	N	- 1Mv
404D	WEAN FEMALE	187	2.81	525	CH	170617	N	- 1Mv
404D	WEAN FEMALE	187	2.81	525	CH	190617	N	- 1Mv
404D	WEAN FEMALE	187	2.81	525	CH	110517	N	- 1Mv
405A	WEAN FEMALE	215	2.58	555	LM	80517	Y	70+d - 1Mv
405R	WEAN FEMALE	250	2.60	650	LM	200317	Y	70+d - 1Mv
405T	WEAN FEMALE	240	2.25	540	LM	161216	Y	70+d - 1Mv
406	WEAN FEMALE	235	1.96	460	CH	280217	Y	70+d - 1Mv
406A	WEAN FEMALE	225	2.00	450	BB	280217	Y	70+d - 1Mv
406B	WEAN FEMALE	216	1.81	390	AA	290117	Y	70+d - 1Mv
406B	WEAN FEMALE	216	1.81	390	AA	110217	Y	70+d - 1Mv
406B	WEAN FEMALE	216	1.81	390	AA	170217	Y	70+d - 1Mv
406B	WEAN FEMALE	216	1.81	390	AA	290117	Y	70+d - 1Mv
406B	WEAN FEMALE	216	1.81	390	AA	300417	Y	70+d - 1Mv
406C	WEAN FEMALE	185	1.89	350	AA	310317	Y	70+d - 1Mv
406C	WEAN FEMALE	185	1.89	350	AA	260217	Y	70+d - 1Mv
407	WEAN FEMALE	440	2.01	885	CH	181016	Y	35d - 1Mv
407	WEAN FEMALE	440	2.01	885	CH	301016	Y	70+d - 1Mv
407	WEAN FEMALE	440	2.01	885	CH	110916	Y	70+d - 1Mv
407	WEAN FEMALE	440	2.01	885	CH	190916	Y	70+d - 1Mv
407A	WEAN FEMALE	474	1.94	920	CH	80916	Y	35d - 1Mv
407A	WEAN FEMALE	474	1.94	920	CH	140916	Y	35d - 1Mv
407A	WEAN FEMALE	474	1.94	920	CH	120916	Y	35d - 1Mv
407A	WEAN FEMALE	474	1.94	920	CH	130916	Y	35d - 1Mv
407A	WEAN FEMALE	474	1.94	920	CH	41016	Y	35d - 1Mv
408	WEAN FEMALE	450	1.98	890	CH	170916	Y	35d - 1Mv
408	WEAN FEMALE	450	1.98	890	CH	200916	Y	35d - 1Mv
408	WEAN FEMALE	450	1.98	890	CH	111016	Y	35d - 1Mv
408	WEAN FEMALE	450	1.98	890	CH	260916	Y	35d - 1Mv
408	WEAN FEMALE	450	1.98	890	CH	90916	Y	35d - 1Mv
408	WEAN FEMALE	450	1.98	890	CH	301016	Y	35d - 1Mv

408	WEAN FEMALE	450	1.98	890	CH	11016	Y	35d - 1Mv
409	WEAN FEMALE	287	2.06	590	LM	30517	N	- 1Mv
409	WEAN FEMALE	287	2.06	590	LM	10517	N	- 1Mv
409A	WEAN FEMALE	222	2.16	480	LM	70617	N	- 1Mv
409A	WEAN FEMALE	222	2.16	480	LM	80517	N	- 1Mv
409B	WEAN FEMALE	210	1.95	410	LM	50617	N	- 1Mv
409C	WEAN FEMALE	220	2.30	505	BB	140517	N	- 2Mv
409D	WEAN FEMALE	235	1.32	310	HE	40517	N	- 1Mv
409E	WEAN FEMALE	295	2.51	740	BB	200317	N	- 1Mv
409H	WEAN FEMALE	290	2.24	650	BB	170317	N	- 1Mv
410	WEAN FEMALE	290	2.62	760	CH	260317	N	- 1Mv
410	WEAN FEMALE	290	2.62	760	CH	50417	N	- 1Mv
410	WEAN FEMALE	290	2.62	760	CH	20417	N	- 1Mv
410A	WEAN FEMALE	320	2.66	850	CH	170417	N	- 1Mv
410B	WEAN FEMALE	360	2.03	730	CH	240317	N	- 1Mv
410C	WEAN FEMALE	360	2.17	780	CH	260117	N	- 3Mv
410D	WEAN FEMALE	275	1.67	460	CH	230417	N	- 1Mv
410D	WEAN FEMALE	275	1.67	460	CH	80417	N	- 1Mv
410E	WEAN FEMALE	295	2.31	680	CH	210417	N	- 1Mv
411	WEAN FEMALE	246	1.48	365	HE	181016	Y	4d - 1Mv
411	WEAN FEMALE	246	1.48	365	HE	171016	Y	4d - 1Mv
411	WEAN FEMALE	246	1.48	365	HE	181016	Y	4d - 1Mv
411	WEAN FEMALE	246	1.48	365	HE	10217	Y	4d - 1Mv
412	WEAN FEMALE	335	2.18	730	CH	40417	N	- 1Mv
412A	WEAN FEMALE	300	2.13	640	CH	300317	N	- 1Mv
412B	WEAN FEMALE	330	2.12	700	CH	280317	N	- 1Mv