

WEDNESDAY WEANLING SALE

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days	Dam
200	F CALF			155	AA	210324	Y	70+d - 2Mv	FR
200	F CALF			155	AA	70424	Y	70+d - 2Mv	FR
200	F CALF			155	SIM	160324	Y	70+d - 2Mv	FR
201	F CALF			130	JE/JY	270224	Y	70+d - 2Mv	JEX
201	F CALF			130	AA	10324	Y	70+d - 2Mv	JEX
201	F CALF			130	SIM	50424	Y	70+d - 2Mv	FR
201	M CALF			130	AA	80424	Y	70+d - 2Mv	FRX
201	M CALF			130	AA	280224	Y	70+d - 2Mv	FRX
202	F CALF			165	FR	250224	Y	70+d - 2Mv	JEX
202	F CALF			165	AA	40324	Y	70+d - 2Mv	FR
202	F CALF			165	FR	160324	Y	70+d - 2Mv	JEX
1A	WEAN MALE			730	AA	90224	Y	70+d - 1Mv	FR
1A	WEAN MALE	253	2.89	730	AA	90224	Y	70+d - 1Mv	FRX
1A	WEAN MALE	253	2.89	730	AA	90224	Y	70+d - 1Mv	FRX
1A	WEAN MALE	253	2.89	730	AA	60224	Y	70+d - 1Mv	FRX
1A	WEAN MALE	253	2.89	730	AA	190224	Y	70+d - 1Mv	FRX
1B	WEAN MALE	222	2.97	660	AA	290224	Y	70+d - 1Mv	FR
1B	WEAN MALE	222	2.97	660	AA	230224	Y	70+d - 1Mv	FRX
1B	WEAN MALE	222	2.97	660	AA	170224	Y	70+d - 1Mv	FR
1B	WEAN MALE	222	2.97	660	AA	230224	Y	70+d - 1Mv	FRX
1B	WEAN MALE	222	2.97	660	AA	70424	Y	70+d - 1Mv	FR
2	WEAN MALE	168	3.27	550	HE	150424	Y	70+d - 1Mv	FR
2	WEAN MALE	168	3.27	550	HE	100324	Y	70+d - 1Mv	FR
2	WEAN MALE	168	3.27	550	HE	300324	Y	70+d - 1Mv	FR
3	WEAN MALE	330	3.73	1230	CH	220424	Y	70+d - 1Mv	HEX
3	WEAN MALE	330	3.73	1230	CH	200324	Y	70+d - 1Mv	CHX
3	WEAN MALE	330	3.73	1230	CH	250324	Y	70+d - 1Mv	HEX
3	WEAN MALE	330	3.73	1230	CH	150424	Y	70+d - 1Mv	HEX
3	WEAN MALE	330	3.73	1230	CH	290324	Y	70+d - 1Mv	CHX
3	WEAN MALE	330	3.73	1230	CH	260324	Y	70+d - 1Mv	CHX
3A	WEAN MALE	370	3.43	1270	CH	290324	Y	70+d - 1Mv	SAX
3A	WEAN MALE	370	3.43	1270	CH	20224	Y	70+d - 2Mv	SIX
3B	WEAN MALE	281	3.31	930	CH	230324	Y	70+d - 1Mv	CHX
3B	WEAN MALE	281	3.31	930	CH	70524	Y	70+d - 1Mv	CHX
3B	WEAN MALE	281	3.31	930	CH	60524	Y	70+d - 1Mv	CHX
3C	WEAN MALE	247	3.56	880	CH	70524	Y	70+d - 1Mv	CHX
3C	WEAN MALE	247	3.56	880	CH	290424	Y	70+d - 1Mv	CHX
4	WEAN MALE	400	2.55	1020	AA	220224	Y	70+d - 1Mv	SIX
4	WEAN MALE	400	2.55	1020	AA	150324	Y	70+d - 1Mv	SIX
4A	WEAN MALE	340	2.94	1000	LM	290324	Y	70+d - 1Mv	SIX
4A	WEAN MALE	340	2.94	1000	LM	140324	Y	70+d - 1Mv	SIX
4H	WEAN MALE	178	2.92	520	AA	150524	Y	70+d - 1Mv	FR
4H	WEAN MALE	178	2.92	520	AA	150524	Y	70+d - 1Mv	FR
4H	WEAN MALE	178	2.92	520	AA	20524	Y	70+d - 1Mv	FR
4H	WEAN MALE	178	2.92	520	AA	40624	Y	70+d - 1Mv	FR
5	WEAN MALE	213	3.19	680	HE	130424	N	- 2Mv	FR
5	WEAN MALE	213	3.19	680	HE	280324	N	- 2Mv	FRX
5	WEAN MALE	213	3.19	680	HE	70424	N	- 2Mv	FR

5	WEAN MALE	213	3.19	680	HE	30424	N	- 2Mv	FR
5	WEAN MALE	213	3.19	680	HE	230324	N	- 2Mv	FR
5A	WEAN MALE	182	3.24	590	HE	250324	N	- 2Mv	FRX
5A	WEAN MALE	182	3.24	590	HE	80424	N	- 2Mv	FR
5A	WEAN MALE	182	3.24	590	HE	130424	N	- 2Mv	FR
5A	WEAN MALE	182	3.24	590	HE	150424	N	- 2Mv	FR
5B	WEAN MALE	200	3.00	600	AA	20424	N	- 2Mv	FR
6A	WEAN MALE	210	3.62	760	CH	80424	N	- 2Mv	HEX
6A	WEAN MALE	210	3.62	760	CH	280424	N	- 2Mv	AAX
8	WEAN MALE	255	2.94	750	BB	21223	N	- 2Mv	FR
8	WEAN MALE	255	2.94	750	BB	90224	N	- 2Mv	FR
8A	WEAN MALE	225	3.29	740	BB	211223	N	- 2Mv	FR
8A	WEAN MALE	225	3.29	740	BB	190224	N	- 2Mv	FRX
8B	WEAN MALE	215	3.40	730	CH	130224	N	- 4Mv	FR
8C	WEAN MALE	225	3.11	700	AA	130224	N	- 4Mv	FRX
9	WEAN MALE	175	4.29	750	LM	100524	Y	70+d - 1Mv	SAX
9	WEAN MALE	175	4.29	750	LM	80524	Y	70+d - 1Mv	SAX
9	WEAN MALE	175	4.29	750	LM	80724	Y	70+d - 1Mv	LMX
9	WEAN MALE	175	4.29	750	LM	30524	Y	70+d - 1Mv	LMX
9	WEAN MALE	175	4.29	750	LM	30724	Y	70+d - 1Mv	SA
9	WEAN MALE	175	4.29	750	LM	110524	Y	70+d - 1Mv	SAX
10	WEAN MALE	395	3.39	1340	CH	10224	Y	70+d - 1Mv	CHX
10A	WEAN MALE	425	3.13	1330	CH	40124	Y	70+d - 1Mv	SIX
10B	WEAN MALE	355	3.49	1240	CH	20424	Y	70+d - 1Mv	HEX
10C	WEAN MALE	325	3.54	1150	CH	290324	Y	70+d - 1Mv	SAX
10D	WEAN MALE	340	3.62	1230	CH	250424	Y	70+d - 1Mv	HEX
11	WEAN MALE	225	3.20	720	AA	240224	Y	70+d - 1Mv	FR
11	WEAN MALE	225	3.20	720	AA	190224	Y	70+d - 1Mv	FR
11	WEAN MALE	225	3.20	720	AA	220224	Y	70+d - 1Mv	FRX
11	WEAN MALE	225	3.20	720	AA	170224	Y	70+d - 1Mv	FR
11A	WEAN MALE	240	2.71	650	FR	30324	Y	70+d - 1Mv	FR
11A	WEAN MALE	240	2.71	650	FR	270224	Y	70+d - 1Mv	FR
11A	WEAN MALE	240	2.71	650	FR	150224	Y	70+d - 1Mv	FR
11A	WEAN MALE	240	2.71	650	FR	80224	Y	70+d - 1Mv	FR
11A	WEAN MALE	240	2.71	650	FR	190224	Y	70+d - 1Mv	FR
11A	WEAN MALE	240	2.71	650	FR	190224	Y	70+d - 1Mv	FR
12B	WEAN MALE	212	2.83	600	FR	190224	Y	70+d - 1Mv	FR
12B	WEAN MALE	212	2.83	600	FR	10324	Y	70+d - 1Mv	FR
12B	WEAN MALE	212	2.83	600	FR	180224	Y	70+d - 1Mv	FRX
12B	WEAN MALE	212	2.83	600	FR	80224	Y	70+d - 1Mv	FR
12C	WEAN MALE	225	2.80	630	FR	70224	Y	70+d - 1Mv	FRX
12C	WEAN MALE	225	2.80	630	FR	70224	Y	70+d - 1Mv	FR
12C	WEAN MALE	225	2.80	630	FR	190224	Y	70+d - 1Mv	FR
12C	WEAN MALE	225	2.80	630	FR	200224	Y	70+d - 1Mv	FR
13	WEAN MALE	263	3.69	970	LM	160424	N	- 2Mv	LMX
13	WEAN MALE	263	3.69	970	LM	240424	N	- 2Mv	LMX
13	WEAN MALE	263	3.69	970	LM	180524	N	- 2Mv	LMX
13	WEAN MALE	263	3.69	970	LM	110324	N	- 2Mv	LMX
13	WEAN MALE	263	3.69	970	LM	70324	N	- 2Mv	LMX
13A	WEAN MALE	261	3.68	960	LM	40324	N	- 2Mv	LMX

13A	WEAN MALE	261	3.68	960	LM	271223	N	- 2Mv	LM
13A	WEAN MALE	261	3.68	960	LM	20324	N	- 2Mv	SHX
13A	WEAN MALE	261	3.68	960	LM	200424	N	- 2Mv	AAX
13A	WEAN MALE	261	3.68	960	LM	290324	N	- 2Mv	BBX
14	WEAN MALE	250	3.92	980	LM	80424	N	- 2Mv	CHX
14	WEAN MALE	250	3.92	980	CH	10524	N	- 2Mv	LMX
14	WEAN MALE	250	3.92	980	CH	220524	N	- 2Mv	SIX
14	WEAN MALE	250	3.92	980	CH	10324	N	- 2Mv	HEX
14	WEAN MALE	250	3.92	980	LM	210524	N	- 2Mv	CHX
14	WEAN MALE	250	3.92	980	LM	60324	N	- 2Mv	CHX
14	WEAN MALE	250	3.92	980	LM	300324	N	- 2Mv	LMX
14	WEAN MALE	250	3.92	980	LM	240424	N	- 2Mv	LMX
14	WEAN MALE	250	3.92	980	CH	60424	N	- 2Mv	SH
14A	WEAN MALE	243	3.50	850	CH	70524	N	- 2Mv	AAX
14A	WEAN MALE	243	3.50	850	CH	140824	N	- 2Mv	FR
14A	WEAN MALE	243	3.50	850	CH	150824	N	- 2Mv	AAX
14A	WEAN MALE	243	3.50	850	CH	110424	N	- 2Mv	BBX
14A	WEAN MALE	243	3.50	850	CH	60424	N	- 2Mv	CH
15	WEAN MALE	310	2.23	690	AA	150224	N	- 2Mv	FRX
15	WEAN MALE	310	2.23	690	AA	290124	N	- 2Mv	FRX
15B	WEAN MALE	264	2.88	760	AA	80224	N	- 2Mv	FRX
15B	WEAN MALE	264	2.88	760	AA	130224	N	- 2Mv	FRX
15B	WEAN MALE	264	2.88	760	AA	200224	N	- 2Mv	FR
15B	WEAN MALE	264	2.88	760	AA	180224	N	- 2Mv	FRX
15B	WEAN MALE	264	2.88	760	AA	240224	N	- 2Mv	FRX
16D	WEAN MALE	257	2.84	730	AA	310124	N	- 2Mv	FR
16D	WEAN MALE	257	2.84	730	AA	60224	N	- 2Mv	FRX
16D	WEAN FEMALE	257	2.84	730	AA	270224	N	- 2Mv	FRX
16D	WEAN MALE	257	2.84	730	AA	290224	N	- 2Mv	FR
16D	WEAN MALE	257	2.84	730	AA	60224	N	- 2Mv	FRX
16D	WEAN MALE	257	2.84	730	AA	230124	N	- 2Mv	FRX
17	WEAN MALE	274	1.93	530	AA	300124	N	- 2Mv	JEX
17	WEAN MALE	274	1.93	530	AA	70224	N	- 2Mv	JEX
17	WEAN MALE	274	1.93	530	AA	180224	N	- 2Mv	JEX
17	WEAN MALE	274	1.93	530	AA	60224	N	- 2Mv	JEX
17	WEAN MALE	274	1.93	530	AA	70224	N	- 2Mv	JEX
17	WEAN MALE	274	1.93	530	AA	10224	N	- 2Mv	JEX
17C	WEAN MALE	263	1.71	450	FRX	30324	N	- 2Mv	SRX
17C	WEAN MALE	263	1.71	450	FRX	160224	N	- 2Mv	NRX
17C	WEAN MALE	263	1.71	450	FRX	40324	N	- 2Mv	SRX
18	WEAN MALE	337	3.12	1050	LM	270124	Y	70+d - 1Mv	LMX
18	WEAN MALE	337	3.12	1050	LM	220224	Y	70+d - 1Mv	HEX
18A	WEAN MALE	267	3.63	970	LM	240224	Y	70+d - 1Mv	LMX
18A	WEAN MALE	267	3.63	970	LM	100324	Y	70+d - 1Mv	LM
18B	WEAN MALE	317	2.79	885	LM	250124	Y	70+d - 1Mv	LM
18B	WEAN MALE	317	2.79	885	LM	200224	Y	70+d - 1Mv	LMX
18C	WEAN MALE	257	3.19	820	LM	230224	Y	70+d - 1Mv	LMX
18C	WEAN MALE	257	3.19	820	AA	50324	Y	70+d - 1Mv	AAX
18D	WEAN MALE	255	3.41	870	LM	200424	Y	70+d - 1Mv	LMX
18D	WEAN MALE	255	3.41	870	LM	30424	Y	70+d - 1Mv	LM

18E	WEAN MALE	230	3.22	740	AA	20424	Y	70+d - 1Mv	LMX
18E	WEAN MALE	230	3.22	740	AA	280324	Y	70+d - 1Mv	LM
19	WEAN MALE	275	2.87	790	HE	290324	Y	70+d - 1Mv	FR
19A	WEAN MALE	325	2.62	850	HE	230324	Y	35d - 1Mv	FRX
19B	WEAN MALE	235	3.06	720	AA	170324	Y	70+d - 1Mv	FR
19E	WEAN MALE	297	3.20	950	LM	30324	N	- 1Mv	LMX
19E	WEAN MALE	297	3.20	950	LM	190324	N	- 1Mv	SH
19H	WEAN MALE	345	3.16	1090	LM	20324	N	- 1Mv	SH
20	WEAN MALE	260	2.88	750	HE	200224	Y	70+d - 1Mv	FR
20A	WEAN MALE	232	3.10	720	AA	50324	Y	70+d - 1Mv	FR
20A	WEAN MALE	232	3.10	720	AA	220324	Y	70+d - 1Mv	FR
20A	WEAN MALE	232	3.10	720	AA	130224	Y	70+d - 1Mv	FR
20A	WEAN MALE	232	3.10	720	AA	260224	Y	70+d - 1Mv	FR
20A	WEAN MALE	232	3.10	720	AA	240224	Y	70+d - 1Mv	FR
20A	WEAN MALE	232	3.10	720	AA	70424	Y	70+d - 1Mv	FR
21	WEAN MALE	215	3.02	650	AA	100324	Y	70+d - 1Mv	FRX
21	WEAN MALE	215	3.02	650	AA	150324	Y	70+d - 1Mv	FRX
21	WEAN MALE	215	3.02	650	AA	70424	Y	70+d - 1Mv	FR
21	WEAN MALE	215	3.02	650	AA	150324	Y	70+d - 1Mv	FR
21	WEAN MALE	215	3.02	650	AA	200224	Y	70+d - 1Mv	FRX
21	WEAN MALE	215	3.02	650	AA	70424	Y	70+d - 1Mv	FR
21	WEAN MALE	215	3.02	650	AA	10324	Y	70+d - 1Mv	FR
21A	WEAN MALE	188	2.71	510	AA	250324	Y	70+d - 1Mv	FR
21A	WEAN MALE	188	2.71	510	AA	250324	Y	70+d - 1Mv	FRX
21A	WEAN MALE	188	2.71	510	AA	80324	Y	70+d - 1Mv	FR
21B	WEAN MALE	217	2.90	630	AA	160324	Y	70+d - 1Mv	FRX
21B	WEAN MALE	217	2.90	630	AA	70424	Y	70+d - 1Mv	NRX
23	WEAN MALE	230	2.52	580	HE	180224	Y	70+d - 1Mv	FR
23	WEAN MALE	230	2.52	580	HE	240224	Y	70+d - 1Mv	JEX
23	WEAN MALE	230	2.52	580	HE	250224	Y	70+d - 1Mv	FR
23	WEAN MALE	230	2.52	580	HE	190224	Y	70+d - 1Mv	FRX
23A	WEAN MALE	245	1.88	460	FR	160224	Y	70+d - 1Mv	FRX
23B	WEAN MALE	241	2.99	720	AA	50224	Y	70+d - 1Mv	FRX
23B	WEAN MALE	241	2.99	720	AA	130324	Y	70+d - 1Mv	FRX
23B	WEAN MALE	241	2.99	720	AA	110224	Y	70+d - 1Mv	FR
23B	WEAN MALE	241	2.99	720	AA	190224	Y	70+d - 1Mv	FR
24	WEAN MALE	206	2.67	550	AA	250324	Y	70+d - 1Mv	FR
24	WEAN MALE	206	2.67	550	AA	280224	Y	70+d - 1Mv	FRX
24	WEAN MALE	206	2.67	550	AA	10324	Y	70+d - 1Mv	FR
24	WEAN MALE	206	2.67	550	AA	270224	Y	70+d - 1Mv	FR
24	WEAN MALE	206	2.67	550	AA	120324	Y	70+d - 1Mv	FR
24	WEAN MALE	206	2.67	550	AA	160224	Y	70+d - 1Mv	FRX
24A	WEAN MALE	177	2.66	470	AA	280324	Y	70+d - 1Mv	JEX
24A	WEAN MALE	177	2.66	470	AA	260324	Y	70+d - 1Mv	FRX
24A	WEAN MALE	177	2.66	470	AA	180324	Y	70+d - 1Mv	JEX
24A	WEAN MALE	177	2.66	470	AA	150324	Y	70+d - 1Mv	FR
24A	WEAN MALE	177	2.66	470	AA	250224	Y	70+d - 1Mv	FR
24A	WEAN MALE	177	2.66	470	AA	170224	Y	70+d - 1Mv	FR
25	WEAN MALE	140	2.57	360	CH	20524	Y	70+d - 1Mv	FR
25A	WEAN MALE	110	2.73	300	HE	150524	Y	70+d - 1Mv	FR

25A	WEAN MALE	110	2.73	300	HE	90524	Y	70+d - 1Mv	FR
25B	WEAN MALE	138	1.88	260	FR	40324	Y	70+d - 1Mv	FR
25B	WEAN MALE	138	1.88	260	FR	40424	Y	70+d - 1Mv	FR
25B	WEAN MALE	138	1.88	260	FR	260224	Y	70+d - 1Mv	FR
25C	WEAN MALE	165	1.76	290	FR	240224	Y	70+d - 1Mv	FR
25C	WEAN MALE	165	1.76	290	FR	150224	Y	70+d - 1Mv	FR
25C	WEAN MALE	165	1.76	290	FR	10324	Y	70+d - 1Mv	FR
26	WEAN MALE	265	3.02	800	AA	140324	Y	70+d - 2Mv	FR
26	WEAN MALE	265	3.02	800	AA	190324	Y	70+d - 2Mv	FR
26	WEAN MALE	265	3.02	800	AA	160324	Y	70+d - 2Mv	FR
26	WEAN MALE	265	3.02	800	AA	110324	Y	70+d - 2Mv	FR
26	WEAN MALE	265	3.02	800	AA	20424	Y	70+d - 2Mv	FR
26A	WEAN MALE	250	2.96	740	AA	20424	Y	70+d - 2Mv	FR
26A	WEAN MALE	250	2.96	740	AA	200324	Y	70+d - 2Mv	FR
26A	WEAN MALE	250	2.96	740	AA	200324	Y	70+d - 2Mv	FRX
26A	WEAN MALE	250	2.96	740	AA	70324	Y	70+d - 2Mv	FRX
29	WEAN MALE	280	1.89	530	FR	190124	Y	70+d - 1Mv	FR
29	WEAN MALE	280	1.89	530	FR	200124	Y	70+d - 1Mv	FR
29	WEAN MALE	280	1.89	530	FR	120324	Y	70+d - 1Mv	FRX
29A	WEAN MALE	243	1.85	450	FR	120224	Y	70+d - 1Mv	FRX
29A	WEAN MALE	243	1.85	450	FR	130324	Y	70+d - 1Mv	FR
29A	WEAN MALE	243	1.85	450	FR	150124	Y	70+d - 1Mv	FR
29B	WEAN MALE	241	2.07	500	FR	170124	Y	70+d - 1Mv	FRX
29B	WEAN MALE	241	2.07	500	FR	160124	Y	70+d - 1Mv	FR
29B	WEAN MALE	241	2.07	500	FR	130224	Y	70+d - 1Mv	FR
29C	WEAN MALE	280	1.71	480	SIM	80224	Y	70+d - 1Mv	FRX
30	WEAN MALE	380	2.00	760	SIM	250324	Y	70+d - 1Mv	AAX
30A	WEAN MALE	341	2.35	800	SIM	190424	Y	70+d - 1Mv	SIX
30A	WEAN MALE	341	2.35	800	SIM	220424	Y	70+d - 1Mv	SIX
30A	WEAN MALE	341	2.35	800	SIM	290324	Y	70+d - 1Mv	SIX
30B	WEAN MALE	302	2.65	800	SIM	170424	Y	70+d - 1Mv	SIX
30B	WEAN MALE	302	2.65	800	SIM	290324	Y	70+d - 1Mv	SIX
31	WEAN MALE	255	2.86	730	AA	60324	Y	70+d - 1Mv	FR
31	WEAN MALE	255	2.86	730	AA	200424	Y	70+d - 1Mv	FR
31	WEAN MALE	255	2.86	730	AA	250324	Y	70+d - 1Mv	FR
31	WEAN MALE	255	2.86	730	AA	210424	Y	70+d - 1Mv	FR
32D	WEAN MALE	176	2.44	430	FR	50224	Y	70+d - 2Mv	FRX
32D	WEAN MALE	176	2.44	430	FR	100324	Y	35d - 2Mv	FR
32D	WEAN MALE	176	2.44	430	FR	100324	Y	35d - 2Mv	FRX
32D	WEAN MALE	176	2.44	430	FR	30324	Y	70+d - 2Mv	FR
32D	WEAN MALE	176	2.44	430	LM	120324	Y	35d - 2Mv	FR
32D	WEAN MALE	176	2.44	430	FR	100324	Y	70+d - 2Mv	FR
32D	WEAN MALE	176	2.44	430	FR	50324	Y	70+d - 2Mv	FR
33	WEAN MALE	365	2.14	780	AA	140424	N	- 1Mv	HEX
33A	WEAN MALE	320	2.53	810	AA	60424	N	- 1Mv	HEX
33B	WEAN MALE	300	2.37	710	AA	170424	N	- 1Mv	HEX
33C	WEAN MALE	350	2.31	810	AA	60424	N	- 1Mv	HEX
33D	WEAN MALE	300	2.47	740	AA	90424	N	- 1Mv	HEX
33E	WEAN MALE	240	3.04	730	AA	180524	N	- 1Mv	HEX
33H	WEAN MALE	270	2.89	780	AA	160424	N	- 1Mv	HEX

34	WEAN MALE	218	2.84	620	AA	250124	N	- 2Mv	FR
34	WEAN MALE	218	2.84	620	AA	300124	N	- 2Mv	FR
34	WEAN MALE	218	2.84	620	AA	310124	N	- 2Mv	FR
34A	WEAN MALE	215	2.37	510		50224	N	- 2Mv	LMX
34A	WEAN MALE	215	2.37	510		280124	N	- 2Mv	FR
34B	WEAN MALE	190	2.37	450	AA	80324	N	- 2Mv	FR
34C	WEAN MALE	187	2.46	460		10324	N	- 2Mv	FR
34C	WEAN MALE	187	2.46	460		120324	N	- 2Mv	FR
34D	WEAN MALE	210	3.00	630	HE	160324	N	- 2Mv	FRX
34D	WEAN MALE	210	3.00	630	HE	290224	N	- 2Mv	FRX
34E	WEAN MALE	187	2.30	430	HE	270224	N	- 2Mv	FR
34E	WEAN MALE	187	2.30	430	HE	210324	N	- 2Mv	FR
LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days	Dam
400	WEAN FEMALE	301	3.32	1000	CH	280324	Y	70+d - 1Mv	HEX
400	WEAN FEMALE	301	3.32	1000	CH	230324	Y	70+d - 1Mv	HEX
400	WEAN FEMALE	301	3.32	1000	CH	150424	Y	70+d - 1Mv	SIX
400A	WEAN FEMALE	327	3.09	1010	CH	210424	Y	70+d - 1Mv	SAX
400A	WEAN FEMALE	327	3.09	1010	CH	140424	Y	70+d - 1Mv	CHX
400B	WEAN FEMALE	255	2.98	760	CH	260324	Y	70+d - 1Mv	CHX
400B	WEAN FEMALE	255	2.98	760	CH	160424	Y	70+d - 1Mv	SIX
401	WEAN FEMALE	340	2.76	940	CH	180424	Y	70+d - 1Mv	HEX
401A	WEAN FEMALE	200	2.75	550	AA	220424	Y	70+d - 1Mv	FR
401A	WEAN FEMALE	200	2.75	550	AA	270424	Y	70+d - 1Mv	FRX
401B	WEAN FEMALE	130	2.54	330	AA	190524	Y	70+d - 1Mv	FR
401B	WEAN FEMALE	130	2.54	330	AA	200524	Y	70+d - 1Mv	FR
401C	WEAN FEMALE	220	1.82	400	FR	230424	Y	70+d - 1Mv	FR
401C	WEAN FEMALE	220	1.82	400	FR	210424	Y	70+d - 1Mv	FRX
402E	WEAN FEMALE	189	3.02	570	AA	150524	Y	70+d - 1Mv	FRX
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FR
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FR
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FR
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FR
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FR
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FRX
402E	WEAN FEMALE	189	3.02	570	AA	20524	Y	70+d - 1Mv	FR
403	WEAN FEMALE	302	3.31	1000	CH	280324	Y	70+d - 1Mv	LMX
403	WEAN FEMALE	302	3.31	1000	CH	10424	Y	70+d - 1Mv	SHX
403A	WEAN FEMALE	335	3.25	1090	CH	290324	Y	70+d - 1Mv	LMX
403B	WEAN FEMALE	295	3.53	1040	CH	300324	Y	70+d - 1Mv	CHX
403C	WEAN FEMALE	295	3.53	1040	CH	50424	Y	70+d - 1Mv	SAX
403K	WEAN FEMALE	231	2.64	610	AA	90324	Y	70+d - 1Mv	SI
403K	WEAN FEMALE	231	2.64	610	AA	30324	Y	70+d - 1Mv	FR
403K	WEAN FEMALE	231	2.64	610	AA	60424	Y	70+d - 1Mv	SI
404	WEAN FEMALE	312	2.34	730	AA	140324	Y	70+d - 1Mv	FR
404	WEAN FEMALE	312	2.34	730	AA	140324	Y	70+d - 1Mv	FR
404	WEAN FEMALE	312	2.34	730	AA	140324	Y	70+d - 1Mv	FR
404	WEAN FEMALE	312	2.34	730	AA	140324	Y	70+d - 1Mv	FR
405	WEAN FEMALE	250	2.72	680	AA	300324	Y	70+d - 1Mv	FRX
405E	WEAN FEMALE	215	2.88	620	AA	170324	Y	70+d - 1Mv	FR
406H	WEAN FEMALE	167	2.40	400	HE	140224	Y	70+d - 1Mv	FRX

406H	WEAN FEMALE	167	2.40	400	HE	130224	Y	70+d - 1Mv	FR
407	WEAN FEMALE	277	2.60	720	BB	210224	Y	70+d - 2Mv	FR
407	WEAN FEMALE	277	2.60	720	BB	140224	Y	70+d - 2Mv	FR
407A	WEAN FEMALE	262	2.63	690	AA	60324	Y	70+d - 2Mv	FR
407A	WEAN FEMALE	262	2.63	690	AA	180324	Y	70+d - 2Mv	FR
407A	WEAN FEMALE	262	2.63	690	AA	20424	Y	70+d - 2Mv	FR
407A	WEAN FEMALE	262	2.63	690	AA	200324	Y	70+d - 2Mv	FR
408D	WEAN FEMALE	238	2.73	650	AA	260324	Y	70+d - 1Mv	FR
408D	WEAN FEMALE	238	2.73	650	AA	240224	Y	70+d - 1Mv	FRX
408D	WEAN FEMALE	238	2.73	650	AA	250224	Y	70+d - 1Mv	FRX
408D	WEAN FEMALE	238	2.73	650	AA	50324	Y	70+d - 1Mv	FR
408D	WEAN FEMALE	238	2.73	650	AA	250224	Y	70+d - 1Mv	FRX
408D	WEAN FEMALE	238	2.73	650	AA	250324	Y	70+d - 1Mv	FR
408D	WEAN FEMALE	238	2.73	650	AA	240224	Y	70+d - 1Mv	FR
408D	WEAN FEMALE	238	2.73	650	AA	190424	Y	70+d - 1Mv	FR
409	WEAN FEMALE	367	2.26	830	HE	51023	Y	70+d - 1Mv	FR
409	WEAN FEMALE	367	2.26	830	HE	41023	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	251	2.79	700	AA	250124	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	251	2.79	700	AA	200224	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	251	2.79	700	AA	200224	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	251	2.79	700	AA	300124	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	251	2.79	700	AA	90224	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	265	2.68	710	AA	200224	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	265	2.68	710	AA	300124	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	265	2.68	710	AA	300124	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	265	2.68	710	AA	300124	Y	70+d - 1Mv	FR
410C	WEAN FEMALE	216	2.64	570	AA	180324	Y	70+d - 1Mv	FR
410C	WEAN FEMALE	216	2.64	570	AA	90224	Y	70+d - 1Mv	FR
410C	WEAN FEMALE	216	2.64	570	AA	180324	Y	70+d - 1Mv	FR
410D	WEAN FEMALE	177	2.26	400	AA	120324	Y	70+d - 1Mv	FR
410D	WEAN FEMALE	177	2.26	400	AA	180324	Y	70+d - 1Mv	FR
410D	WEAN FEMALE	177	2.26	400	AA	120324	Y	70+d - 1Mv	FR
410D	WEAN FEMALE	177	2.26	400	AA	120324	Y	70+d - 1Mv	FR
411	WEAN FEMALE	295	2.92	860	AA	120424	N	- 1Mv	HEX
411A	WEAN FEMALE	320	2.44	780	AA	70424	N	- 1Mv	HEX
411B	WEAN FEMALE	270	2.48	670	AA	90424	N	- 1Mv	HEX
411C	WEAN FEMALE	320	2.38	760	AA	70424	N	- 1Mv	HEX
411D	WEAN FEMALE	285	2.56	730	AA	140424	N	- 1Mv	HEX
411E	WEAN FEMALE	152	1.97	300	AA	260224	Y	70+d - 2Mv	JEX
411E	WEAN FEMALE	152	1.97	300	AA	130324	Y	70+d - 2Mv	JEX
412	WEAN FEMALE	370	3.00	1110	CH	140224	Y	70+d - 1Mv	HEX
412A	WEAN FEMALE	365	3.23	1180	CH	80224	Y	70+d - 1Mv	BBX
412B	WEAN FEMALE	355	3.27	1160	CH	30224	Y	70+d - 1Mv	BBX
412C	WEAN FEMALE	305	3.11	950	CH	150324	Y	70+d - 1Mv	LM
412D	WEAN FEMALE	295	3.15	930	CH	50424	Y	70+d - 1Mv	BBX
412E	WEAN FEMALE	285	2.77	790	CH	290224	Y	70+d - 1Mv	HE
412H	WEAN FEMALE	290	2.83	820	CH	110424	Y	70+d - 1Mv	BBX