

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA DAYS	DAM
200	M CALF			360	CH	110924	N	- 1Mv	AUX
1	WEAN MALE	330	3.58	1180	LM	250124	Y	70+d - 1Mv	SAX
1A	WEAN MALE	250	3.00	750	LM	110324	Y	70+d - 1Mv	LMX
1B	WEAN MALE	242	3.72	900	LM	280224	Y	70+d - 1Mv	LMX
1B	WEAN MALE	242	3.72	900	LM	250224	Y	70+d - 1Mv	SAX
1C	WEAN MALE	200	3.60	720	LM	20424	Y	70+d - 1Mv	LMX
1C	WEAN MALE	200	3.60	720	LM	50324	Y	70+d - 1Mv	LMX
1D	WEAN MALE	215	3.81	820	LM	100224	Y	70+d - 1Mv	LMX
1E	WEAN MALE	185	3.62	670	LM	80324	Y	70+d - 1Mv	LMX
1H	WEAN MALE	157	3.89	610	LM	270424	Y	70+d - 1Mv	LMX
1H	WEAN MALE	157	3.89	610	LM	300324	Y	70+d - 1Mv	LMX
1K	WEAN MALE	155	3.35	520	LM	250324	Y	70+d - 1Mv	LMX
2A	WEAN MALE	150	2.60	390	AU	90424	N	- 2Mv	FR
3	WEAN MALE	322	2.83	910	CH	70324	Y	70+d - 1Mv	SIX
3	WEAN MALE	322	2.83	910	CH	210124	Y	70+d - 1Mv	HEX
3A	WEAN MALE	327	3.46	1130	CH	20424	Y	70+d - 1Mv	HEX
3A	WEAN MALE	327	3.46	1130	CH	40324	Y	70+d - 1Mv	LMX
3B	WEAN MALE	305	2.62	800	AA	150224	Y	70+d - 2Mv	FR
3B	WEAN MALE	305	2.62	800	AA	70324	Y	70+d - 2Mv	FRX
3C	WEAN MALE	225	3.42	770	CH	161223	Y	70+d - 1Mv	SIX
3D	WEAN MALE	320	2.78	890	CH	10424	Y	70+d - 1Mv	HEX
4	WEAN MALE	251	3.35	840	AA	20324	Y	70+d - 1Mv	FR
4	WEAN MALE	251	3.35	840	AA	90224	Y	70+d - 1Mv	FR
4	WEAN MALE	251	3.35	840	AA	220224	Y	70+d - 1Mv	FR
4	WEAN MALE	251	3.35	840	AA	90224	Y	70+d - 1Mv	FR
4	WEAN MALE	251	3.35	840	AA	90224	Y	70+d - 1Mv	FR
4A	WEAN MALE	298	3.02	900	AA	90224	Y	70+d - 1Mv	FR
4A	WEAN MALE	298	3.02	900	AA	160124	Y	70+d - 1Mv	FR
4A	WEAN MALE	298	3.02	900	AA	90224	Y	70+d - 1Mv	FR
5	WEAN MALE	224	3.84	860	AA	180324	Y	70+d - 1Mv	FR
5	WEAN MALE	224	3.84	860	AA	120324	Y	70+d - 1Mv	FR
5	WEAN MALE	224	3.84	860	AA	100224	Y	70+d - 1Mv	FR
5	WEAN MALE	224	3.84	860	AA	230224	Y	70+d - 1Mv	FR
5	WEAN MALE	224	3.84	860	AA	90224	Y	70+d - 1Mv	FR
5A	WEAN MALE	195	3.08	600	AA	120324	Y	70+d - 1Mv	FR
5A	WEAN MALE	195	3.08	600	AA	90224	Y	70+d - 1Mv	FR
5A	WEAN MALE	195	3.08	600	AA	90224	Y	70+d - 1Mv	FR
6	WEAN MALE	268	3.10	830	AA	250124	N	- 2Mv	HEX
6	WEAN MALE	268	3.10	830	HE	10324	N	- 2Mv	AAX
6	WEAN MALE	268	3.10	830	HE	70524	N	- 2Mv	AAX
6	WEAN MALE	268	3.10	830	HE	180324	N	- 2Mv	LMX
6A	WEAN MALE	260	2.96	770	AA	180524	N	- 2Mv	HEX
6A	WEAN MALE	260	2.96	770	AA	200424	N	- 2Mv	LMX
7	WEAN MALE	255	2.78	710	HE	60424	N	- 2Mv	FR
7	WEAN MALE	255	2.78	710	HE	250324	N	- 2Mv	FR
7A	WEAN MALE	185	2.81	520	HE	180424	N	- 2Mv	FR
7E	WEAN MALE	440	2.77	1220	LM	50524	Y	70+d - 1Mv	LMX
8E	WEAN MALE	205	3.27	670	AA	100224	Y	70+d - 2Mv	FR
8E	WEAN MALE	205	3.27	670	AA	100224	Y	70+d - 2Mv	FR

8E	WEAN MALE	205	3.27	670	AA	160224	Y	70+d - 2Mv	FRX
8E	WEAN MALE	205	3.27	670	AA	120224	Y	70+d - 2Mv	FRX
8E	WEAN MALE	205	3.27	670	AA	20224	Y	70+d - 2Mv	FR
8E	WEAN MALE	205	3.27	670	AA	120224	Y	70+d - 2Mv	FR
8E	WEAN MALE	205	3.27	670	AA	140224	Y	70+d - 2Mv	FRX
8E	WEAN MALE	205	3.27	670	AA	180224	Y	70+d - 2Mv	FRX
8E	WEAN MALE	205	3.27	670	AA	90224	Y	70+d - 2Mv	FRX
8E	WEAN MALE	205	3.27	670	AA	80224	Y	70+d - 2Mv	FR
10A	WEAN MALE	249	3.57	890	CH	50524	N	- 2Mv	AAX
10A	WEAN MALE	249	3.57	890	CH	210224	N	- 2Mv	SIX
10A	WEAN MALE	249	3.57	890	CH	60324	N	- 2Mv	LMX
10A	WEAN MALE	249	3.57	890	CH	20524	N	- 2Mv	BBX
10A	WEAN MALE	249	3.57	890	CH	10424	N	- 2Mv	LMX
11	WEAN MALE	238	2.48	590	FR	20324	Y	70+d - 1Mv	FR
11	WEAN MALE	238	2.48	590	FR	140324	Y	70+d - 1Mv	FR
11	WEAN MALE	238	2.48	590	FR	30324	Y	70+d - 1Mv	FRX
11	WEAN MALE	238	2.48	590	FR	60324	Y	70+d - 1Mv	FR
11A	WEAN MALE	230	2.91	670	AA	10424	Y	70+d - 1Mv	FR
11A	WEAN MALE	230	2.91	670	AA	220324	Y	70+d - 1Mv	FR
11A	WEAN MALE	230	2.91	670	AA	160324	Y	70+d - 1Mv	FR
12	WEAN MALE	370	2.89	1070	AU	190823	Y	70+d - 1Mv	AU
12A	WEAN MALE	305	2.36	720	AU	181023	Y	70+d - 1Mv	AU
12B	WEAN MALE	310	2.68	830	AU	151023	Y	70+d - 1Mv	AU
12C	WEAN MALE	330	2.48	820	AU	260823	Y	70+d - 1Mv	AU
13	WEAN MALE	360	2.50	900	SHX	30324	Y	70+d - 1Mv	HEX
13	WEAN MALE	360	2.50	900	SHX	40324	Y	70+d - 1Mv	AAX
14	WEAN MALE	247	3.93	970	CH	200424	N	- 2Mv	CHX
14	WEAN MALE	247	3.93	970	CH	300524	N	- 2Mv	CHX
14	WEAN MALE	247	3.93	970	CH	120324	N	- 2Mv	CHX
14	WEAN MALE	247	3.93	970	CH	181223	N	- 2Mv	AU
14	WEAN MALE	247	3.93	970	CH	140424	N	- 2Mv	CH
14	WEAN MALE	247	3.93	970	CH	280324	N	- 2Mv	CH
14	WEAN MALE	247	3.93	970	LM	120324	N	- 2Mv	CHX
14A	WEAN MALE	211	3.98	840	CH	140224	N	- 2Mv	CHX
14A	WEAN MALE	211	3.98	840	CH	160324	N	- 2Mv	CHX
14A	WEAN MALE	211	3.98	840	LM	60424	N	- 2Mv	CHX
14A	WEAN MALE	211	3.98	840	CH	200224	N	- 2Mv	CHX
15B	WEAN MALE	215	3.91	840	LM	10424	N	- 2Mv	CHX
15B	WEAN MALE	215	3.81	820	AA	10624	N	- 2Mv	SHX
15B	WEAN MALE	215	3.91	840	LM	170324	N	- 2Mv	SIX
15B	WEAN MALE	215	3.91	840	LM	310524	N	- 2Mv	LMX
15B	WEAN MALE	215	3.81	820	LM	260324	N	- 2Mv	SHX
15B	WEAN MALE	215	3.91	840	LM	40324	N	- 2Mv	CHX
15B	WEAN MALE	215	3.81	820	LM	130324	N	- 2Mv	LMX
15C	WEAN MALE	226	3.63	820	CH	300624	N	- 2Mv	CHX
15C	WEAN MALE	226	3.63	820	LM	30324	N	- 2Mv	AAX
15C	WEAN MALE	226	3.63	820	AA	100424	N	- 2Mv	SHX
15C	WEAN MALE	226	3.63	820	LM	290224	N	- 2Mv	LMX
15C	WEAN MALE	226	3.63	820	LM	270524	N	- 2Mv	HEX
16	WEAN MALE	400	3.03	1210	LM	300324	N	- 1Mv	HEX

17	WEAN MALE	330	3.64	1200	CH	50424	N	- 1Mv	CHX
17	WEAN FEMALE	330	3.64	1200	CH	70424	N	- 1Mv	AAX
17	WEAN MALE	330	3.64	1200	CH	140424	N	- 1Mv	BAX
17A	WEAN MALE	295	3.19	940	CH	200424	N	- 1Mv	CHX
17A	WEAN MALE	295	3.19	940	CH	160424	N	- 1Mv	HEX
17B	WEAN MALE	220	2.59	570	AA	160524	N	- 2Mv	SIX
17C	WEAN MALE	255	2.39	610	BB	30524	N	- 2Mv	HEX
18	WEAN MALE	182	2.09	380	FR	250424	Y	42d - 1Mv	FR
18	WEAN MALE	182	2.09	380	FR	240424	Y	42d - 1Mv	FR
18	WEAN MALE	182	2.09	380	FR	250424	Y	42d - 1Mv	FR
18	WEAN MALE	182	2.09	380	FR	220324	N	- 2Mv	FR
18A	WEAN MALE	217	2.17	470	FR	260324	N	- 2Mv	FR
18A	WEAN MALE	217	2.17	470	FR	200324	N	- 2Mv	FR
18B	WEAN MALE	142	1.69	240	FR	220424	Y	42d - 1Mv	FR
18B	WEAN MALE	142	1.69	240	FR	250424	Y	42d - 1Mv	FR
19	WEAN MALE	365	3.48	1270	LM	20424	Y	70+d - 1Mv	LMX
19A	WEAN MALE	380	3.45	1310	LM	90424	Y	70+d - 1Mv	LMX
19B	WEAN MALE	318	3.71	1180	LM	250424	Y	70+d - 1Mv	LMX
19B	WEAN MALE	318	3.71	1180	LM	10524	Y	70+d - 1Mv	LMX
19B	WEAN MALE	318	3.71	1180	LM	110424	Y	70+d - 1Mv	LMX
19C	WEAN MALE	240	3.75	900	LM	20524	Y	70+d - 1Mv	LMX
20	WEAN MALE	272	2.13	580	LM	110324	Y	70+d - 1Mv	FR
20	WEAN MALE	272	2.13	580	LM	180124	Y	70+d - 1Mv	SIX
20A	WEAN MALE	295	2.24	660	FR	170124	Y	70+d - 1Mv	FRX
20A	WEAN MALE	295	2.24	660	FR	180124	Y	70+d - 1Mv	FRX
20A	WEAN MALE	295	2.24	660	FR	220124	Y	70+d - 1Mv	FR
20B	WEAN MALE	255	2.27	580	FR	190124	Y	70+d - 1Mv	FR
20B	WEAN MALE	255	2.27	580	FR	270124	Y	70+d - 1Mv	FR
20C	WEAN MALE	251	2.19	550	FR	130324	Y	70+d - 1Mv	FRX
20C	WEAN MALE	251	2.19	550	FR	130324	Y	70+d - 1Mv	FRX
20C	WEAN MALE	251	2.19	550	FR	140324	Y	70+d - 1Mv	NRX
21	WEAN MALE	230	3.09	710	SIM	140224	Y	70+d - 1Mv	FR
21	WEAN MALE	230	3.09	710	HE	130224	Y	70+d - 1Mv	FRX
21	WEAN MALE	230	3.09	710	HE	270224	Y	70+d - 1Mv	FR
21	WEAN MALE	230	3.09	710	HE	280224	Y	70+d - 1Mv	FR
21	WEAN MALE	230	3.09	710	HE	110224	Y	70+d - 1Mv	FRX
21	WEAN MALE	230	3.09	710	HE	290224	Y	70+d - 1Mv	FR
22	WEAN MALE	162	2.04	330	FR	270224	Y	70+d - 1Mv	FR
22	WEAN MALE	162	2.04	330	FR	20324	Y	70+d - 1Mv	FR
22	WEAN MALE	162	2.04	330	FR	250224	Y	70+d - 1Mv	FR
22	WEAN MALE	162	2.04	330	FR	250224	Y	70+d - 1Mv	FRX
22	WEAN MALE	162	2.04	330	FR	200324	Y	70+d - 1Mv	FR
22A	WEAN MALE	122	2.05	250	FR	50324	Y	70+d - 1Mv	FR
22A	WEAN MALE	122	2.05	250	FR	10524	Y	70+d - 1Mv	FR
22A	WEAN MALE	122	2.05	250	FR	270224	Y	70+d - 1Mv	FR
22A	WEAN MALE	122	2.05	250	FR	10524	Y	70+d - 1Mv	FR
23	WEAN MALE	210	3.43	720	AA	140324	Y	70+d - 1Mv	FR
23	WEAN MALE	210	3.43	720	AA	210324	Y	70+d - 1Mv	FR
23	WEAN MALE	210	3.43	720	AA	170324	Y	70+d - 1Mv	FR
23A	WEAN MALE	211	3.13	660	BB	40324	Y	28d - 1Mv	FR

23A	WEAN MALE	211	3.13	660	BB	240224	Y	70+d - 1Mv	FR
23A	WEAN MALE	211	3.13	660	BB	230224	Y	70+d - 1Mv	FR
25	WEAN MALE	335	3.04	1020	LM	160324	Y	70+d - 1Mv	LMX
25A	WEAN MALE	245	3.35	820	LM	40424	Y	70+d - 1Mv	LMX
26	WEAN MALE	273	2.49	680	FR	30224	Y	70+d - 1Mv	FR
26	WEAN MALE	273	2.49	680	FR	100224	Y	70+d - 1Mv	FR
26	WEAN MALE	273	2.49	680	FR	290124	Y	70+d - 1Mv	FR
26A	WEAN MALE	228	2.54	580	FR	250324	Y	70+d - 1Mv	FR
26A	WEAN MALE	228	2.54	580	FR	10324	Y	70+d - 1Mv	FR
26A	WEAN MALE	228	2.54	580	FR	40424	Y	70+d - 1Mv	FR
26A	WEAN MALE	228	2.54	580	FR	260224	Y	70+d - 1Mv	FR
26A	WEAN MALE	228	2.54	580	FR	120324	Y	70+d - 1Mv	FR
27	WEAN MALE	251	2.31	580	FR	70224	N	- 2Mv	FR
27	WEAN MALE	251	2.31	580	FR	60224	N	- 2Mv	FR
27	WEAN MALE	251	2.31	580	FR	80224	N	- 2Mv	FR
27	WEAN MALE	251	2.31	580	FR	90224	N	- 2Mv	FR
27	WEAN MALE	251	2.31	580	FR	100224	N	- 2Mv	FR
27	WEAN MALE	251	2.31	580	FR	150224	N	- 2Mv	FR
27A	WEAN MALE	251	2.35	590	FR	160224	N	- 2Mv	FR
27A	WEAN MALE	251	2.35	590	FR	100224	N	- 2Mv	FR
27A	WEAN MALE	251	2.35	590	FR	170224	N	- 2Mv	FR
28	WEAN MALE	233	2.53	590	FR	80224	N	- 2Mv	FR
28	WEAN MALE	233	2.53	590	FR	140224	N	- 2Mv	FR
28	WEAN MALE	233	2.53	590	FR	70224	N	- 2Mv	FR
28	WEAN MALE	233	2.53	590	FR	120224	N	- 2Mv	FR
28A	WEAN MALE	213	2.54	540	FR	40224	N	- 2Mv	FR
28A	WEAN MALE	213	2.54	540	FR	160224	N	- 2Mv	FR
28A	WEAN MALE	213	2.54	540	FR	210224	N	- 2Mv	FR

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA DAYS	DAM
400	WEAN FEMALE	345	3.07	1060	CH	80324	Y	70+d - 1Mv	SIX
400	WEAN FEMALE	345	3.07	1060	CH	160224	Y	70+d - 1Mv	HEX
400	WEAN FEMALE	345	3.07	1060	CH	271223	Y	70+d - 1Mv	SIX
400A	WEAN FEMALE	337	2.85	960	CH	260324	Y	70+d - 1Mv	LMX
400A	WEAN FEMALE	337	2.85	960	CH	70224	Y	70+d - 1Mv	HEX
400B	WEAN FEMALE	302	3.08	930	CH	30324	Y	70+d - 1Mv	SIX
400B	WEAN FEMALE	302	3.08	930	CH	290324	Y	70+d - 1Mv	HEX
400C	WEAN FEMALE	270	3.41	920	CH	250324	Y	70+d - 1Mv	HEX
400C	WEAN FEMALE	270	3.41	920	CH	30424	Y	70+d - 1Mv	HIX
400C	WEAN FEMALE	270	3.41	920	CH	70324	Y	70+d - 1Mv	SIX
401	WEAN FEMALE	270	3.78	1020	CH	250224	Y	70+d - 1Mv	CHX
401A	WEAN FEMALE	280	3.50	980	CH	100424	Y	70+d - 1Mv	HEX
401A	WEAN FEMALE	280	3.50	980	CH	180424	Y	70+d - 1Mv	HEX
401B	WEAN FEMALE	265	2.98	790	CH	300424	Y	70+d - 1Mv	SIX
401B	WEAN FEMALE	265	2.98	790	CH	250324	Y	70+d - 1Mv	CHX
401C	WEAN FEMALE	217	3.41	740	CH	100524	Y	70+d - 1Mv	CHX
401C	WEAN FEMALE	217	3.41	740	CH	70424	Y	70+d - 1Mv	CHX
402	WEAN FEMALE	375	3.00	1125	LM	110124	Y	70+d - 1Mv	LMX
402B	WEAN FEMALE	325	2.77	900	LM	11123	Y	70+d - 1Mv	SIX
402B	WEAN FEMALE	325	2.77	900	LM	150124	Y	70+d - 1Mv	AAX
403	WEAN FEMALE	271	3.14	850	CH	250424	N	- 1Mv	AAX

403	WEAN FEMALE	271	3.14	850	CH	60424	N	- 1Mv	AAX
403	WEAN FEMALE	271	3.14	850	CH	90424	N	- 1Mv	LMX
403A	WEAN FEMALE	228	3.16	720	CH	60424	N	- 1Mv	CHX
403A	WEAN FEMALE	228	3.16	720	CH	100424	N	- 1Mv	SIX
403A	WEAN FEMALE	228	3.16	720	CH	100624	N	- 1Mv	LM
403B	WEAN FEMALE	210	2.33	490	HE	30524	N	- 2Mv	HEX
403C	WEAN FEMALE	192	2.81	540	AA	180524	N	- 2Mv	MOX
403C	WEAN FEMALE	192	2.81	540	AA	230424	N	- 2Mv	AAX
403D	WEAN FEMALE	280	2.82	790	CH	150424	N	- 1Mv	LMX
404	WEAN FEMALE	230	2.35	540	HE	210124	N	- 2Mv	FR
404	WEAN FEMALE	230	2.35	540	HE	250124	N	- 2Mv	FR
404	WEAN FEMALE	230	2.35	540	HE	260124	N	- 2Mv	FR
404A	WEAN FEMALE	186	2.53	470	HE	280424	Y	18d - 1Mv	FR
404A	WEAN FEMALE	186	2.53	470	HE	280424	Y	18d - 1Mv	FR
404A	WEAN FEMALE	186	2.53	470	HE	260424	Y	18d - 1Mv	FR
404B	WEAN FEMALE	243	2.92	710	LM	20424	N	- 2Mv	LMX
404B	WEAN FEMALE	243	2.92	710	LM	270324	N	- 2Mv	LMX
404B	WEAN FEMALE	243	2.92	710	LM	70324	N	- 2Mv	LMX
405	WEAN FEMALE	203	2.61	530	BB	110224	Y	70+d - 1Mv	FR
405	WEAN FEMALE	203	2.61	530	BB	40224	Y	70+d - 1Mv	FRX
405	WEAN FEMALE	203	2.61	530	BB	120224	Y	70+d - 1Mv	FRX
405	WEAN FEMALE	203	2.61	530	BB	80224	Y	70+d - 1Mv	FR
405	WEAN FEMALE	203	2.61	530	BB	160224	Y	70+d - 1Mv	FR
405A	WEAN FEMALE	212	2.88	610	HE	110224	Y	70+d - 1Mv	FR
405A	WEAN FEMALE	212	2.88	610	HE	240124	Y	70+d - 1Mv	FR
405A	WEAN FEMALE	212	2.88	610	HE	170224	Y	70+d - 1Mv	FR
405A	WEAN FEMALE	212	2.88	610	HE	180224	Y	70+d - 1Mv	FR
406	WEAN FEMALE	215	3.12	670	LM	40424	Y	70+d - 1Mv	LMX
406A	WEAN FEMALE	215	2.70	580	AA	110224	Y	70+d - 1Mv	FR
406A	WEAN FEMALE	215	2.70	580	AA	170224	Y	70+d - 1Mv	FRX