

BULL WEANLINGS

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QASQA	Days
2	WEAN MALE	366	2.38	870	SIM	120318	Y	70+d - 1Mv
2	WEAN MALE	366	2.38	870	SIM	50318	Y	70+d - 1Mv
2	WEAN MALE	366	2.38	870	SIM	270218	Y	70+d - 1Mv
2	WEAN MALE	366	2.38	870	SIM	120318	Y	70+d - 1Mv
2	WEAN MALE	366	2.38	870	SIM	260318	Y	70+d - 1Mv
2A	WEAN MALE	320	2.44	780	SIM	30318	Y	70+d - 1Mv
2A	WEAN MALE	320	2.44	780	SIM	50518	Y	70+d - 1Mv
2B	WEAN MALE	350	2.47	865	LM	50318	Y	70+d - 1Mv
2C	WEAN MALE	287	2.53	725	LM	180418	Y	70+d - 1Mv
2C	WEAN MALE	287	2.53	725	LM	140318	Y	70+d - 1Mv
2D	WEAN MALE	290	2.17	630	AA	140318	Y	70+d - 1Mv
3	WEAN MALE	392	2.70	1060	CH	40318	Y	70+d - 1Mv
3	WEAN MALE	392	2.70	1060	CH	280318	Y	70+d - 1Mv
3A	WEAN MALE	330	2.68	885	CH	10518	Y	70+d - 1Mv
3A	WEAN MALE	330	2.68	885	CH	300418	Y	70+d - 1Mv
3A	WEAN MALE	330	2.68	885	CH	300318	Y	70+d - 1Mv
3B	WEAN MALE	301	2.72	820	CH	290318	Y	70+d - 1Mv
3B	WEAN MALE	301	2.72	820	CH	10418	Y	70+d - 1Mv
3B	WEAN MALE	301	2.72	820	CH	10518	Y	70+d - 1Mv
3C	WEAN MALE	310	2.52	780	CH	300418	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	40318	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	170118	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	100318	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	170118	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	50318	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	190118	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	80318	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	20318	Y	70+d - 1Mv
4D	WEAN MALE	359	2.92	1050	LM	100318	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	230418	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	10318	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	280418	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	10318	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	70318	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	270418	Y	70+d - 1Mv
5A	WEAN MALE	316	3.10	980	LM	230418	Y	70+d - 1Mv
6	WEAN MALE	295	2.56	755	LM	70318	N	- 1Mv
6A	WEAN MALE	270	2.98	805	LM	120418	N	- 1Mv
6B	WEAN MALE	350	2.00	700	LM	40318	N	- 1Mv
6C	WEAN MALE	145	2.79	405	LM	290418	Y	70+d - 1Mv
6D	WEAN MALE	295	2.22	655	CH	20218	Y	70+d - 1Mv
6D	WEAN MALE	295	2.22	655	CH	10218	Y	70+d - 1Mv
6H	WEAN MALE	265	2.38	630	LM	10418	N	- 1Mv
6K	WEAN MALE	225	2.09	470	AA	300318	N	- 1Mv
6L	WEAN MALE	365	2.36	860	LM	200218	N	- 1Mv
7A	WEAN MALE	284	2.57	730	LM	50618	N	- 2Mv

7A	WEAN MALE	284	2.57	730	LM	280118	N	- 2Mv
7A	WEAN MALE	284	2.57	730	CH	140118	N	- 2Mv
7A	WEAN MALE	284	2.57	730	LM	280318	N	- 2Mv
7A	WEAN MALE	284	2.57	730	LM	210218	N	- 2Mv
7A	WEAN MALE	284	2.57	730	SAX	60418	N	- 2Mv
7A	WEAN MALE	284	2.57	730	LM	20318	N	- 2Mv
7B	WEAN MALE	252	2.86	720	LM	180418	N	- 2Mv
7B	WEAN MALE	252	2.86	720	CH	50518	N	- 2Mv
8	WEAN MALE	275	2.91	800	CH	250318	N	- 2Mv
8A	WEAN MALE	315	2.38	750	SAX	250318	N	- 2Mv
8A	WEAN MALE	315	2.38	750	LM	30418	N	- 2Mv
8B	WEAN MALE	355	2.25	800	CH	240218	N	- 2Mv
8B	WEAN MALE	355	2.25	800	SIM	290318	N	- 2Mv
9	WEAN MALE	464	2.33	1080	CH	50218	Y	70+d - 1Mv
9	WEAN MALE	464	2.33	1080	CH	280118	Y	70+d - 1Mv
9	WEAN MALE	464	2.33	1080	CH	220118	Y	70+d - 1Mv
9	WEAN MALE	464	2.33	1080	CH	230118	Y	70+d - 1Mv
9	WEAN MALE	464	2.33	1080	CH	250118	Y	70+d - 1Mv
9	WEAN MALE	464	2.33	1080	CH	190118	Y	70+d - 1Mv
9A	WEAN MALE	406	2.61	1060	CH	260118	Y	70+d - 1Mv
9A	WEAN MALE	406	2.61	1060	CH	20218	Y	70+d - 1Mv
9A	WEAN MALE	406	2.61	1060	CH	140218	Y	70+d - 1Mv
9B	WEAN MALE	372	2.53	940	CH	90418	Y	70+d - 1Mv
9B	WEAN MALE	372	2.53	940	CH	260118	Y	7d - 1Mv
9C	WEAN MALE	345	2.14	740	AA	130218	Y	70+d - 1Mv
9C	WEAN MALE	345	2.14	740	CH	280218	Y	7d - 1Mv
10	WEAN MALE	500	2.31	1155	CH	210118	Y	70+d - 1Mv
10A	WEAN MALE	470	2.50	1175	CH	190118	Y	70+d - 1Mv
10B	WEAN MALE	420	2.57	1080	CH	150118	Y	70+d - 1Mv
10C	WEAN MALE	285	2.88	820	LM	210218	N	- 1Mv
10C	WEAN MALE	285	2.88	820	LM	260418	N	- 1Mv
10D	WEAN MALE	245	3.35	820	LM	60318	N	- 1Mv
10D	WEAN MALE	245	3.35	820	LM	250418	N	- 1Mv
10E	WEAN MALE	260	3.04	790	LM	40418	N	- 1Mv
12	WEAN MALE	378	2.43	920	AA	40218	N	- 1Mv
12	WEAN MALE	378	2.43	920	AA	120218	N	- 1Mv
12	WEAN MALE	378	2.43	920	AA	130218	N	- 1Mv
12A	WEAN MALE	297	2.02	600	AA	240418	N	- 1Mv
12A	WEAN MALE	297	2.02	600	AA	70218	N	- 1Mv
12B	WEAN MALE	332	2.20	730	AA	140418	N	- 1Mv
12B	WEAN MALE	332	2.20	730	AA	280218	N	- 1Mv
12C	WEAN MALE	395	2.15	850	AA	120318	N	- 1Mv
12E	WEAN MALE	255	2.08	530	AA	10518	N	- 1Mv
12H	WEAN MALE	385	2.17	835	LM	140917	N	- 1Mv
13A	WEAN MALE	254	1.67	425	FR	120218	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	140218	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	120218	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	60218	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	70218	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	300118	Y	70+d - 2Mv

13A	WEAN MALE	254	1.67	425	FR	290118	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	240118	Y	70+d - 2Mv
13A	WEAN MALE	254	1.67	425	FR	240118	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	120218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	230218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	200218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	40218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	30218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	20218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	120218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	110218	Y	70+d - 2Mv
14A	WEAN MALE	255	1.82	465	FR	110218	Y	70+d - 2Mv
14B	WEAN MALE	255	1.76	450	FR	30218	Y	70+d - 2Mv
14B	WEAN MALE	255	1.76	450	FR	20218	Y	70+d - 2Mv
16	WEAN MALE	300	2.08	625	LM	10218	Y	70+d - 1Mv
16	WEAN MALE	300	2.08	625	LM	190118	Y	70+d - 1Mv
16	WEAN MALE	300	2.08	625	LM	210118	Y	70+d - 1Mv
16	WEAN MALE	300	2.08	625	LM	50118	Y	70+d - 1Mv
16	WEAN MALE	300	2.08	625	LM	10218	Y	70+d - 1Mv
16	WEAN MALE	300	2.08	625	LM	270118	Y	70+d - 1Mv
16K	WEAN MALE	261	2.11	550	SAX	50318	Y	70+d - 1Mv
16K	WEAN MALE	261	2.11	550	SAX	20418	Y	70+d - 1Mv
16K	WEAN MALE	261	2.11	550	SAX	140318	Y	70+d - 1Mv
17	WEAN MALE	325	1.91	620	SAX	270218	Y	70+d - 1Mv
17	WEAN MALE	325	1.91	620	SAX	230218	Y	70+d - 1Mv
17	WEAN MALE	325	1.91	620	SAX	250218	Y	70+d - 1Mv
17A	WEAN MALE	247	2.04	505	SAX	230218	Y	70+d - 1Mv
17A	WEAN MALE	247	2.04	505	SAX	90318	Y	70+d - 1Mv
17B	WEAN MALE	310	2.00	620	SAX	280218	Y	70+d - 1Mv
17C	WEAN MALE	325	1.85	600	SAX	230218	Y	70+d - 1Mv
17E	WEAN MALE	300	2.00	600	SAX	90318	Y	70+d - 1Mv
18	WEAN MALE	343	2.27	780	AA	40318	Y	70+d - 1Mv
18	WEAN MALE	343	2.27	780	AA	150318	Y	70+d - 1Mv
18	WEAN MALE	343	2.27	780	AA	270318	Y	70+d - 1Mv
18	WEAN MALE	343	2.27	780	AA	180418	Y	70+d - 1Mv
18A	WEAN MALE	320	1.95	625	AA	60318	Y	70+d - 1Mv
18A	WEAN MALE	320	1.95	625	AA	50318	Y	70+d - 1Mv
18A	WEAN MALE	320	1.95	625	AA	270318	Y	70+d - 1Mv
18B	WEAN MALE	382	2.04	780	AA	10318	Y	70+d - 1Mv
18B	WEAN MALE	382	2.04	780	AA	100418	Y	70+d - 1Mv
18C	WEAN MALE	330	2.33	770	AA	280318	Y	70+d - 1Mv
18D	WEAN MALE	335	2.09	700	AA	280218	Y	70+d - 1Mv
19	WEAN MALE	385	2.35	905	LM	281217	Y	70+d - 1Mv
19A	WEAN MALE	270	2.24	605	LM	280218	Y	70+d - 1Mv
19B	WEAN MALE	370	2.27	840	LM	291217	Y	70+d - 1Mv
19C	WEAN MALE	410	2.45	1005	LM	291217	Y	70+d - 1Mv
19D	WEAN MALE	375	2.13	800	LM	150118	Y	70+d - 1Mv
19E	WEAN MALE	420	2.12	890	LM	301217	Y	70+d - 1Mv
19H	WEAN MALE	307	2.54	780	LM	70318	Y	70+d - 2Mv
19H	WEAN MALE	307	2.54	780	LM	80318	Y	70+d - 2Mv

19K	WEAN MALE	405	2.40	970	LM	180218	Y	70+d - 1Mv
19K	WEAN MALE	405	2.40	970	LM	130218	Y	70+d - 1Mv
19L	WEAN MALE	345	2.46	850	LM	160218	Y	70+d - 1Mv
19M	WEAN MALE	133	3.01	400	AA	250318	Y	70+d - 1Mv
19M	WEAN MALE	133	3.01	400	AA	290318	Y	70+d - 1Mv
19M	WEAN MALE	133	3.01	400	AA	310318	Y	70+d - 1Mv
19T	WEAN MALE	330	2.24	740	LM	110218	Y	70+d - 1Mv
19X	WEAN MALE	187	2.14	400	AA	140318	Y	70+d - 1Mv
19X	WEAN MALE	187	2.14	400	AA	170318	Y	70+d - 1Mv
19X	WEAN MALE	187	2.14	400	AA	250318	Y	70+d - 1Mv
19X	WEAN MALE	187	2.14	400	AA	40318	Y	70+d - 1Mv
19X	WEAN MALE	187	2.14	400	AA	300318	Y	70+d - 1Mv
20	WEAN MALE	420	1.86	780	HE	200118	Y	70+d - 1Mv
20	WEAN MALE	420	1.86	780	HE	210118	Y	70+d - 1Mv
20A	WEAN MALE	255	2.29	585	LM	120418	N	- 1Mv
20A	WEAN MALE	255	2.29	585	LM	90418	N	- 1Mv
20A	WEAN MALE	255	2.29	585	AA	60218	N	- 1Mv
20A	WEAN MALE	255	2.29	585	LM	210318	N	- 1Mv
20B	WEAN MALE	286	1.92	550	LM	30418	N	- 1Mv
20B	WEAN MALE	286	1.92	550	AA	150218	N	- 1Mv
20B	WEAN MALE	286	1.92	550	AA	130218	N	- 1Mv
20B	WEAN MALE	286	1.92	550	AA	60218	N	- 1Mv
21	WEAN MALE	435	2.23	970	CH	60318	Y	70+d - 1Mv
21A	WEAN MALE	380	2.08	790	SIM	80318	Y	70+d - 1Mv
21B	WEAN MALE	300	1.83	550	HE	140418	Y	70+d - 1Mv
21C	WEAN MALE	265	1.77	470	HE	290418	Y	70+d - 1Mv
21D	WEAN MALE	460	1.74	800	SIM	100917	N	- 1Mv
21H	WEAN MALE	265	2.25	595	SIM	250218	N	- 1Mv
22	WEAN MALE	255	2.75	700	LM	120418	Y	70+d - 1Mv
22A	WEAN MALE	305	2.13	650	LM	240917	Y	7d - 1Mv
22B	WEAN MALE	270	2.11	570	LM	110418	Y	70+d - 1Mv
22C	WEAN MALE	245	2.45	600	LM	140418	Y	7d - 1Mv
22D	WEAN MALE	260	2.15	560	LM	170418	Y	7d - 1Mv
22E	WEAN MALE	205	2.54	520	LM	300318	Y	70+d - 1Mv
22H	WEAN MALE	210	2.14	450	LM	140418	Y	70+d - 1Mv
23A	WEAN MALE	285	1.58	450	FR	190218	N	- 2Mv
23A	WEAN MALE	285	1.58	450	FR	60218	N	- 2Mv
24	WEAN MALE	405	1.73	700	HE	210118	Y	70+d - 2Mv
24A	WEAN MALE	305	1.97	600	SIM	20418	Y	7d - 1Mv
24B	WEAN MALE	367	1.85	680	LM	180518	Y	- 1Mv
24B	WEAN MALE	367	1.85	680	LM	220518	Y	- 1Mv
24C	WEAN MALE	317	2.51	795	LM	240518	Y	- 1Mv
24C	WEAN MALE	317	2.51	795	LM	170518	Y	- 1Mv
24D	WEAN MALE	322	2.59	835	LM	220518	Y	- 1Mv
24D	WEAN MALE	322	2.59	835	LM	240518	Y	- 1Mv
24E	WEAN MALE	400	2.10	840	LM	170518	Y	- 1Mv
24H	WEAN MALE	310	2.06	640	LM	170518	Y	- 1Mv
25H	WEAN MALE	206	2.28	470	HE	240318	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	170518	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	180518	Y	70+d - 1Mv

25H	WEAN MALE	206	2.28	470	HE	250318	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	230318	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	250318	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	160518	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	230318	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	210318	Y	70+d - 1Mv
25H	WEAN MALE	206	2.28	470	HE	160518	Y	70+d - 1Mv
26	WEAN MALE	396	1.98	785	LM	10118	Y	70+d - 1Mv
26	WEAN MALE	396	1.98	785	LM	70118	Y	70+d - 1Mv
26	WEAN MALE	396	1.98	785	LM	40118	Y	70+d - 1Mv
26A	WEAN MALE	302	2.38	720	LM	120118	Y	70+d - 1Mv
26A	WEAN MALE	302	1.06	320	LM	270817	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	300118	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	140218	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	230318	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	10318	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	80218	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	170218	Y	70+d - 1Mv
27A	WEAN MALE	229	1.97	450	FR	10218	Y	70+d - 1Mv
28	WEAN MALE	307	2.35	720	LM	90318	N	- 1Mv
28	WEAN MALE	307	2.35	720	LM	180318	N	- 1Mv
28	WEAN MALE	307	2.35	720	LM	200318	N	- 1Mv
28	WEAN MALE	307	2.35	720	LM	80418	N	- 1Mv
28A	WEAN MALE	385	2.22	855	LM	20318	N	- 1Mv
28B	WEAN MALE	280	1.82	510	LM	170418	N	- 1Mv
28B	WEAN MALE	280	1.82	510	AA	50418	N	- 1Mv
29	WEAN MALE	445	2.19	975	CH	71017	Y	70+d - 1Mv
29	WEAN MALE	445	2.19	975	SAX	11017	Y	70+d - 1Mv
29A	WEAN MALE	470	1.93	905	CH	71117	Y	70+d - 1Mv
29B	WEAN MALE	420	2.11	885	CH	51117	Y	70+d - 1Mv
30	WEAN MALE	387	2.33	900	LM	170118	Y	70+d - 1Mv
30	WEAN MALE	387	2.33	900	LM	150118	Y	70+d - 1Mv
30A	WEAN MALE	355	2.54	900	LM	170318	Y	70+d - 1Mv
30A	WEAN MALE	355	2.54	900	LM	280118	Y	70+d - 1Mv
30B	WEAN MALE	285	2.88	820	LM	310318	Y	70+d - 1Mv
30B	WEAN MALE	285	2.88	820	LM	240318	Y	70+d - 1Mv
30C	WEAN MALE	380	2.26	860	LM	270118	Y	70+d - 1Mv
31	WEAN MALE	310	2.84	880	CH	290318	N	- 1Mv
31A	WEAN MALE	310	2.82	875	CH	190318	N	- 1Mv
31A	WEAN MALE	310	2.82	875	CH	140318	N	- 1Mv
31B	WEAN MALE	306	2.88	880	CH	130318	N	- 1Mv
31B	WEAN MALE	306	2.88	880	CH	160318	N	- 1Mv
31B	WEAN MALE	306	2.88	880	CH	170318	N	- 1Mv
31C	WEAN MALE	335	2.48	830	CH	190218	N	- 1Mv
31D	WEAN MALE	328	2.64	865	CH	270218	N	- 1Mv
31D	WEAN MALE	328	2.64	865	CH	30318	N	- 1Mv
31D	WEAN MALE	328	2.64	865	CH	50318	N	- 1Mv
32	WEAN MALE	276	3.03	835	CH	150418	N	- 1Mv
32	WEAN MALE	276	3.03	835	CH	120418	N	- 1Mv
32	WEAN MALE	276	3.03	835	CH	120318	N	- 1Mv

32A	WEAN MALE	302	2.76	835	CH	140318	N	- 1Mv
32A	WEAN MALE	302	2.76	835	CH	230318	N	- 1Mv
32B	WEAN MALE	236	3.26	770	CH	90418	N	- 1Mv
32B	WEAN MALE	236	3.26	770	CH	110418	N	- 1Mv
32B	WEAN MALE	236	3.26	770	CH	20518	N	- 1Mv
32C	WEAN MALE	247	2.85	705	CH	10518	N	- 1Mv
32C	WEAN MALE	247	2.85	705	CH	140418	N	- 1Mv
32C	WEAN MALE	247	2.85	705	CH	300418	N	- 1Mv
32C	WEAN MALE	247	2.85	705	CH	40418	N	- 1Mv

HEIFER WEANLINGS

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QASQA	Days
400A	WEAN FEMALE	301	1.99	600	LM	150318	N	- 1Mv
400A	WEAN FEMALE	301	1.99	600	LM	150318	N	- 1Mv
400A	WEAN FEMALE	301	1.99	600	LM	240218	N	- 1Mv
400B	WEAN FEMALE	287	2.23	640	LM	30318	N	- 1Mv
400B	WEAN FEMALE	287	2.23	640	LM	250218	N	- 1Mv
400C	WEAN FEMALE	325	2.48	805	LM	220218	N	- 1Mv
400C	WEAN FEMALE	325	2.48	805	LM	170218	N	- 1Mv
401C	WEAN FEMALE	321	2.65	850	LM	50318	Y	70+d - 1Mv
401C	WEAN FEMALE	321	2.65	850	LM	220418	Y	70+d - 1Mv
401C	WEAN FEMALE	321	2.65	850	LM	250118	Y	70+d - 1Mv
401C	WEAN FEMALE	321	2.65	850	LM	90318	Y	70+d - 1Mv
401C	WEAN FEMALE	321	2.65	850	LM	70318	Y	70+d - 1Mv
401C	WEAN FEMALE	321	2.65	850	LM	10318	Y	70+d - 1Mv
401D	WEAN FEMALE	286	2.73	780	LM	80318	Y	70+d - 1Mv
401D	WEAN FEMALE	286	2.73	780	LM	220418	Y	70+d - 1Mv
401D	WEAN FEMALE	286	2.73	780	LM	50318	Y	70+d - 1Mv
401D	WEAN FEMALE	286	2.73	780	LM	260418	Y	70+d - 1Mv
402A	WEAN FEMALE	258	2.71	700	LM	90318	N	- 1Mv
402A	WEAN FEMALE	258	2.71	700	LM	300318	N	- 1Mv
402A	WEAN FEMALE	258	2.71	700	LM	30318	N	- 1Mv
402A	WEAN FEMALE	258	2.71	700	LM	230318	N	- 1Mv
402B	WEAN FEMALE	255	2.47	630	LM	140318	N	- 1Mv
402B	WEAN FEMALE	255	2.47	630	LM	250318	N	- 1Mv
402B	WEAN FEMALE	255	2.47	630	LM	280218	N	- 1Mv
402C	WEAN FEMALE	230	2.46	565	LM	110518	N	- 1Mv
402C	WEAN FEMALE	230	2.46	565	LM	100218	N	- 1Mv
402C	WEAN FEMALE	230	2.46	565	LM	200318	N	- 1Mv
403A	WEAN FEMALE	263	2.32	610	LM	210218	N	- 1Mv
403A	WEAN FEMALE	263	2.32	610	LM	50318	N	- 1Mv
403A	WEAN FEMALE	263	2.32	610	LM	30418	N	- 1Mv
403B	WEAN FEMALE	328	1.71	560	AA	150218	N	- 1Mv
403B	WEAN FEMALE	328	1.71	560	AA	60218	N	- 1Mv
403B	WEAN FEMALE	328	1.71	560	AA	80218	N	- 1Mv
403C	WEAN FEMALE	252	1.98	500	AA	130418	N	- 1Mv
403C	WEAN FEMALE	252	1.98	500	AA	260418	N	- 1Mv
404C	WEAN FEMALE	261	2.22	580	SAX	200218	Y	70+d - 1Mv
404C	WEAN FEMALE	261	2.22	580	SAX	120318	Y	70+d - 1Mv

404C	WEAN FEMALE	261	2.22	580	SAX	100318	Y	70+d - 1Mv
404D	WEAN FEMALE	285	1.82	520	LM	210318	Y	70+d - 1Mv
404D	WEAN FEMALE	285	1.82	520	LM	210318	Y	70+d - 1Mv
404E	WEAN FEMALE	205	2.00	410	LM	30218	Y	70+d - 1Mv
404H	WEAN FEMALE	260	1.98	515	CH	20218	Y	70+d - 1Mv
405A	WEAN FEMALE	140	1.79	250	AA	170318	Y	70+d - 1Mv
405A	WEAN FEMALE	140	1.79	250	AA	300318	Y	70+d - 1Mv
405A	WEAN FEMALE	140	1.79	250	AA	170318	Y	70+d - 1Mv
405A	WEAN FEMALE	140	1.79	250	AA	160318	Y	70+d - 1Mv
405B	WEAN FEMALE	162	1.67	270	AA	160318	Y	70+d - 1Mv
405B	WEAN FEMALE	162	1.67	270	AA	120318	Y	70+d - 1Mv
406A	WEAN FEMALE	300	2.33	700	LM	210218	Y	70+d - 1Mv
406B	WEAN FEMALE	325	2.18	710	LM	240218	Y	70+d - 1Mv
406C	WEAN FEMALE	290	2.10	610	LM	140218	Y	70+d - 1Mv
406D	WEAN FEMALE	290	2.17	630	LM	80218	Y	70+d - 1Mv
406D	WEAN FEMALE	290	2.17	630	LM	100218	Y	70+d - 1Mv
406E	WEAN FEMALE	316	2.17	685	LM	100218	Y	70+d - 1Mv
406E	WEAN FEMALE	316	2.17	685	LM	190218	Y	70+d - 1Mv
406E	WEAN FEMALE	316	2.17	685	LM	140218	Y	70+d - 1Mv
407	WEAN FEMALE	200	1.50	300	AA	130817	Y	70+d - 2Mv
407A	WEAN FEMALE	215	1.77	380	SHX	301117	Y	70+d - 1Mv
407B	WEAN FEMALE	195	2.56	500	LM	280618	Y	70+d - 1Mv
407C	WEAN FEMALE	220	1.68	370	LM	291117	Y	70+d - 1Mv
407D	WEAN FEMALE	175	1.86	325	LM	180218	Y	70+d - 1Mv
407E	WEAN FEMALE	135	1.93	260	LM	300618	Y	70+d - 1Mv
408A	WEAN FEMALE	294	2.38	700	LM	280118	Y	70+d - 1Mv
408A	WEAN FEMALE	294	2.38	700	CH	10118	Y	70+d - 1Mv
408A	WEAN FEMALE	294	2.38	700	CH	30118	Y	70+d - 1Mv
408A	WEAN FEMALE	294	2.38	700	CH	80118	Y	70+d - 1Mv
408A	WEAN FEMALE	294	2.38	700	CH	220318	Y	70+d - 1Mv
408B	WEAN FEMALE	283	2.16	610	LM	240318	Y	70+d - 1Mv
408B	WEAN FEMALE	283	2.16	610	CH	190318	Y	70+d - 1Mv
408B	WEAN FEMALE	283	2.16	610	LM	120118	Y	70+d - 1Mv
408C	WEAN FEMALE	285	2.04	580	CH	170118	Y	70+d - 1Mv
408C	WEAN FEMALE	285	2.04	580	CH	20118	Y	70+d - 1Mv
409B	WEAN FEMALE	388	2.06	800	CH	120118	Y	70+d - 1Mv
409B	WEAN FEMALE	388	2.06	800	CH	100118	Y	70+d - 1Mv
409B	WEAN FEMALE	388	2.06	800	CH	40118	Y	70+d - 1Mv
409B	WEAN FEMALE	388	2.06	800	CH	50118	Y	70+d - 1Mv
410	WEAN FEMALE	327	2.20	720	SIM	50318	Y	70+d - 1Mv
410	WEAN FEMALE	327	2.20	720	SIM	120218	Y	70+d - 1Mv
410A	WEAN FEMALE	290	2.03	590	SIM	170318	Y	70+d - 1Mv
410B	WEAN FEMALE	320	1.72	550	LM	201017	N	- 1Mv
410B	WEAN FEMALE	320	1.72	550	LM	301017	N	- 1Mv
410C	WEAN FEMALE	340	2.06	700	LM	140917	N	- 1Mv
410D	WEAN FEMALE	305	2.41	735	CH	101217	N	- 1Mv
411	WEAN FEMALE	405	1.85	750	LM	71217	N	- 1Mv
411	WEAN FEMALE	405	1.85	750	LM	131217	N	- 1Mv
411A	WEAN FEMALE	385	1.87	720	LM	101217	N	- 1Mv
411B	WEAN FEMALE	425	1.84	780	SIM	90917	N	- 1Mv

411C	WEAN FEMALE	267	2.43	650	LM	40318	Y	70+d - 1Mv
411C	WEAN FEMALE	267	2.43	650	LM	300118	Y	70+d - 1Mv
411D	WEAN FEMALE	235	2.83	665	LM	60318	Y	70+d - 1Mv
411D	WEAN FEMALE	235	2.83	665	LM	300318	Y	70+d - 1Mv