

WEANLING SALE 09 10 2019

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA DAYS
1	WEAN MALE	380	1.87	710	LM	240219	N	- 1Mv
1A	WEAN MALE	280	2.36	660	LM	40419	N	- 1Mv
1C	WEAN MALE	230	1.87	430	CH	70419	N	- 2Mv
2	WEAN MALE	411	2.31	950	CH	80219	N	- 1Mv
2	WEAN MALE	411	2.31	950	CH	120219	N	- 1Mv
2	WEAN MALE	411	2.31	950	CH	70219	N	- 1Mv
2	WEAN MALE	411	2.31	950	CH	90219	N	- 1Mv
2A	WEAN MALE	377	2.39	900	CH	250119	Y	70+d - 1Mv
2A	WEAN MALE	377	2.39	900	CH	250119	Y	70+d - 1Mv
3	WEAN MALE	327	2.68	875	LM	120219	N	- 1Mv
3	WEAN MALE	327	2.68	875	CH	80219	N	- 1Mv
3A	WEAN MALE	315	2.29	720	LM	40319	Y	70+d - 1Mv
3A	WEAN MALE	315	2.29	720	LM	130319	Y	70+d - 1Mv
4	WEAN MALE	245	2.35	575	CH	270319	Y	70+d - 1Mv
4	WEAN MALE	245	2.35	575	CH	30419	Y	70+d - 1Mv
4A	WEAN MALE	210	2.38	500	CH	90419	Y	70+d - 1Mv
4A	WEAN MALE	210	2.38	500	CH	60419	Y	70+d - 1Mv
4B	WEAN MALE	217	2.40	520	CH	200419	Y	70+d - 1Mv
4B	WEAN MALE	217	2.40	520	CH	160419	Y	70+d - 1Mv
4C	WEAN MALE	222	2.43	540	CH	200419	Y	70+d - 1Mv
4C	WEAN MALE	222	2.43	540	CH	250419	Y	70+d - 1Mv
4D	WEAN MALE	200	2.50	500	CH	200419	Y	70+d - 1Mv
4D	WEAN MALE	200	2.50	500	CH	170419	Y	70+d - 1Mv
5	WEAN MALE	138	1.96	270	HE	30319	N	- 2Mv
5	WEAN MALE	138	1.96	270	HE	120219	N	- 2Mv
5	WEAN MALE	138	1.96	270	HE	80419	N	- 2Mv
5	WEAN MALE	138	1.96	270	HE	70319	N	- 2Mv
5	WEAN MALE	138	1.96	270	HE	200219	N	- 2Mv
5A	WEAN MALE	159	2.20	350	HE	20319	N	- 2Mv
5A	WEAN MALE	159	2.20	350	HE	270219	N	- 2Mv
5A	WEAN MALE	159	2.20	350	HE	80419	N	- 2Mv
5A	WEAN MALE	159	2.20	350	HE	20319	N	- 2Mv
5A	WEAN MALE	159	2.20	350	HE	50319	N	- 2Mv
5A	WEAN MALE	159	2.20	350	HE	60319	N	- 2Mv
5B	WEAN MALE	141	1.91	270	AA	70319	N	- 2Mv
5B	WEAN MALE	141	1.91	270	AA	130319	N	- 2Mv
5B	WEAN MALE	141	1.91	270	AA	80319	N	- 2Mv
5C	WEAN MALE	145	1.59	230	HE	70319	N	- 2Mv
6	WEAN MALE	220	1.70	375	FR	100419	Y	70+d - 1Mv
6	WEAN MALE	220	1.70	375	FR	120419	Y	70+d - 1Mv
6	WEAN MALE	220	1.70	375	FR	30419	Y	70+d - 1Mv
6	WEAN MALE	220	1.70	375	FR	200319	Y	70+d - 1Mv
6	WEAN MALE	220	1.70	375	FR	40419	Y	70+d - 1Mv
6	WEAN MALE	220	1.70	375	FR	20419	Y	70+d - 1Mv
6K	WEAN MALE	360	1.61	580	LM	161118	N	- 1Mv
7	WEAN MALE	375	2.40	900	LM	210219	N	- 1Mv
7A	WEAN MALE	350	2.26	790	LM	110119	N	- 1Mv

7B	WEAN MALE	256	2.50	640	LM	130319	N	- 1Mv
7B	WEAN MALE	256	2.50	640	LM	200319	N	- 1Mv
7B	WEAN MALE	256	2.50	640	LM	240219	N	- 1Mv
7B	WEAN MALE	256	2.50	640	LM	210319	N	- 1Mv
7C	WEAN MALE	237	2.87	680	LM	120319	N	- 1Mv
7C	WEAN MALE	237	2.87	680	LM	170319	N	- 1Mv
7D	WEAN MALE	275	2.51	690	LM	260119	N	- 1Mv
8	WEAN MALE	450	2.18	980	LM	100319	Y	70+d - 1Mv
8A	WEAN MALE	385	2.48	955	LM	140319	Y	70+d - 1Mv
8B	WEAN MALE	378	2.30	870	LM	150319	Y	70+d - 1Mv
8B	WEAN MALE	378	2.30	870	LM	150319	Y	70+d - 1Mv
8B	WEAN MALE	378	2.30	870	LM	120319	Y	70+d - 1Mv
8C	WEAN MALE	395	2.18	860	LM	120319	Y	70+d - 1Mv
8C	WEAN MALE	395	2.18	860	LM	140319	Y	70+d - 1Mv
8D	WEAN MALE	335	2.48	830	LM	220419	Y	70+d - 1Mv
8D	WEAN MALE	335	2.48	830	LM	210319	Y	70+d - 1Mv
8E	WEAN MALE	295	1.97	580	SHX	230319	Y	70+d - 1Mv
8E	WEAN MALE	295	1.97	580	SHX	110319	Y	70+d - 1Mv
9	WEAN MALE	352	2.27	800	LM	240319	Y	70+d - 1Mv
9	WEAN MALE	352	2.27	800	LM	160319	Y	70+d - 1Mv
9A	WEAN MALE	265	2.45	650	LM	100319	Y	70+d - 1Mv
9B	WEAN MALE	265	2.38	630	SHX	220319	Y	70+d - 1Mv
9B	WEAN MALE	265	2.38	630	SHX	220419	Y	70+d - 1Mv
9C	WEAN MALE	205	2.63	540	SAX	10619	Y	70+d - 2Mv
9D	WEAN MALE	310	2.31	715	SAX	10419	N	- 1Mv
9D	WEAN MALE	310	2.31	715	SAX	100419	N	- 1Mv
9E	WEAN MALE	235	2.81	660	SAX	20419	N	- 1Mv
9H	WEAN MALE	310	2.19	680	SAX	10419	N	- 1Mv
9K	WEAN MALE	240	2.31	555	SAX	200519	N	- 1Mv
10	WEAN MALE	257	1.65	425	AA	250419	N	- 1Mv
10	WEAN MALE	257	1.65	425	AA	290419	N	- 1Mv
10A	WEAN MALE	305	1.67	510	AA	230319	N	- 1Mv
10A	WEAN MALE	305	1.67	510	AA	100419	N	- 1Mv
10A	WEAN MALE	305	1.67	510	AA	50419	N	- 1Mv
12	WEAN MALE	195	1.41	275	FR	90219	Y	70+d - 2Mv
12	WEAN MALE	195	1.41	275	FR	40219	Y	70+d - 2Mv
12A	WEAN MALE	180	1.47	265	FR	120219	Y	70+d - 2Mv
12A	WEAN MALE	180	1.47	265	FR	40219	Y	70+d - 2Mv
12A	WEAN MALE	180	1.47	265	FR	160219	Y	70+d - 2Mv
12C	WEAN MALE	160	1.50	240	FR	220219	Y	70+d - 2Mv
12C	WEAN MALE	160	1.50	240	FR	60219	Y	70+d - 2Mv
12C	WEAN MALE	160	1.50	240	FR	110219	Y	70+d - 2Mv
12D	WEAN MALE	210	1.67	350	AA	90219	Y	70+d - 1Mv
13	WEAN MALE	375	2.47	925	CH	290119	Y	70+d - 1Mv
13	WEAN MALE	375	2.47	925	CH	170119	Y	70+d - 1Mv
13	WEAN MALE	375	2.47	925	CH	100219	Y	70+d - 1Mv
13A	WEAN MALE	353	2.27	800	CH	140219	Y	70+d - 1Mv
13A	WEAN MALE	353	2.27	800	CH	310119	Y	70+d - 1Mv
13A	WEAN MALE	353	2.27	800	CH	30219	Y	70+d - 1Mv
13B	WEAN MALE	415	2.07	860	CH	250119	Y	70+d - 1Mv

13C	WEAN MALE	460	1.96	900	CH	300119	Y	70+d - 1Mv
13D	WEAN MALE	375	2.13	800	CH	160219	Y	70+d - 1Mv
14	WEAN MALE	410	2.15	880	LM	230219	N	- 1Mv
14A	WEAN MALE	485	2.04	990	LM	100119	N	- 1Mv
14B	WEAN MALE	375	1.97	740	LM	260219	N	- 1Mv
14C	WEAN MALE	445	1.75	780	SAX	81118	N	- 1Mv
14D	WEAN MALE	366	1.64	600	SAX	101118	N	- 1Mv
14D	WEAN MALE	366	1.64	600	SAX	21218	N	- 1Mv
14D	WEAN MALE	366	1.64	600	SAX	111118	N	- 1Mv
15	WEAN MALE	295	2.54	750	CH	10419	Y	70+d - 1Mv
15	WEAN MALE	295	2.54	750	CH	230319	Y	70+d - 1Mv
15A	WEAN MALE	242	2.91	705	CH	270319	Y	70+d - 1Mv
15A	WEAN MALE	242	2.91	705	CH	40519	Y	70+d - 1Mv
15B	WEAN MALE	260	2.27	590	SIM	90319	Y	70+d - 1Mv
15B	WEAN MALE	260	2.27	590	SIM	240319	Y	70+d - 1Mv
15B	WEAN MALE	260	2.27	590	SIM	100319	Y	70+d - 1Mv
15C	WEAN MALE	275	2.55	700	LM	290319	Y	70+d - 2Mv
16	WEAN MALE	335	1.79	600	HE	270319	Y	70+d - 1Mv
16	WEAN MALE	335	1.79	600	HE	90319	Y	70+d - 1Mv
16A	WEAN MALE	237	2.03	480	HE	50519	Y	70+d - 1Mv
16A	WEAN MALE	237	2.03	480	HE	250319	Y	70+d - 1Mv
17	WEAN MALE	372	2.45	910	CH	51218	Y	70+d - 1Mv
17	WEAN MALE	372	2.45	910	CH	30119	Y	70+d - 1Mv
17A	WEAN MALE	420	1.64	690	HE	291118	Y	70+d - 1Mv
17A	WEAN MALE	420	1.64	690	HE	81118	Y	70+d - 1Mv
17B	WEAN MALE	347	1.93	670	SAX	40119	Y	70+d - 1Mv
17B	WEAN MALE	347	1.93	670	SA	130119	Y	70+d - 1Mv
20	WEAN MALE	276	2.57	710	LM	140419	Y	70+d - 1Mv
20	WEAN MALE	276	2.57	710	LM	160419	Y	70+d - 1Mv
20	WEAN MALE	276	2.57	710	LM	180319	Y	70+d - 1Mv
20A	WEAN MALE	295	2.51	740	LM	260319	Y	70+d - 1Mv
20A	WEAN MALE	295	2.51	740	LM	180419	Y	70+d - 1Mv
20B	WEAN MALE	265	2.55	675	LM	200319	Y	70+d - 1Mv
21	WEAN MALE	330	2.42	800	LM	90419	Y	70+d - 1Mv
21A	WEAN MALE	415	2.05	850	LM	50419	Y	70+d - 1Mv
21B	WEAN MALE	280	2.55	715	LM	90419	Y	70+d - 1Mv
21C	WEAN MALE	360	2.06	740	LM	70419	Y	70+d - 1Mv
21D	WEAN MALE	355	2.08	740	LM	100419	Y	70+d - 1Mv
21E	WEAN MALE	315	1.97	620	LM	160419	Y	70+d - 1Mv
21H	WEAN MALE	320	2.19	700	LM	140419	Y	70+d - 1Mv
21K	WEAN MALE	330	2.20	725	LM	170419	Y	70+d - 1Mv
22	WEAN MALE	189	1.59	300	FR	110219	N	- 2Mv
22	WEAN MALE	189	1.59	300	FR	180219	N	- 2Mv
22	WEAN MALE	189	1.59	300	FR	200219	N	- 2Mv
22	WEAN MALE	189	1.59	300	SHX	270219	N	- 2Mv
22	WEAN MALE	189	1.59	300	FR	100319	N	- 2Mv
23	WEAN MALE	362	2.07	750	CH	20419	N	- 1Mv
23	WEAN MALE	362	2.07	750	CH	30419	N	- 1Mv
24	WEAN MALE	318	2.36	750	LM	210119	N	- 1Mv
24	WEAN MALE	318	2.36	750	LM	30419	N	- 1Mv

24	WEAN MALE	318	2.36	750	LM	170219	N	- 1Mv
24	WEAN MALE	318	2.36	750	LM	240119	N	- 1Mv
25	WEAN MALE	410	2.32	950	LM	160918	N	- 1Mv
28	WEAN MALE	225	1.64	370	FR	200519	N	- 2Mv
28	WEAN MALE	225	1.64	370	FR	30219	N	- 2Mv
28	WEAN MALE	225	1.64	370	FR	60219	N	- 2Mv
28	WEAN MALE	225	1.64	370	FR	110219	N	- 2Mv

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA DAYS
400	WEAN FEMALE	276	2.46	680	LM	160319	Y	70+d - 1Mv
400	WEAN FEMALE	276	2.46	680	LM	290319	Y	70+d - 1Mv
400	WEAN FEMALE	276	2.46	680	LM	220219	Y	70+d - 1Mv
400A	WEAN FEMALE	252	1.98	500	LM	30419	N	- 2Mv
400A	WEAN FEMALE	252	1.98	500	LM	260219	N	- 1Mv
400B	WEAN FEMALE	230	2.04	470	LM	260319	N	- 1Mv
401	WEAN FEMALE	255	2.55	650	LM	120319	N	- 1Mv
401	WEAN FEMALE	255	2.55	650	LM	260219	N	- 1Mv
401A	WEAN FEMALE	305	2.10	640	LM	270119	N	- 1Mv
401B	WEAN FEMALE	210	3.24	680	LM	100419	N	- 1Mv
401C	WEAN FEMALE	307	2.30	705	LM	50219	N	- 1Mv
401C	WEAN FEMALE	307	2.30	705	LM	120219	N	- 1Mv
402	WEAN FEMALE	217	1.94	420	AA	100219	N	- 2Mv
402	WEAN FEMALE	217	1.94	420	AA	70219	N	- 2Mv
402	WEAN FEMALE	217	1.94	420	AA	170219	N	- 2Mv
402	WEAN FEMALE	217	1.94	420	AA	150219	N	- 2Mv
402	WEAN FEMALE	217	1.94	420	AA	240219	N	- 2Mv
402A	WEAN FEMALE	265	1.66	440	CH	20219	N	- 2Mv
403	WEAN FEMALE	232	1.79	415	CH	200419	Y	70+d - 1Mv
403	WEAN FEMALE	232	1.79	415	CH	280319	Y	70+d - 1Mv
403A	WEAN FEMALE	217	1.87	405	CH	90419	Y	70+d - 1Mv
403A	WEAN FEMALE	217	1.87	405	CH	270319	Y	70+d - 1Mv
403B	WEAN FEMALE	222	1.94	430	CH	90419	Y	70+d - 1Mv
403B	WEAN FEMALE	222	1.94	430	CH	30419	Y	70+d - 1Mv
403C	WEAN FEMALE	190	2.05	390	CH	160419	Y	70+d - 1Mv
403C	WEAN FEMALE	190	2.05	390	CH	160419	Y	70+d - 1Mv
404	WEAN FEMALE	300	1.93	580	LM	161118	N	- 1Mv
406	WEAN FEMALE	310	2.03	630	LM	240119	N	- 1Mv
407	WEAN FEMALE	380	1.89	720	LM	110319	Y	70+d - 1Mv
407A	WEAN FEMALE	345	1.97	680	LM	90319	Y	70+d - 1Mv
407B	WEAN FEMALE	205	2.00	410	LM	120319	Y	70+d - 1Mv
407C	WEAN FEMALE	248	2.14	530	SAX	170319	N	- 1Mv
407C	WEAN FEMALE	248	2.14	530	SAX	30419	N	- 1Mv
407C	WEAN FEMALE	248	2.14	530	SAX	160319	N	- 1Mv
407C	WEAN FEMALE	248	2.14	530	SAX	160319	N	- 1Mv
407D	WEAN FEMALE	232	2.72	630	SAX	100419	N	- 1Mv
407D	WEAN FEMALE	232	2.72	630	SAX	20419	N	- 1Mv
407E	WEAN FEMALE	285	2.07	590	SAX	170319	N	- 1Mv
408	WEAN FEMALE	260	1.63	425	AA	20419	N	- 1Mv
408	WEAN FEMALE	260	1.63	425	AA	20519	N	- 1Mv
408A	WEAN FEMALE	470	1.49	700	SIM	90718	N	- 1Mv
408B	WEAN FEMALE	211	1.87	395	HE	20319	Y	70+d - 1Mv

408B	WEAN FEMALE	211	1.87	395	HE	130319	Y	70+d - 1Mv
408B	WEAN FEMALE	211	1.87	395	HE	120319	Y	70+d - 1Mv
408B	WEAN FEMALE	211	1.87	395	HE	60319	Y	70+d - 1Mv
408B	WEAN FEMALE	211	1.87	395	HE	30319	Y	70+d - 1Mv
408C	WEAN FEMALE	178	1.97	350	HE	300319	Y	70+d - 1Mv
408C	WEAN FEMALE	178	1.97	350	HE	40419	Y	70+d - 1Mv
408C	WEAN FEMALE	178	1.97	350	HE	290319	Y	70+d - 1Mv
409	WEAN FEMALE	445	1.80	800	LM	20119	N	- 1Mv
409A	WEAN FEMALE	455	1.89	860	LM	41018	N	- 1Mv
409B	WEAN FEMALE	285	1.86	530	CH	20419	N	- 1Mv
409C	WEAN FEMALE	250	1.96	490	CH	70419	N	- 1Mv
409D	WEAN FEMALE	240	1.79	430	HE	130319	N	- 1Mv
410	WEAN FEMALE	275	2.36	650	CH	150319	Y	70+d - 1Mv
410	WEAN FEMALE	275	2.36	650	CH	20319	Y	70+d - 1Mv
410A	WEAN FEMALE	290	2.33	675	CH	190319	Y	70+d - 1Mv
411	WEAN FEMALE	155	2.45	380	LM	60719	N	- 1Mv
411	WEAN FEMALE	155	2.45	380	LM	70619	N	- 2Mv
412	WEAN FEMALE	285	1.98	565	CH	300319	N	- 1Mv
413	WEAN FEMALE	435	1.85	805	LM	80119	N	- 1Mv
413	WEAN FEMALE	435	1.85	805	LM	100119	N	- 1Mv
414	WEAN FEMALE	335	1.72	575	LM	260418	N	- 1Mv