

WEANLING BULLS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
1	WEAN MALE	390	2.38	930	CH	80220	N	- 1Mv
1A	WEAN MALE	385	2.34	900	CH	60320	N	- 1Mv
1B	WEAN MALE	330	2.70	890	CH	90320	N	- 1Mv
1C	WEAN MALE	370	1.97	730	CH	90320	N	- 1Mv
1D	WEAN MALE	385	2.18	840	CH	60320	N	- 1Mv
1E	WEAN MALE	350	2.14	750	CH	210320	N	- 1Mv
1H	WEAN MALE	400	2.15	860	CH	290220	N	- 1Mv
1K	WEAN MALE	360	2.11	760	CH	100320	N	- 1Mv
2A	WEAN MALE	291	2.82	820	CH	10420	N	- 2Mv
2A	WEAN MALE	291	2.82	820	CH	50420	N	- 2Mv
2A	WEAN MALE	291	2.82	820	CH	40420	N	- 2Mv
2A	WEAN MALE	291	2.82	820	CH	280420	N	- 2Mv
2A	WEAN MALE	291	2.82	820	CH	60420	N	- 2Mv
2B	WEAN MALE	296	2.77	820	LM	170120	N	- 2Mv
2B	WEAN MALE	296	2.77	820	LM	80420	N	- 2Mv
2B	WEAN MALE	296	2.77	820	LM	50420	N	- 2Mv
2B	WEAN MALE	296	2.77	820	LM	20320	N	- 2Mv
2C	WEAN MALE	222	3.24	720	LM	60420	N	- 2Mv
2C	WEAN MALE	222	3.24	720	LM	220520	N	- 2Mv
2C	WEAN MALE	222	3.24	720	LM	250520	N	- 2Mv
2C	WEAN MALE	222	3.24	720	LM	210120	N	- 2Mv
2C	WEAN MALE	222	3.24	720	LM	250520	N	- 2Mv
2D	WEAN MALE	425	1.81	770	BAX	130120	Y	70+d - 1Mv
2E	WEAN MALE	395	2.05	810	CH	120220	Y	70+d - 1Mv
5	WEAN MALE	295	2.44	720	LM	30919	N	- 1Mv
5A	WEAN MALE	360	1.83	660	LM	271119	N	- 1Mv
5B	WEAN MALE	320	2.47	790	LM	200220	N	- 1Mv
5C	WEAN MALE	230	2.48	570	SHX	230320	Y	70+d - 2Mv
6	WEAN MALE	443	2.28	1010	CH	90220	N	- 1Mv
6	WEAN MALE	443	2.28	1010	CH	40220	N	- 1Mv
6	WEAN MALE	443	2.28	1010	CH	310120	N	- 1Mv
6A	WEAN MALE	427	2.41	1030	CH	240220	N	- 1Mv
6A	WEAN MALE	427	2.41	1030	CH	100220	N	- 1Mv
6B	WEAN MALE	375	2.32	870	AU	90220	N	- 1Mv
6C	WEAN MALE	345	2.61	900	CH	310320	N	- 1Mv
6D	WEAN MALE	395	1.92	760	SIM	200220	N	- 1Mv
6E	WEAN MALE	290	2.79	810	CH	70420	N	- 1Mv
7	WEAN MALE	350	2.51	880	CH	70220	N	- 1Mv
7	WEAN MALE	350	2.51	880	CH	280220	N	- 1Mv
7A	WEAN MALE	363	2.75	1000	CH	220220	N	- 1Mv
7A	WEAN MALE	363	2.75	1000	CH	20220	N	- 1Mv
7A	WEAN MALE	363	2.75	1000	CH	70220	N	- 1Mv
7A	WEAN MALE	363	2.75	1000	CH	250320	N	- 1Mv
7A	WEAN MALE	363	2.75	1000	CH	240220	N	- 1Mv
7K	WEAN MALE	350	2.54	890	CH	20420	N	- 1Mv
9	WEAN MALE	320	2.69	860	LM	200220	N	- 1Mv
9	WEAN MALE	320	2.69	860	LM	220220	N	- 1Mv

9	WEAN MALE	320	2.69	860	LM	220220	N	- 1Mv
9	WEAN MALE	320	2.69	860	LM	140320	N	- 1Mv
9	WEAN MALE	320	2.69	860	LM	290120	N	- 1Mv
9A	WEAN MALE	345	2.43	840	LM	250320	N	- 1Mv
9A	WEAN MALE	345	2.43	840	LM	180220	N	- 1Mv
9B	WEAN MALE	296	2.94	870	LM	230120	N	- 1Mv
9B	WEAN MALE	296	2.94	870	LM	120320	N	- 1Mv
9B	WEAN MALE	296	2.94	870	LM	240120	N	- 1Mv
9B	WEAN MALE	296	2.94	870	LM	90320	N	- 1Mv
9B	WEAN MALE	296	2.94	870	LM	160420	N	- 1Mv
9B	WEAN MALE	296	2.94	870	LM	300320	N	- 1Mv
10	WEAN MALE	355	2.51	890	LM	150320	N	- 1Mv
10A	WEAN MALE	293	2.94	860	LM	170320	N	- 1Mv
10A	WEAN MALE	293	2.94	860	LM	290320	N	- 1Mv
10A	WEAN MALE	293	2.94	860	LM	260320	N	- 1Mv
10B	WEAN MALE	253	3.04	770	LM	270420	N	- 1Mv
10B	WEAN MALE	253	3.04	770	LM	180420	N	- 1Mv
10B	WEAN MALE	253	3.04	770	LM	280320	N	- 1Mv
10B	WEAN MALE	253	3.04	770	LM	210420	N	- 1Mv
11	WEAN MALE	425	2.09	890	LM	221119	N	- 1Mv
11	WEAN MALE	425	2.09	890	LM	251119	N	- 1Mv
11A	WEAN MALE	482	1.91	920	BB	241119	N	- 1Mv
11A	WEAN MALE	482	1.91	920	BB	211019	N	- 1Mv
11B	WEAN MALE	430	1.93	830	LM	261019	N	- 1Mv
11C	WEAN MALE	325	1.88	610	SHX	271119	N	- 1Mv
12	WEAN MALE	231	1.39	320	FR	170220	N	- 2Mv
12	WEAN MALE	231	1.39	320	FR	200220	N	- 2Mv
12	WEAN MALE	231	1.39	320	FR	180220	N	- 2Mv
12A	WEAN MALE	196	0.71	140	FR	140320	N	- 2Mv
12A	WEAN MALE	196	0.71	140	JE/JY	180220	N	- 2Mv
12A	WEAN MALE	196	0.71	140	FR	160320	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	200220	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	200220	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	160220	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	90320	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	230220	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	270220	N	- 2Mv
12B	WEAN MALE	222	1.67	370	FR	270420	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	180220	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	240220	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	70320	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	120320	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	110320	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	50320	N	- 2Mv
13A	WEAN MALE	217	1.01	220	FR	210320	N	- 2Mv
14A	WEAN MALE	170	2.53	430	SIM	300620	N	- 1Mv
14B	WEAN MALE	255	1.53	390	FR	270220	N	- 2Mv
14C	WEAN MALE	160	1.31	210	FR	260420	N	- 2Mv
14C	WEAN MALE	160	1.31	210	FR	270420	N	- 2Mv
14D	WEAN MALE	260	0.69	180	JE/JY	190220	N	- 2Mv

14E	WEAN MALE	190	0.95	180	FR	180220	N	- 2Mv
15	WEAN MALE	307	2.54	780	LM	251119	N	- 1Mv
15	WEAN MALE	307	2.54	780	LM	30320	N	- 1Mv
15	WEAN MALE	307	2.54	780	LM	20320	N	- 1Mv
15	WEAN MALE	307	2.54	780	SAX	90120	N	- 1Mv
15	WEAN MALE	307	2.54	780	LM	90120	N	- 1Mv
15	WEAN MALE	307	2.54	780	LM	70120	N	- 1Mv
15A	WEAN MALE	387	2.35	910	SAX	191119	N	- 1Mv
15A	WEAN MALE	387	2.35	910	CH	221119	N	- 1Mv
15A	WEAN MALE	387	2.35	910	LM	120120	N	- 1Mv
15A	WEAN MALE	387	2.35	910	LM	290220	N	- 1Mv
16A	WEAN MALE	270	2.07	560	AA	100220	Y	70+d - 1Mv
16A	WEAN MALE	270	2.07	560	AA	120220	Y	70+d - 1Mv
16A	WEAN MALE	270	2.07	560	AA	210220	Y	70+d - 1Mv
16B	WEAN MALE	232	2.24	520	AA	90220	Y	70+d - 1Mv
16B	WEAN MALE	232	2.24	520	AA	110220	Y	70+d - 1Mv
16B	WEAN MALE	232	2.24	520	AA	150220	Y	70+d - 1Mv
16B	WEAN MALE	232	2.24	520	AA	190220	Y	70+d - 1Mv
16B	WEAN MALE	232	2.24	520	AA	230220	Y	70+d - 1Mv
16C	WEAN MALE	228	2.24	510	AA	210220	Y	70+d - 1Mv
16C	WEAN MALE	228	2.24	510	AA	210220	Y	70+d - 1Mv
16C	WEAN MALE	228	2.24	510	AA	210220	Y	70+d - 1Mv
16C	WEAN MALE	228	2.24	510	AA	10320	Y	70+d - 1Mv
17	WEAN MALE	185	2.27	420	AA	120420	Y	70+d - 1Mv
17	WEAN MALE	185	2.27	420	AA	150420	Y	70+d - 1Mv
17	WEAN MALE	185	2.27	420	AA	250320	Y	70+d - 1Mv
17A	WEAN MALE	198	2.17	430	AA	90320	Y	70+d - 1Mv
17A	WEAN MALE	198	2.17	430	AA	180320	Y	70+d - 1Mv
17A	WEAN MALE	198	2.17	430	AA	10620	Y	70+d - 1Mv
17B	WEAN MALE	212	2.36	500	AA	140420	Y	70+d - 1Mv
17B	WEAN MALE	212	2.36	500	AA	130320	Y	70+d - 1Mv
17B	WEAN MALE	212	2.36	500	AA	120420	Y	70+d - 1Mv
17B	WEAN MALE	212	2.36	500	AA	260320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	30320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	150320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	150320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	200320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	140320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	140320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	220220	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	260220	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	30320	Y	70+d - 1Mv
18A	WEAN MALE	193	2.59	500	HE	150320	Y	70+d - 1Mv
18B	WEAN MALE	171	2.87	490	HE	10420	Y	70+d - 1Mv
18B	WEAN MALE	171	2.87	490	HE	210320	Y	70+d - 1Mv
18B	WEAN MALE	171	2.87	490	HE	170320	Y	70+d - 1Mv
18B	WEAN MALE	171	2.87	490	HE	200320	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	310120	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	230220	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	160220	Y	70+d - 1Mv

18C	WEAN MALE	208	1.73	360	FR	20220	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	100220	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	120220	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	170220	Y	70+d - 1Mv
18C	WEAN MALE	208	1.73	360	FR	50220	Y	70+d - 1Mv
18D	WEAN MALE	192	1.82	350	FR	190220	Y	70+d - 1Mv
18D	WEAN MALE	192	1.82	350	FR	140320	Y	70+d - 1Mv
19B	WEAN MALE	249	2.69	670	HE	150320	Y	70+d - 1Mv
19B	WEAN MALE	249	2.69	670	HE	250220	Y	70+d - 1Mv
19B	WEAN MALE	249	2.69	670	HE	290220	Y	70+d - 1Mv
19B	WEAN MALE	249	2.69	670	HE	40320	Y	70+d - 1Mv
19B	WEAN MALE	249	2.69	670	HE	240320	Y	70+d - 1Mv
19C	WEAN MALE	330	1.88	620	HE	290220	Y	70+d - 1Mv
19E	WEAN MALE	403	2.48	1000	CH	40220	Y	70+d - 1Mv
19E	WEAN MALE	403	2.48	1000	CH	40320	Y	70+d - 1Mv
19E	WEAN MALE	403	2.48	1000	CH	160320	Y	70+d - 1Mv
19E	WEAN MALE	403	2.48	1000	CH	40220	Y	70+d - 1Mv
19E	WEAN MALE	403	2.48	1000	CH	10220	Y	70+d - 1Mv
20A	WEAN MALE	245	1.84	450	FR	190220	Y	70+d - 1Mv
20A	WEAN MALE	245	1.84	450	FR	80220	Y	70+d - 1Mv
20A	WEAN MALE	245	1.84	450	FR	310120	Y	70+d - 1Mv
20A	WEAN MALE	245	1.84	450	FR	250120	Y	70+d - 1Mv
20B	WEAN MALE	241	1.66	400	FR	100220	Y	70+d - 1Mv
20B	WEAN MALE	241	1.66	400	FR	200220	Y	70+d - 1Mv
20B	WEAN MALE	241	1.66	400	FR	70220	Y	70+d - 1Mv
21C	WEAN MALE	251	1.75	440	FR	10220	Y	70+d - 1Mv
21C	WEAN MALE	251	1.75	440	FR	40220	Y	70+d - 1Mv
21C	WEAN MALE	251	1.75	440	FR	70220	Y	70+d - 1Mv
21C	WEAN MALE	251	1.75	440	FR	280120	Y	70+d - 1Mv
21D	WEAN MALE	243	1.69	410	FR	300120	Y	70+d - 1Mv
21D	WEAN MALE	243	1.69	410	FR	40220	Y	70+d - 1Mv
21D	WEAN MALE	243	1.69	410	FR	280120	Y	70+d - 1Mv
21D	WEAN MALE	243	1.69	410	FR	130220	Y	70+d - 1Mv
21E	WEAN MALE	222	1.62	360	FR	50320	Y	70+d - 1Mv
21E	WEAN MALE	222	1.62	360	FR	80220	Y	70+d - 1Mv
22	WEAN MALE	305	1.80	550	AA	180420	N	- 1Mv
22A	WEAN MALE	285	1.75	500	FR	120320	N	- 2Mv
22B	WEAN MALE	275	2.15	590	HE	140320	N	- 2Mv
22C	WEAN MALE	287	2.09	600	HE	40320	N	- 2Mv
22C	WEAN MALE	287	2.09	600	HE	220320	N	- 2Mv
23A	WEAN MALE	256	2.07	530	AA	30220	Y	70+d - 1Mv
23A	WEAN MALE	256	2.07	530	AA	30220	Y	70+d - 1Mv
23A	WEAN MALE	256	2.07	530	AA	30220	Y	70+d - 1Mv
23A	WEAN MALE	256	2.07	530	AA	50220	Y	70+d - 1Mv
23A	WEAN MALE	256	2.07	530	AA	70220	Y	70+d - 1Mv
23A	WEAN MALE	256	2.07	530	AA	80220	Y	70+d - 1Mv
23C	WEAN MALE	207	2.46	510	HE	260320	Y	70+d - 1Mv
23C	WEAN MALE	207	2.46	510	HE	260320	Y	70+d - 1Mv
23D	WEAN MALE	167	2.34	390	AA	200420	Y	70+d - 1Mv
23D	WEAN MALE	167	2.34	390	AA	220420	Y	70+d - 1Mv

24	WEAN MALE	195	2.51	490	AA	120320	Y	70+d - 1Mv
24	WEAN MALE	195	2.51	490	AA	130320	Y	70+d - 1Mv
24	WEAN MALE	195	2.51	490	AA	170320	Y	70+d - 1Mv
24	WEAN MALE	195	2.51	490	AA	160320	Y	70+d - 1Mv
24	WEAN MALE	195	2.51	490	AA	270320	Y	70+d - 1Mv
25	WEAN MALE	175	2.69	470	AA	290320	Y	70+d - 1Mv
25	WEAN MALE	175	2.69	470	AA	180420	Y	70+d - 1Mv
25	WEAN MALE	175	2.69	470	AA	190320	Y	70+d - 1Mv
25	WEAN MALE	175	2.69	470	AA	220220	Y	70+d - 1Mv
25	WEAN MALE	175	2.69	470	AA	190320	Y	70+d - 1Mv
27	WEAN MALE	305	2.07	630	SHX	30320	Y	70+d - 1Mv
27	WEAN MALE	305	2.07	630	SHX	80320	Y	70+d - 1Mv
27A	WEAN MALE	320	1.84	590	SHX	70120	Y	70+d - 1Mv
27B	WEAN MALE	255	2.08	530	SHX	110520	Y	70+d - 1Mv
28	WEAN MALE	423	1.99	840	SIM	310120	Y	70+d - 1Mv
28	WEAN MALE	423	1.99	840	SIM	10220	Y	70+d - 1Mv
28	WEAN MALE	423	1.99	840	SIM	20220	Y	70+d - 1Mv
28	WEAN MALE	423	1.99	840	SIM	30220	Y	70+d - 1Mv
28	WEAN MALE	423	1.99	840	SIM	230120	Y	70+d - 1Mv
28A	WEAN MALE	421	1.90	800	SIM	230120	Y	70+d - 1Mv
28A	WEAN MALE	421	1.90	800	SIM	250320	Y	70+d - 1Mv
28A	WEAN MALE	421	1.90	800	SIM	20220	Y	70+d - 1Mv
29	WEAN MALE	405	2.15	870	SIM	240120	Y	70+d - 1Mv
29	WEAN MALE	405	2.15	870	SIM	110220	Y	70+d - 1Mv
29	WEAN MALE	405	2.15	870	SIM	50220	Y	70+d - 1Mv
29A	WEAN MALE	385	1.97	760	SIM	270120	Y	70+d - 1Mv
29A	WEAN MALE	385	1.97	760	SIM	110220	Y	70+d - 1Mv
29A	WEAN MALE	385	1.97	760	SIM	20220	Y	70+d - 1Mv
29B	WEAN MALE	367	2.04	750	SIM	10320	Y	70+d - 1Mv
29B	WEAN MALE	367	2.04	750	SIM	220220	Y	70+d - 1Mv
32	WEAN MALE	248	2.66	660	LM	190420	Y	- 1Mv
32	WEAN MALE	248	2.66	660	LM	290320	Y	- 1Mv
32	WEAN MALE	248	2.66	660	LM	230320	Y	- 1Mv
32A	WEAN MALE	240	2.42	580	AA	150420	Y	- 1Mv
32A	WEAN MALE	240	2.42	580	AA	150320	Y	- 1Mv
32A	WEAN MALE	240	2.42	580	AA	200220	Y	- 1Mv
32B	WEAN MALE	200	2.90	580	LM	10520	N	- 1Mv
32B	WEAN MALE	200	2.90	580	LM	130420	N	- 1Mv
32C	WEAN MALE	530	1.83	970	AA	100120	Y	70+d - 1Mv
32D	WEAN MALE	410	1.83	750	AA	90120	Y	70+d - 1Mv
33	WEAN MALE	271	1.33	360	FR	80220	Y	70+d - 1Mv
33	WEAN MALE	271	1.33	360	FR	200120	Y	70+d - 1Mv
33	WEAN MALE	271	1.33	360	FR	30220	Y	70+d - 1Mv
33	WEAN MALE	271	1.33	360	FR	210120	Y	70+d - 1Mv
33	WEAN MALE	271	1.33	360	FR	230120	Y	70+d - 1Mv
33	WEAN MALE	271	1.33	360	FR	130220	Y	70+d - 1Mv
33A	WEAN MALE	266	1.43	380	FR	190120	Y	70+d - 1Mv
33A	WEAN MALE	266	1.43	380	FR	270120	Y	70+d - 1Mv
33A	WEAN MALE	266	1.43	380	FR	40220	Y	70+d - 1Mv
33A	WEAN MALE	266	1.43	380	FR	250120	Y	70+d - 1Mv

33A	WEAN MALE	266	1.43	380	FR	30220	Y	70+d - 1Mv
33A	WEAN MALE	266	1.43	380	FR	180220	Y	70+d - 1Mv
34	WEAN MALE	229	1.53	350	FR	210320	Y	70+d - 1Mv
34	WEAN MALE	229	1.53	350	FR	220120	Y	70+d - 1Mv
34	WEAN MALE	229	1.53	350	FR	260220	Y	70+d - 1Mv
34	WEAN MALE	229	1.53	350	FR	220220	Y	70+d - 1Mv
34	WEAN MALE	229	1.53	350	FR	230220	Y	70+d - 1Mv
34	WEAN MALE	229	1.53	350	FR	170320	Y	70+d - 1Mv
34A	WEAN MALE	249	1.37	340	FR	250220	Y	70+d - 1Mv
34A	WEAN MALE	249	1.37	340	FR	120220	Y	70+d - 1Mv
34A	WEAN MALE	249	1.37	340	FR	50220	Y	70+d - 1Mv
34A	WEAN MALE	249	1.37	340	FR	310120	Y	70+d - 1Mv
34A	WEAN MALE	249	1.37	340	FR	160120	Y	70+d - 1Mv
34A	WEAN MALE	249	1.37	340	FR	100220	Y	70+d - 1Mv
35	WEAN MALE	255	1.41	360	FR	70220	Y	70+d - 1Mv
35	WEAN MALE	255	1.41	360	FR	180120	Y	70+d - 1Mv
35	WEAN MALE	255	1.41	360	FR	260120	Y	70+d - 1Mv
35	WEAN MALE	255	1.41	360	FR	290120	Y	70+d - 1Mv
35	WEAN MALE	255	1.41	360	FR	220320	Y	70+d - 1Mv
37	WEAN MALE	435	2.22	965	CH	170220	Y	70+d - 1Mv
38	WEAN MALE	440	1.98	870	LM	180120	Y	70+d - 1Mv
38A	WEAN MALE	410	2.17	890	LM	280120	Y	70+d - 1Mv
38B	WEAN MALE	480	1.98	950	LM	170120	Y	70+d - 1Mv
38C	WEAN MALE	173	2.77	480	HE	110220	Y	70+d - 1Mv
38C	WEAN MALE	173	2.77	480	HE	140320	Y	70+d - 1Mv
38C	WEAN MALE	173	2.77	480	HE	210320	Y	70+d - 1Mv
38D	WEAN MALE	220	2.36	520	HE	230220	Y	70+d - 1Mv
38D	WEAN MALE	220	2.36	520	HE	40220	Y	70+d - 1Mv
38E	WEAN MALE	177	1.41	250	FR	50320	Y	70+d - 1Mv
38E	WEAN MALE	177	1.41	250	FR	120320	Y	70+d - 1Mv
39	WEAN MALE	240	1.63	390	MO	120220	Y	70+d - 1Mv
39	WEAN MALE	240	1.63	390	MO	290120	Y	70+d - 1Mv
39A	WEAN MALE	196	2.45	480	AA	290320	Y	70+d - 1Mv
39A	WEAN MALE	196	2.45	480	AA	160320	Y	70+d - 1Mv
39A	WEAN MALE	196	2.45	480	AA	210320	Y	70+d - 1Mv
39B	WEAN MALE	227	2.11	480	HE	190320	Y	70+d - 1Mv
39B	WEAN MALE	227	2.11	480	HE	270320	Y	70+d - 1Mv
39C	WEAN MALE	237	2.11	500	HE	100320	Y	70+d - 1Mv
39C	WEAN MALE	237	2.11	500	HE	180320	Y	70+d - 1Mv
39D	WEAN MALE	280	1.82	510	NO	280120	Y	70+d - 1Mv
39E	WEAN MALE	245	1.39	340	RW	260120	Y	70+d - 1Mv
39E	WEAN MALE	245	1.39	340		240220	Y	70+d - 1Mv
39H	WEAN MALE	237	1.27	300	FR	20220	Y	70+d - 1Mv
39H	WEAN MALE	237	1.27	300	FR	70220	Y	70+d - 1Mv
39K	WEAN MALE	230	1.91	440	AA	190220	Y	70+d - 1Mv
39K	WEAN MALE	230	1.91	440	AA	160320	Y	70+d - 1Mv
39K	WEAN MALE	230	1.91	440	AA	290320	Y	70+d - 1Mv
40B	WEAN MALE	220	2.64	580	LM	230320	Y	70+d - 2Mv
40B	WEAN MALE	220	2.64	580	LM	260320	Y	70+d - 2Mv
41	WEAN MALE	267	1.95	520	SIM	60220	Y	70+d - 2Mv

41	WEAN MALE	267	1.95	520	SIM	80220	Y	70+d - 2Mv
41A	WEAN MALE	193	2.23	430	AA	190220	Y	70+d - 2Mv
41A	WEAN MALE	193	2.23	430	AA	170220	Y	70+d - 2Mv
41A	WEAN MALE	193	2.23	430	AA	190220	Y	70+d - 2Mv
41A	WEAN MALE	193	2.23	430	AA	190220	Y	70+d - 2Mv
41B	WEAN MALE	237	2.03	480	AA	150220	Y	70+d - 2Mv
41B	WEAN MALE	237	2.03	480	AA	160220	Y	70+d - 2Mv
41C	WEAN MALE	405	1.98	800	CH	90420	N	- 1Mv
41D	WEAN MALE	330	2.18	720	CH	120420	N	- 1Mv
41E	WEAN MALE	265	2.49	660	CH	150420	N	- 1Mv
41H	WEAN MALE	337	2.20	740	CH	110420	N	- 1Mv
41H	WEAN MALE	337	2.20	740	CH	100420	N	- 1Mv
42	WEAN MALE	392	2.17	850	CH	260120	Y	70+d - 1Mv
42	WEAN MALE	392	2.17	850	CH	280120	Y	70+d - 1Mv
42A	WEAN MALE	380	2.11	800	CH	30120	Y	70+d - 1Mv
42A	WEAN MALE	380	2.11	800	CH	20220	Y	70+d - 1Mv
42B	WEAN MALE	380	2.24	850	BB	50120	Y	70+d - 1Mv
42C	WEAN MALE	430	1.98	850	CH	151219	Y	70+d - 1Mv

WEANLING HEIFERS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
400	WEAN FEMALE	255	2.65	675	CH	240320	Y	70+d - 1Mv
400	WEAN FEMALE	255	2.65	675	CH	220320	Y	70+d - 1Mv
400	WEAN FEMALE	255	2.65	675	CH	190320	Y	70+d - 1Mv
400A	WEAN FEMALE	292	2.47	720	CH	10320	Y	70+d - 1Mv
400A	WEAN FEMALE	292	2.47	720	CH	140220	Y	70+d - 1Mv
400B	WEAN FEMALE	278	2.55	710	CH	120320	Y	70+d - 1Mv
400B	WEAN FEMALE	278	2.55	710	CH	100320	Y	70+d - 1Mv
400B	WEAN FEMALE	278	2.55	710	CH	70320	Y	70+d - 1Mv
400C	WEAN FEMALE	267	2.62	700	CH	200320	Y	70+d - 1Mv
400C	WEAN FEMALE	267	2.62	700	CH	220320	Y	70+d - 1Mv
400D	WEAN FEMALE	200	2.80	560	BAX	70320	Y	70+d - 1Mv
401	WEAN FEMALE	320	2.28	730	CH	240220	Y	70+d - 1Mv
401A	WEAN FEMALE	335	2.15	720	CH	30320	Y	70+d - 1Mv
401B	WEAN FEMALE	300	2.03	610	CH	240220	Y	70+d - 1Mv
401C	WEAN FEMALE	350	2.40	840	CH	271119	Y	70+d - 1Mv
401C	WEAN FEMALE	350	2.40	840	CH	241119	Y	70+d - 1Mv
401C	WEAN FEMALE	350	2.40	840	CH	261119	Y	70+d - 1Mv
401C	WEAN FEMALE	350	2.40	840	CH	121219	Y	70+d - 1Mv
402	WEAN FEMALE	375	2.05	770	CH	110220	N	- 1Mv
402	WEAN FEMALE	375	2.05	770	CH	80220	N	- 1Mv
402	WEAN FEMALE	375	2.05	770	CH	40220	N	- 1Mv
402	WEAN FEMALE	375	2.05	770	CH	260220	N	- 1Mv
402A	WEAN FEMALE	292	2.23	650	AU	270320	N	- 1Mv
402A	WEAN FEMALE	292	2.23	650	CH	20220	N	- 1Mv
402B	WEAN FEMALE	350	2.00	700	SIM	200220	N	- 1Mv
402C	WEAN FEMALE	330	2.12	700	CH	260220	N	- 1Mv
403	WEAN FEMALE	390	2.05	800	LM	250319	N	- 2Mv
403	WEAN FEMALE	390	2.05	800	LM	20419	N	- 2Mv
403	WEAN FEMALE	390	2.05	800	LM	241019	N	- 1Mv

403A	WEAN FEMALE	443	2.08	920	LM	20419	N	- 2Mv
403A	WEAN FEMALE	443	2.08	920	LM	50219	N	- 2Mv
403A	WEAN FEMALE	443	2.08	920	LM	240319	N	- 2Mv
403B	WEAN FEMALE	165	1.45	240	HE	140320	N	- 2Mv
405	WEAN FEMALE	340	2.09	710	LM	171219	N	- 1Mv
405A	WEAN FEMALE	390	1.79	700	LM	80919	N	- 1Mv
405B	WEAN FEMALE	380	2.20	835	LM	191019	N	- 1Mv
405C	WEAN FEMALE	380	2.03	770	LM	121119	N	- 1Mv
405D	WEAN FEMALE	295	2.03	600	LM	80919	N	- 1Mv
405E	WEAN FEMALE	285	2.14	610	LM	50320	N	- 1Mv
405E	WEAN FEMALE	285	2.14	610	LM	70320	N	- 1Mv
405E	WEAN FEMALE	285	2.14	610	LM	240420	N	- 1Mv
406	WEAN FEMALE	350	2.20	770	LM	151119	N	- 1Mv
406	WEAN FEMALE	350	2.20	770	LM	171119	N	- 1Mv
406	WEAN FEMALE	350	2.20	770	LM	201119	N	- 1Mv
406	WEAN FEMALE	350	2.20	770	LM	201119	N	- 1Mv
406A	WEAN FEMALE	325	2.03	660	LM	151119	N	- 1Mv
406A	WEAN FEMALE	325	2.03	660	CH	271119	N	- 1Mv
406A	WEAN FEMALE	325	2.03	660	LM	11219	N	- 1Mv
406A	WEAN FEMALE	325	2.03	660	LM	30320	N	- 1Mv
406B	WEAN FEMALE	288	1.98	570	CH	100120	N	- 1Mv
406B	WEAN FEMALE	288	1.98	570	LM	130120	N	- 1Mv
406B	WEAN FEMALE	288	1.98	570	LM	70120	N	- 1Mv
407	WEAN FEMALE	245	1.71	420	HE	40220	Y	70+d - 1Mv
407A	WEAN FEMALE	229	1.83	420	AA	20220	Y	70+d - 1Mv
407A	WEAN FEMALE	229	1.83	420	AA	60220	Y	70+d - 1Mv
407A	WEAN FEMALE	229	1.83	420	AA	80220	Y	70+d - 1Mv
407A	WEAN FEMALE	229	1.83	420	AA	120220	Y	70+d - 1Mv
407A	WEAN FEMALE	229	1.83	420	AA	150220	Y	70+d - 1Mv
408	WEAN FEMALE	415	1.81	750	AA	80519	Y	70+d - 2Mv
408A	WEAN FEMALE	363	1.90	690	AA	60120	Y	70+d - 1Mv
408A	WEAN FEMALE	363	1.90	690	AA	70120	Y	70+d - 1Mv
408A	WEAN FEMALE	363	1.90	690	AA	130120	Y	70+d - 1Mv
408B	WEAN FEMALE	321	1.90	610	AA	220220	Y	70+d - 1Mv
408B	WEAN FEMALE	321	1.90	610	AA	200320	Y	70+d - 1Mv
408B	WEAN FEMALE	321	1.90	610	AA	240320	Y	70+d - 1Mv
408B	WEAN FEMALE	321	1.90	610	AA	110120	Y	70+d - 1Mv
409B	WEAN FEMALE	164	2.20	360	AU	10320	Y	70+d - 2Mv
409B	WEAN FEMALE	164	2.20	360	AU	100320	Y	70+d - 2Mv
409B	WEAN FEMALE	164	2.20	360	AU	30320	Y	70+d - 2Mv
409B	WEAN FEMALE	164	2.20	360	AU	80320	Y	70+d - 2Mv
409B	WEAN FEMALE	164	2.20	360	AU	50320	Y	70+d - 2Mv
409B	WEAN FEMALE	164	2.20	360	AU	70320	Y	70+d - 2Mv
409C	WEAN FEMALE	157	2.17	340	AU	190320	Y	70+d - 2Mv
409C	WEAN FEMALE	157	2.17	340	AU	60320	Y	70+d - 2Mv
409C	WEAN FEMALE	157	2.17	340	AU	180320	Y	70+d - 2Mv
409C	WEAN FEMALE	157	2.17	340	AU	160320	Y	70+d - 2Mv
409C	WEAN FEMALE	157	2.17	340	AU	20320	Y	70+d - 2Mv
410	WEAN FEMALE	230	2.00	460	HE	200220	Y	70+d - 1Mv
410	WEAN FEMALE	230	2.00	460	HE	10320	Y	70+d - 1Mv

410	WEAN FEMALE	230	2.00	460	HE	200320	Y	70+d - 1Mv
410A	WEAN FEMALE	370	2.08	770	CH	250220	Y	70+d - 1Mv
410B	WEAN FEMALE	235	2.60	610	LM	200420	Y	70+d - 1Mv
411	WEAN FEMALE	300	2.20	660	CH	100420	N	- 1Mv
411A	WEAN FEMALE	205	3.07	630	CH	160620	N	- 1Mv
411B	WEAN FEMALE	230	2.30	530	HE	180320	N	- 2Mv
411B	WEAN FEMALE	230	2.30	530	HE	170320	N	- 2Mv
411B	WEAN FEMALE	230	2.30	530	HE	210320	N	- 2Mv
411B	WEAN FEMALE	230	2.30	530	HE	210320	N	- 2Mv
411C	WEAN FEMALE	227	2.29	520	HE	180320	N	- 2Mv
411C	WEAN FEMALE	227	2.29	520	HE	170320	N	- 2Mv