

## WEANLING BULLS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
1	WEAN MALE	325	1.94	630	HE	190320	Y	70+d - 2Mv
1A	WEAN MALE	320	1.97	630	HE	50320	Y	70+d - 2Mv
1B	WEAN MALE	280	2.11	590	HE	100420	Y	70+d - 1Mv
1B	WEAN MALE	280	2.11	590	HE	120420	Y	70+d - 1Mv
1B	WEAN MALE	280	2.11	590	HE	140320	Y	70+d - 2Mv
1C	WEAN MALE	307	1.95	600	SAX	200320	N	- 1Mv
1C	WEAN MALE	307	1.95	600	SAX	60320	N	- 1Mv
2B	WEAN MALE	326	2.55	830	LM	140320	Y	70+d - 1Mv
2B	WEAN MALE	326	2.55	830	LM	230220	Y	70+d - 1Mv
2C	WEAN MALE	354	2.26	800	LM	80220	Y	70+d - 1Mv
2C	WEAN MALE	354	2.26	800	LM	150220	Y	70+d - 1Mv
2C	WEAN MALE	354	2.26	800	LM	160220	Y	70+d - 1Mv
2C	WEAN MALE	354	2.26	800	LM	230220	Y	70+d - 1Mv
2C	WEAN MALE	354	2.26	800	LM	60320	Y	70+d - 1Mv
2D	WEAN MALE	310	2.29	710	LM	270320	Y	70+d - 1Mv
2D	WEAN MALE	310	2.29	710	LM	30320	Y	70+d - 1Mv
3D	WEAN MALE	253	3.00	760	LM	220220	Y	70+d - 1Mv
3D	WEAN MALE	253	3.00	760	LM	20420	Y	70+d - 1Mv
3D	WEAN MALE	253	3.00	760	LM	130420	Y	70+d - 1Mv
3D	WEAN MALE	253	3.00	760	LM	150420	Y	70+d - 1Mv
3E	WEAN MALE	335	2.33	780	LM	70220	Y	70+d - 1Mv
3E	WEAN MALE	335	2.33	780	LM	250220	Y	70+d - 1Mv
3E	WEAN MALE	335	2.33	780	LM	20320	Y	70+d - 1Mv
3E	WEAN MALE	335	2.33	780	LM	200320	Y	70+d - 1Mv
3H	WEAN MALE	270	2.41	650	LM	180320	Y	70+d - 1Mv
4	WEAN MALE	430	1.95	840	CH	190120	Y	70+d - 1Mv
4A	WEAN MALE	385	1.77	680	LM	190220	Y	70+d - 1Mv
4B	WEAN MALE	335	2.06	690	CH	40420	Y	70+d - 1Mv
5	WEAN MALE	227	1.72	390	FR	230220	Y	70+d - 2Mv
5	WEAN MALE	227	1.72	390	FR	220220	Y	70+d - 2Mv
5A	WEAN MALE	205	1.90	390	AA	160320	Y	70+d - 2Mv
5B	WEAN MALE	330	2.15	710	SIM	290220	Y	70+d - 1Mv
5B	WEAN MALE	330	2.15	710	SIM	80320	Y	70+d - 1Mv
5C	WEAN MALE	360	2.08	750	SIM	40320	Y	70+d - 1Mv
6	WEAN MALE	381	2.26	860	LM	280220	Y	70+d - 1Mv
6	WEAN MALE	381	2.26	860	LM	280220	Y	70+d - 1Mv
6	WEAN MALE	381	2.26	860	LM	80320	Y	70+d - 1Mv
6A	WEAN MALE	445	2.25	1000	LM	20120	Y	70+d - 1Mv
6A	WEAN MALE	445	2.25	1000	LM	261219	Y	70+d - 1Mv
6B	WEAN MALE	450	1.82	820	LM	231219	Y	70+d - 1Mv
6B	WEAN MALE	450	1.82	820	LM	301219	Y	70+d - 1Mv
6C	WEAN MALE	455	2.09	950	LM	211119	Y	35d - 1Mv
6D	WEAN MALE	415	2.17	900	LM	250220	Y	70+d - 1Mv
7	WEAN MALE	325	2.43	790	CH	230320	N	- 1Mv
7	WEAN MALE	325	2.43	790	CH	180420	N	- 1Mv
7	WEAN MALE	325	2.43	790	CH	230320	N	- 1Mv
7A	WEAN MALE	345	1.86	640	CH	260120	N	- 1Mv

7A	WEAN MALE	345	1.86	640	AA	260120	N	- 1Mv
8	WEAN MALE	320	1.91	610	AA	70120	Y	70+d - 1Mv
8	WEAN MALE	320	1.91	610	AA	90120	Y	70+d - 1Mv
8A	WEAN MALE	347	1.73	600	FR	181219	Y	70+d - 1Mv
8A	WEAN MALE	347	1.73	600	FR	151219	Y	70+d - 1Mv
8B	WEAN MALE	297	1.80	535	FR	181219	Y	70+d - 1Mv
8B	WEAN MALE	297	1.80	535	FR	291219	Y	70+d - 1Mv
9	WEAN MALE	317	2.15	680	CH	100420	N	- 1Mv
9	WEAN MALE	317	2.15	680	CH	80320	N	- 1Mv
9A	WEAN MALE	315	2.22	700	CH	80320	N	- 1Mv
9A	WEAN MALE	315	2.22	700	CH	130320	N	- 1Mv
9B	WEAN MALE	420	1.95	820	CH	120320	N	- 1Mv
10	WEAN MALE	422	2.04	860	CH	150120	N	- 1Mv
10	WEAN MALE	422	2.04	860	CH	160120	N	- 1Mv
10A	WEAN MALE	345	2.61	900	CH	50320	N	- 1Mv
10B	WEAN MALE	307	2.54	780	CH	100320	N	- 1Mv
10B	WEAN MALE	307	2.54	780	CH	130420	N	- 1Mv
10C	WEAN MALE	365	1.84	670	CH	170120	N	- 2Mv
10D	WEAN MALE	440	1.95	860	CH	290120	N	- 1Mv
10E	WEAN MALE	360	2.00	720	LM	130220	N	- 2Mv
10H	WEAN MALE	230	2.78	640	HE	150420	N	- 1Mv
10K	WEAN MALE	200	3.15	630	LM	160420	N	- 1Mv
10L	WEAN MALE	235	2.47	580	HE	220420	N	- 1Mv
11A	WEAN MALE	272	2.21	600	HE	140420	N	- 2Mv
11A	WEAN MALE	272	2.21	600	HE	150420	N	- 2Mv
11B	WEAN MALE	245	2.61	640	LM	120320	N	- 2Mv
11B	WEAN MALE	245	2.61	640	LM	70320	N	- 2Mv
12	WEAN MALE	360	2.19	790	LM	180220	Y	70+d - 1Mv
12	WEAN MALE	360	2.19	790	LM	160120	Y	70+d - 1Mv
12A	WEAN MALE	385	2.23	860	LM	20120	Y	70+d - 1Mv
12B	WEAN MALE	415	1.90	790	LM	120220	Y	70+d - 1Mv
12C	WEAN MALE	310	2.77	860	LM	270220	Y	70+d - 1Mv
12C	WEAN MALE	310	2.77	860	LM	130220	Y	70+d - 1Mv
12D	WEAN MALE	276	2.50	690	LM	40420	Y	- 1Mv
12D	WEAN MALE	276	2.50	690	LM	180420	Y	- 1Mv
12D	WEAN MALE	276	2.50	690	LM	10320	Y	- 1Mv
13A	WEAN MALE	425	2.45	1040	CH	90320	Y	70+d - 1Mv
13A	WEAN MALE	425	2.45	1040	CH	70320	Y	70+d - 1Mv
13A	WEAN MALE	425	2.45	1040	CH	70320	Y	70+d - 1Mv
13A	WEAN MALE	425	2.45	1040	CH	60320	Y	70+d - 1Mv
13B	WEAN MALE	313	2.56	800	CH	210420	Y	70+d - 1Mv
13B	WEAN MALE	313	2.56	800	CH	220420	Y	70+d - 1Mv
13B	WEAN MALE	313	2.56	800	CH	220420	Y	70+d - 1Mv
13C	WEAN MALE	337	2.70	910	LM	20320	N	- 1Mv
13C	WEAN MALE	337	2.70	910	LM	20320	N	- 1Mv
14A	WEAN MALE	342	2.49	850	CH	290320	N	- 2Mv
14A	WEAN MALE	342	2.49	850	CH	120420	N	- 2Mv
14A	WEAN MALE	342	2.49	850	SIM	130220	N	- 2Mv
14A	WEAN MALE	342	2.49	850	CH	130420	N	- 2Mv
14A	WEAN MALE	342	2.49	850	CH	160220	N	- 2Mv

14A	WEAN MALE	342	2.49	850	CH	220220	N	- 2Mv
14A	WEAN MALE	342	2.49	850	CH	80320	N	- 2Mv
14B	WEAN MALE	333	2.55	850	CH	130320	N	- 2Mv
14B	WEAN MALE	333	2.55	850	LM	161219	N	- 2Mv
14B	WEAN MALE	333	2.55	850	CH	10320	N	- 2Mv
14B	WEAN MALE	333	2.55	850	CH	20320	N	- 2Mv
14B	WEAN MALE	333	2.55	850	CH	40320	N	- 2Mv
15C	WEAN MALE	338	2.46	830	LM	210320	N	- 2Mv
15C	WEAN MALE	338	2.46	830	LM	20120	N	- 2Mv
15C	WEAN MALE	338	2.46	830	LM	120320	N	- 2Mv
15C	WEAN MALE	338	2.46	830	LM	20220	N	- 2Mv
15D	WEAN MALE	328	2.53	830	LM	50320	N	- 2Mv
15D	WEAN MALE	328	2.53	830	LM	290120	N	- 2Mv
15D	WEAN MALE	328	2.53	830	LM	201219	N	- 2Mv
15D	WEAN MALE	328	2.53	830	LM	160420	N	- 2Mv
15D	WEAN MALE	328	2.53	830	LM	280420	N	- 2Mv
15D	WEAN MALE	328	2.53	830	LM	150220	N	- 2Mv
16	WEAN MALE	280	3.14	880	CH	50320	Y	70+d - 1Mv
16A	WEAN MALE	328	2.50	820	CH	220320	Y	70+d - 1Mv
16A	WEAN MALE	328	2.50	820	CH	120520	Y	70+d - 1Mv
16A	WEAN MALE	328	2.50	820	CH	140320	Y	70+d - 1Mv
16B	WEAN MALE	300	2.53	760	CH	220320	Y	70+d - 1Mv
16B	WEAN MALE	300	2.53	760	CH	20420	Y	70+d - 1Mv
17	WEAN MALE	325	2.43	790	LM	60320	Y	70+d - 1Mv
17	WEAN MALE	325	2.43	790	LM	200320	Y	70+d - 1Mv
17	WEAN MALE	325	2.43	790	LM	10420	Y	70+d - 1Mv
17	WEAN MALE	325	2.43	790	LM	80320	Y	70+d - 1Mv
17A	WEAN MALE	305	2.36	720	LM	100320	Y	70+d - 1Mv
17A	WEAN MALE	305	2.36	720	LM	60320	Y	70+d - 1Mv
17B	WEAN MALE	275	2.40	660	LM	240320	Y	70+d - 1Mv
17C	WEAN MALE	320	2.19	700	LM	280320	Y	70+d - 1Mv
17D	WEAN MALE	330	1.91	630	HE	70320	Y	70+d - 2Mv
17D	WEAN MALE	330	1.91	630	HE	290220	Y	70+d - 2Mv
18	WEAN MALE	380	2.37	900	CH	150420	N	- 1Mv
19	WEAN MALE	470	2.15	1010	CH	100320	Y	70+d - 1Mv
19A	WEAN MALE	435	2.21	960	CH	180320	Y	70+d - 1Mv
19A	WEAN MALE	435	2.21	960	CH	180320	Y	70+d - 1Mv
19B	WEAN MALE	394	2.23	880	CH	310320	Y	70+d - 1Mv
19B	WEAN MALE	394	2.23	880	CH	300320	Y	70+d - 1Mv
19B	WEAN MALE	394	2.23	880	CH	300320	Y	70+d - 1Mv
19B	WEAN MALE	394	2.23	880	CH	290320	Y	70+d - 1Mv
19B	WEAN MALE	394	2.23	880	CH	100320	Y	70+d - 1Mv
19C	WEAN MALE	417	1.99	830	SAX	90320	Y	70+d - 1Mv
19C	WEAN MALE	417	1.99	830	CH	100320	Y	70+d - 1Mv
19D	WEAN MALE	298	2.38	710	CH	10420	Y	70+d - 1Mv
19D	WEAN MALE	298	2.38	710	CH	10420	Y	70+d - 1Mv
19D	WEAN MALE	298	2.38	710	SA	90320	Y	70+d - 1Mv
19E	WEAN MALE	270	2.52	680	SAX	290320	N	- 1Mv
19H	WEAN MALE	280	2.43	680	SAX	300320	N	- 1Mv
19K	WEAN MALE	230	2.04	470	SAX	60520	N	- 1Mv

20A	WEAN MALE	427	2.46	1050	LM	270220	Y	70+d - 1Mv
20A	WEAN MALE	427	2.46	1050	LM	190320	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	210320	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	260320	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	270220	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	300320	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	110220	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	110220	Y	70+d - 1Mv
20B	WEAN MALE	345	2.70	930	LM	250420	Y	70+d - 1Mv
21C	WEAN MALE	312	2.85	890	LM	40320	Y	70+d - 1Mv
21C	WEAN MALE	312	2.85	890	LM	260420	Y	70+d - 1Mv
21C	WEAN MALE	312	2.85	890	LM	50320	Y	70+d - 1Mv
21C	WEAN MALE	312	2.85	890	LM	220320	Y	70+d - 1Mv
21C	WEAN MALE	312	2.85	890	LM	190320	Y	70+d - 1Mv
21C	WEAN MALE	312	2.85	890	LM	240320	Y	70+d - 1Mv
21D	WEAN MALE	299	2.91	870	LM	240420	Y	70+d - 1Mv
21D	WEAN MALE	299	2.91	870	LM	290220	Y	70+d - 1Mv
21D	WEAN MALE	299	2.91	870	LM	230420	Y	70+d - 1Mv
21D	WEAN MALE	299	2.91	870	LM	220420	Y	70+d - 1Mv
21D	WEAN MALE	299	2.91	870	LM	270420	Y	70+d - 1Mv
21D	WEAN MALE	299	2.91	870	LM	280320	Y	70+d - 1Mv
22	WEAN MALE	400	2.58	1030	LM	30320	Y	70+d - 1Mv
22	WEAN MALE	400	2.58	1030	LM	30320	Y	70+d - 1Mv
22	WEAN MALE	400	2.58	1030	LM	10320	Y	70+d - 1Mv
22A	WEAN MALE	370	2.22	820	LM	180320	Y	70+d - 1Mv
22A	WEAN MALE	370	2.22	820	LM	80320	Y	70+d - 1Mv
22B	WEAN MALE	380	2.08	790	LM	180320	Y	70+d - 1Mv
22B	WEAN MALE	380	2.08	790	LM	50320	Y	70+d - 1Mv
22C	WEAN MALE	395	2.08	820	LM	80320	Y	70+d - 1Mv
22D	WEAN MALE	265	2.00	530	LM	200420	Y	70+d - 1Mv
23	WEAN MALE	565	1.91	1080	CH	100719	N	- 1Mv
23A	WEAN MALE	545	1.94	1060	CH	150819	N	- 1Mv
23B	WEAN MALE	415	1.98	820	CH	270220	N	- 1Mv
23C	WEAN MALE	262	2.44	640	CH	100620	N	- 1Mv
23C	WEAN MALE	262	2.44	640	CH	30420	N	- 1Mv
23D	WEAN MALE	387	2.20	850	CH	270220	N	- 1Mv
23D	WEAN MALE	387	2.20	850	CH	270220	N	- 1Mv
24	WEAN MALE	375	2.11	790	CH	140320	N	- 1Mv
24	WEAN MALE	375	2.11	790	CH	270220	N	- 1Mv
24A	WEAN MALE	367	2.10	770	CH	140320	N	- 1Mv
24A	WEAN MALE	367	2.10	770	CH	280220	N	- 1Mv
24B	WEAN MALE	353	2.35	830	CH	140320	N	- 1Mv
24B	WEAN MALE	353	2.35	830	CH	140320	N	- 1Mv
24B	WEAN MALE	353	2.35	830	CH	160320	N	- 1Mv
25	WEAN MALE	352	2.44	860	LM	10420	N	- 1Mv
25	WEAN MALE	352	2.44	860	LM	300320	N	- 1Mv
25A	WEAN MALE	285	2.49	710	LM	280320	N	- 1Mv
26B	WEAN MALE	240	1.71	410	FR	40220	Y	70+d - 1Mv
26B	WEAN MALE	240	1.71	410	FR	20220	Y	70+d - 1Mv
26B	WEAN MALE	240	1.71	410	FR	130220	Y	70+d - 1Mv

26B	WEAN MALE	240	1.71	410	FR	110220	Y	70+d - 1Mv
26C	WEAN MALE	233	1.63	380	FR	30220	Y	70+d - 1Mv
26C	WEAN MALE	233	1.63	380	FR	60220	Y	70+d - 1Mv
26C	WEAN MALE	233	1.63	380	FR	210220	Y	70+d - 1Mv
26C	WEAN MALE	233	1.63	380	FR	180220	Y	70+d - 1Mv
27	WEAN MALE	420	2.45	1030	CH	60320	N	- 1Mv
27A	WEAN MALE	395	2.20	870	CH	120320	N	- 1Mv
27B	WEAN MALE	325	2.62	850	CH	50520	N	- 1Mv
27C	WEAN MALE	365	2.33	850	CH	100320	N	- 1Mv
28	WEAN MALE	318	2.58	820	CH	230420	N	- 1Mv
28	WEAN MALE	318	2.58	820	CH	120420	N	- 1Mv
28	WEAN MALE	318	2.58	820	CH	100420	N	- 1Mv
28	WEAN MALE	318	2.58	820	CH	20420	N	- 1Mv
28	WEAN MALE	318	2.58	820	CH	120320	N	- 1Mv
28A	WEAN MALE	303	2.48	750	CH	140420	N	- 1Mv
28A	WEAN MALE	303	2.48	750	CH	60420	N	- 1Mv
28A	WEAN MALE	303	2.48	750	CH	270420	N	- 1Mv
29	WEAN MALE	180	2.17	390	AA	280320	Y	70+d - 1Mv
29	WEAN MALE	180	2.17	390	AA	10420	Y	70+d - 1Mv
29	WEAN MALE	180	2.17	390	AA	200320	Y	70+d - 1Mv
29	WEAN MALE	180	2.17	390	AA	200320	Y	70+d - 1Mv
30	WEAN MALE	360	2.31	830	LM	220220	Y	70+d - 1Mv
30	WEAN MALE	360	2.31	830	LM	110120	Y	70+d - 1Mv
30A	WEAN MALE	315	2.41	760	LM	130120	Y	70+d - 1Mv
30A	WEAN MALE	315	2.41	760	LM	220320	Y	70+d - 1Mv
30B	WEAN MALE	285	2.60	740	LM	50320	Y	70+d - 1Mv
30B	WEAN MALE	285	2.60	740	LM	40120	Y	70+d - 1Mv
30B	WEAN MALE	285	2.60	740	LM	60320	Y	70+d - 1Mv
30B	WEAN MALE	285	2.60	740	LM	150320	Y	70+d - 1Mv
30C	WEAN MALE	227	3.00	680	LM	230420	Y	70+d - 1Mv
30C	WEAN MALE	227	3.00	680	LM	150420	Y	70+d - 1Mv
30D	WEAN MALE	365	2.27	830	LM	20120	Y	70+d - 1Mv
31	WEAN MALE	385	1.79	690	BB	160120	N	- 2Mv
31A	WEAN MALE	335	1.85	620	AU	290120	N	- 2Mv
31B	WEAN MALE	172	2.44	420	HE	160520	Y	70+d - 1Mv
31B	WEAN MALE	172	2.44	420	HE	260420	Y	70+d - 1Mv
31C	WEAN MALE	190	2.16	410	LM	150520	Y	70+d - 1Mv
31C	WEAN MALE	190	2.16	410	HE	70420	Y	70+d - 1Mv
32	WEAN MALE	340	1.97	670	SAX	211119	N	- 1Mv
32	WEAN MALE	340	1.97	670	SAX	201119	N	- 1Mv
32A	WEAN MALE	342	1.96	670	SAX	181119	N	- 1Mv
32A	WEAN MALE	342	1.96	670	SAX	200120	N	- 1Mv
32B	WEAN MALE	325	1.97	640	SAX	300120	N	- 1Mv
32B	WEAN MALE	325	1.97	640	SAX	260120	N	- 1Mv
32C	WEAN MALE	422	2.13	900	LM	170220	Y	70+d - 1Mv
32C	WEAN MALE	422	2.13	900	LM	180220	Y	70+d - 1Mv
33	WEAN MALE	265	2.45	650	LM	280220	Y	70+d - 1Mv
33	WEAN MALE	265	2.45	650	LM	250220	Y	70+d - 1Mv
33	WEAN MALE	265	2.45	650	LM	100220	Y	70+d - 1Mv
33A	WEAN MALE	315	2.48	780	LM	40220	Y	70+d - 1Mv

33A	WEAN MALE	315	2.48	780	LM	70220	Y	70+d - 1Mv
33A	WEAN MALE	315	2.48	780	LM	10120	Y	70+d - 1Mv
34	WEAN MALE	535	2.00	1070	CH	111219	Y	70+d - 1Mv
34A	WEAN MALE	430	2.16	930	CH	151219	Y	70+d - 1Mv
34B	WEAN MALE	470	2.17	1020	CH	101219	Y	70+d - 1Mv
34C	WEAN MALE	480	2.15	1030	CH	81219	Y	70+d - 1Mv
34D	WEAN MALE	450	2.11	950	CH	71219	Y	70+d - 1Mv
34E	WEAN MALE	500	1.88	940	CH	70819	Y	70+d - 1Mv
35	WEAN MALE	307	2.35	720	LM	50420	N	- 1Mv
35	WEAN MALE	307	2.35	720	LM	40420	N	- 1Mv
35A	WEAN MALE	325	2.49	810	LM	10420	N	- 1Mv
35B	WEAN MALE	310	2.23	690	LM	10420	N	- 1Mv
37	WEAN MALE	231	1.39	320	FR	150220	Y	70+d - 1Mv
37	WEAN MALE	231	1.39	320	FR	100320	Y	70+d - 1Mv
37	WEAN MALE	231	1.39	320	FR	90220	Y	70+d - 1Mv
37	WEAN MALE	231	1.39	320	FR	170220	Y	7d - 1Mv
37A	WEAN MALE	198	1.67	330	FR	80320	Y	70+d - 1Mv
37A	WEAN MALE	198	1.67	330	FR	120220	Y	70+d - 1Mv
37A	WEAN MALE	198	1.67	330	FR	80320	Y	70+d - 1Mv
37A	WEAN MALE	198	1.67	330	FR	80320	Y	70+d - 1Mv
37A	WEAN MALE	198	1.67	330	FR	300320	Y	70+d - 1Mv
38	WEAN MALE	230	1.39	320	FR	30220	Y	70+d - 1Mv
38	WEAN MALE	230	1.39	320	FR	280220	Y	70+d - 1Mv
38	WEAN MALE	230	1.39	320	FR	80320	Y	70+d - 1Mv
38	WEAN MALE	230	1.39	320	FR	40220	Y	70+d - 1Mv
38A	WEAN MALE	177	1.41	250	FR	130320	Y	70+d - 1Mv
38A	WEAN MALE	177	1.41	250	FR	20420	Y	70+d - 1Mv
38B	WEAN MALE	225	1.51	340	FR	160320	Y	70+d - 1Mv
39A	WEAN MALE	320	2.41	770	LM	200220	N	- 1Mv

### WEANLING HEIFERS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
400	WEAN FEMALE	315	1.94	610	SAX	200320	N	- 1Mv
400	WEAN FEMALE	315	1.94	610	SAX	70320	N	- 1Mv
400A	WEAN FEMALE	325	1.97	640	SAX	60320	N	- 1Mv
400A	WEAN FEMALE	325	1.97	640	SAX	60320	N	- 1Mv
400B	WEAN FEMALE	295	1.76	520	SHX	70320	N	- 1Mv
400C	WEAN FEMALE	336	2.02	680	CH	200220	Y	70+d - 1Mv
400C	WEAN FEMALE	336	2.02	680	CH	140120	Y	70+d - 1Mv
400C	WEAN FEMALE	336	2.02	680	CH	100120	Y	70+d - 1Mv
400C	WEAN FEMALE	336	2.02	680	CH	210220	Y	70+d - 1Mv
400D	WEAN FEMALE	450	1.67	750	AA	281019	Y	70+d - 1Mv
400E	WEAN FEMALE	270	1.81	490	AA	140220	Y	70+d - 2Mv
401	WEAN FEMALE	397	2.02	800	LM	200320	N	- 1Mv
401	WEAN FEMALE	397	2.02	800	LM	180320	N	- 1Mv
401A	WEAN FEMALE	281	1.96	550	SIM	180320	N	- 2Mv
401A	WEAN FEMALE	281	1.96	550	SIM	260220	N	- 2Mv
401A	WEAN FEMALE	281	1.96	550	SIM	70320	N	- 2Mv
401B	WEAN FEMALE	325	1.97	640	LM	230320	N	- 2Mv
401B	WEAN FEMALE	325	1.97	640	LM	250320	N	- 1Mv

401C	WEAN FEMALE	280	2.00	560	LM	240320	N	- 1Mv
401C	WEAN FEMALE	280	2.00	560	LM	290420	N	- 2Mv
401D	WEAN FEMALE	233	2.45	570	LM	30420	N	- 1Mv
401D	WEAN FEMALE	233	2.45	570	LM	310320	N	- 1Mv
401D	WEAN FEMALE	233	2.45	570	LM	30320	N	- 2Mv
402	WEAN FEMALE	230	2.57	590	LM	101119	Y	70+d - 1Mv
402	WEAN FEMALE	230	2.57	590	LM	301019	Y	70+d - 1Mv
402A	WEAN FEMALE	331	2.33	770	CH	250320	N	- 1Mv
402A	WEAN FEMALE	331	2.33	770	CH	260120	N	- 1Mv
402A	WEAN FEMALE	331	2.33	770	CH	240320	N	- 1Mv
402A	WEAN FEMALE	331	2.33	770	CH	250320	N	- 1Mv
402B	WEAN FEMALE	270	2.04	550	CH	180420	N	- 1Mv
402C	WEAN FEMALE	240	1.88	450	AA	270220	N	- 2Mv
402C	WEAN FEMALE	240	1.88	450	AA	50320	N	- 2Mv
403	WEAN FEMALE	295	2.41	710	CH	240220	N	- 1Mv
403A	WEAN FEMALE	255	2.31	590	LM	90420	N	- 1Mv
403B	WEAN FEMALE	310	1.55	480	LM	240220	N	- 1Mv
403C	WEAN FEMALE	411	2.00	820	SIM	240120	Y	70+d - 1Mv
403C	WEAN FEMALE	411	2.00	820	SIM	30220	Y	70+d - 1Mv
403C	WEAN FEMALE	411	2.00	820	SIM	220120	Y	70+d - 1Mv
403D	WEAN FEMALE	378	2.17	820	SIM	30220	Y	70+d - 1Mv
403D	WEAN FEMALE	378	2.17	820	SIM	40220	Y	70+d - 1Mv
403D	WEAN FEMALE	378	2.17	820	SIM	220120	Y	70+d - 1Mv
404	WEAN FEMALE	392	2.27	890	CH	70320	Y	70+d - 1Mv
404	WEAN FEMALE	392	2.27	890	CH	70320	Y	70+d - 1Mv
405	WEAN FEMALE	393	2.06	810	LM	80419	Y	70+d - 1Mv
405	WEAN FEMALE	393	2.06	810	LM	200519	Y	70+d - 1Mv
405	WEAN FEMALE	393	2.06	810	LM	120719	Y	70+d - 1Mv
405A	WEAN FEMALE	255	2.39	610	LM	20320	Y	70+d - 1Mv
405A	WEAN FEMALE	255	2.39	610	LM	260220	Y	70+d - 1Mv
405B	WEAN FEMALE	290	1.97	570	LM	10220	Y	70+d - 1Mv
405B	WEAN FEMALE	290	1.97	570	LM	100220	Y	70+d - 1Mv
406	WEAN FEMALE	220	2.45	540	SAX	60520	N	- 1Mv
407	WEAN FEMALE	303	2.54	770	CH	140420	Y	70+d - 1Mv
407	WEAN FEMALE	303	2.54	770	CH	280320	Y	70+d - 1Mv
407	WEAN FEMALE	303	2.54	770	CH	80320	Y	70+d - 1Mv
407A	WEAN FEMALE	312	1.96	610	LM	80320	Y	70+d - 1Mv
407A	WEAN FEMALE	312	1.96	610	LM	10320	Y	70+d - 1Mv
407B	WEAN FEMALE	340	2.09	710	LM	70320	Y	70+d - 1Mv
407B	WEAN FEMALE	340	2.09	710	LM	70320	Y	70+d - 1Mv
407C	WEAN FEMALE	340	2.26	770	LM	290320	Y	70+d - 1Mv
407C	WEAN FEMALE	340	2.26	770	LM	50320	Y	70+d - 1Mv
408	WEAN FEMALE	290	1.93	560	AA	10420	N	- 1Mv
408	WEAN FEMALE	290	1.93	560	AA	160320	N	- 1Mv
408A	WEAN FEMALE	335	2.15	720	CH	280220	N	- 1Mv
408B	WEAN FEMALE	235	2.68	630	LM	120520	N	- 1Mv
408B	WEAN FEMALE	235	2.68	630	LM	80420	N	- 1Mv
408D	WEAN FEMALE	305	2.49	760	LM	300320	N	- 1Mv
408E	WEAN FEMALE	410	2.17	890	LM	280819	N	- 1Mv
409A	WEAN FEMALE	332	2.41	800	CH	140320	Y	70+d - 1Mv

409A	WEAN FEMALE	332	2.41	800	CH	80320	Y	70+d - 1Mv
409B	WEAN FEMALE	287	2.72	780	CH	100320	Y	70+d - 1Mv
409B	WEAN FEMALE	287	2.72	780	CH	280320	Y	70+d - 1Mv
409B	WEAN FEMALE	287	2.72	780	CH	70420	Y	70+d - 1Mv
409B	WEAN FEMALE	287	2.72	780	CH	250220	Y	70+d - 1Mv
409B	WEAN FEMALE	287	2.72	780	CH	280320	Y	70+d - 1Mv
410	WEAN FEMALE	311	2.41	750	LM	50120	Y	70+d - 1Mv
410	WEAN FEMALE	311	2.41	750	LM	60120	Y	70+d - 1Mv
410	WEAN FEMALE	311	2.41	750	LM	160120	Y	70+d - 1Mv
410A	WEAN FEMALE	245	2.24	550	LM	80420	Y	70+d - 1Mv
410A	WEAN FEMALE	245	2.24	550	LM	150120	Y	70+d - 1Mv
410B	WEAN FEMALE	290	2.07	600	LM	100120	Y	70+d - 1Mv
410C	WEAN FEMALE	165	2.73	450	LM	60220	Y	70+d - 1Mv
410D	WEAN FEMALE	318	2.45	780	CH	120220	N	- 1Mv
410D	WEAN FEMALE	318	2.45	780	CH	80220	N	- 1Mv
410D	WEAN FEMALE	318	2.45	780	CH	30320	N	- 1Mv
410E	WEAN FEMALE	375	2.03	760	CH	100220	N	- 1Mv
411	WEAN FEMALE	188	2.29	430	LM	230420	Y	70+d - 1Mv
411	WEAN FEMALE	188	2.29	430	LM	210420	Y	70+d - 1Mv
411	WEAN FEMALE	188	2.29	430	LM	260420	Y	70+d - 1Mv
411	WEAN FEMALE	188	2.29	430	LM	200320	Y	70+d - 1Mv
411	WEAN FEMALE	188	2.29	430	LM	290420	Y	70+d - 1Mv
412	WEAN FEMALE	332	2.11	700	SAX	221119	N	- 1Mv
412	WEAN FEMALE	332	2.11	700	SAX	231119	N	- 1Mv
412A	WEAN FEMALE	330	1.82	600	SAX	251119	N	- 1Mv
412A	WEAN FEMALE	330	1.82	600	SAX	191119	N	- 1Mv
412B	WEAN FEMALE	272	1.80	490	SAX	230120	N	- 1Mv
412B	WEAN FEMALE	272	1.80	490	SAX	250120	N	- 1Mv
412C	WEAN FEMALE	300	2.03	610	SAX	260120	N	- 1Mv
412D	WEAN FEMALE	355	1.97	700	SAX	271219	N	- 1Mv
413	WEAN FEMALE	220	2.59	570	LM	120520	N	- 1Mv
413A	WEAN FEMALE	255	1.92	490	LM	110420	N	- 1Mv
413B	WEAN FEMALE	290	2.00	580	LM	250220	N	- 1Mv