

CALVES								
LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
207	F CALF			280	LM	210720	Y	70+d - 1Mv
208	M CALF			200	FR	210720	Y	70+d - 1Mv
209	M CALF			120	FR	200820	Y	62d - 1Mv
210	M CALF			110	FR	80920	Y	43d - 1Mv
211	F CALF			380	CH	120920	Y	39d - 1Mv
WEANLING BULLS								
LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
1	WEAN MALE	380	2.13	810	CH	40420	N	- 1Mv
1A	WEAN MALE	330	2.82	930	CH	50420	N	- 1Mv
1D	WEAN MALE	420	1.83	770	HE	51219	Y	70+d - 1Mv
1E	WEAN MALE	358	2.04	730	HE	270120	Y	70+d - 1Mv
1E	WEAN MALE	358	2.04	730	HE	230120	Y	70+d - 1Mv
1E	WEAN MALE	358	2.04	730	HE	250120	Y	70+d - 1Mv
1H	WEAN MALE	232	1.59	370	FR	120320	Y	70+d - 1Mv
1H	WEAN MALE	232	1.59	370	FR	100320	Y	70+d - 1Mv
1H	WEAN MALE	232	1.59	370	FR	110320	Y	70+d - 1Mv
1H	WEAN MALE	232	1.59	370	FR	110320	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	20420	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	30420	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	10420	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	20420	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	100320	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	90420	Y	70+d - 1Mv
1K	WEAN MALE	215	2.09	450	AA	150620	Y	70+d - 1Mv
2	WEAN MALE	235	2.47	580	AA	150520	N	- 1Mv
2	WEAN MALE	235	2.47	580	AA	80620	N	- 1Mv
2A	WEAN MALE	175	2.29	400	AA	150520	N	- 1Mv
2B	WEAN MALE	315	2.06	650	AA	30420	N	- 1Mv
2B	WEAN MALE	315	2.06	650	AA	250420	N	- 1Mv
2B	WEAN MALE	315	2.06	650	AA	260320	N	- 1Mv
2B	WEAN MALE	315	2.06	650	AA	190420	N	- 1Mv
2B	WEAN MALE	315	2.06	650	AA	310320	N	- 1Mv
3	WEAN MALE	472	2.01	950	LM	210120	Y	21d - 1Mv
3	WEAN MALE	472	2.01	950	LM	210120	Y	21d - 1Mv
3A	WEAN MALE	430	2.33	1000	LM	20320	Y	21d - 1Mv
3B	WEAN MALE	285	2.21	630	CH	90320	Y	70+d - 1Mv
3C	WEAN MALE	230	2.61	600	CH	40420	Y	70+d - 1Mv
3D	WEAN MALE	280	2.32	650	HE	110320	Y	70+d - 1Mv
4A	WEAN MALE	187	1.44	270	FR	280220	Y	70+d - 1Mv
4A	WEAN MALE	187	1.44	270	FR	260220	Y	70+d - 1Mv
4A	WEAN MALE	187	1.44	270	FR	270220	Y	70+d - 1Mv
4A	WEAN MALE	187	1.44	270	FR	280220	Y	70+d - 1Mv
4B	WEAN MALE	217	1.24	270	FR	170220	Y	70+d - 1Mv
4B	WEAN MALE	217	1.24	270	FR	260220	Y	70+d - 1Mv
4B	WEAN MALE	217	1.24	270	FR	220220	Y	70+d - 1Mv
4B	WEAN MALE	217	1.24	270	FR	150220	Y	70+d - 1Mv
4B	WEAN MALE	217	1.24	270	FR	210220	Y	70+d - 1Mv

5	WEAN MALE	395	2.46	970	CH	310320	Y	70+d - 1Mv
5	WEAN MALE	395	2.46	970	CH	260220	Y	70+d - 1Mv
5A	WEAN MALE	335	2.90	970	CH	150320	Y	70+d - 1Mv
5A	WEAN MALE	335	2.90	970	CH	150320	Y	70+d - 1Mv
5A	WEAN MALE	335	2.90	970	CH	280220	Y	70+d - 1Mv
5B	WEAN MALE	295	3.05	900	CH	30420	Y	70+d - 1Mv
5C	WEAN MALE	355	2.51	890	CH	210320	Y	70+d - 1Mv
5C	WEAN MALE	355	2.51	890	CH	260220	Y	70+d - 1Mv
5C	WEAN MALE	355	2.51	890	CH	260220	Y	70+d - 1Mv
6A	WEAN MALE	385	2.39	920	CH	130220	Y	70+d - 1Mv
6B	WEAN MALE	375	2.29	860	CH	170220	Y	70+d - 1Mv
6C	WEAN MALE	295	2.58	760	CH	40320	Y	70+d - 1Mv
6D	WEAN MALE	385	2.52	970	CH	160220	Y	70+d - 1Mv
6E	WEAN MALE	365	2.16	790	CH	10420	Y	70+d - 1Mv
6H	WEAN MALE	340	2.26	770	LM	90320	Y	70+d - 1Mv
6K	WEAN MALE	350	2.34	820	LM	160220	Y	70+d - 1Mv
6K	WEAN MALE	350	2.34	820	LM	90220	Y	70+d - 1Mv
6K	WEAN MALE	350	2.34	820	LM	110220	Y	70+d - 1Mv
7	WEAN MALE	375	2.59	970	CH	290220	Y	70+d - 1Mv
7A	WEAN MALE	350	2.46	860	CH	280220	Y	70+d - 1Mv
7B	WEAN MALE	340	2.53	860	CH	310320	Y	70+d - 1Mv
7C	WEAN MALE	325	2.77	900	CH	60220	Y	70+d - 1Mv
7C	WEAN MALE	325	2.77	900	CH	60220	Y	70+d - 1Mv
8	WEAN MALE	348	2.18	760	LM	70420	N	- 1Mv
8	WEAN MALE	348	2.18	760	LM	120320	N	- 1Mv
8	WEAN MALE	348	2.18	760	LM	230320	N	- 1Mv
8	WEAN MALE	348	2.18	760	LM	170320	N	- 1Mv
8A	WEAN MALE	340	2.24	760	LM	150320	N	- 1Mv
8E	WEAN MALE	302	2.48	750	LM	250320	N	- 1Mv
8E	WEAN MALE	302	2.48	750	LM	170320	N	- 1Mv
8H	WEAN MALE	205	2.63	540	LM	120420	N	- 1Mv
9A	WEAN MALE	332	2.56	850	CH	100420	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	40220	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	40520	N	- 2Mv
9A	WEAN MALE	332	2.56	850	LM	20220	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	260320	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	100320	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	80320	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	100320	N	- 2Mv
9A	WEAN MALE	332	2.56	850	CH	20320	N	- 2Mv
9B	WEAN MALE	293	2.70	790	CH	120620	N	- 2Mv
9B	WEAN MALE	293	2.70	790	BB	190520	N	- 2Mv
9B	WEAN MALE	293	2.70	790	BAX	120320	N	- 2Mv
10B	WEAN MALE	356	2.44	870	CH	190420	N	- 2Mv
10B	WEAN MALE	356	2.44	870	CH	300120	N	- 2Mv
10B	WEAN MALE	356	2.44	870	CH	150220	N	- 2Mv
10B	WEAN MALE	356	2.44	870	CH	101219	N	- 2Mv
10B	WEAN MALE	356	2.44	870	CH	20320	N	- 2Mv
11	WEAN MALE	420	2.19	920	SIM	30320	Y	70+d - 1Mv
11	WEAN MALE	420	2.19	920	SIM	210220	Y	70+d - 1Mv

11A	WEAN MALE	370	2.19	810	SIM	250220	Y	70+d - 1Mv
11A	WEAN MALE	370	2.19	810	SIM	30320	Y	70+d - 1Mv
11B	WEAN MALE	335	2.24	750	SIM	220420	Y	70+d - 1Mv
11B	WEAN MALE	335	2.24	750	SIM	230220	Y	70+d - 1Mv
11B	WEAN MALE	335	2.24	750	SIM	140320	Y	70+d - 1Mv
12C	WEAN MALE	380	1.89	720	AA	200220	Y	70+d - 1Mv
12C	WEAN MALE	380	1.89	720	AA	220220	Y	70+d - 1Mv
12D	WEAN MALE	255	2.63	670	SIM	240420	Y	70+d - 1Mv
12D	WEAN MALE	255	2.63	670	SIM	90420	Y	70+d - 1Mv
13	WEAN MALE	282	2.77	780	LM	120320	N	- 1Mv
13	WEAN MALE	282	2.77	780	LM	10420	N	- 1Mv
13A	WEAN MALE	272	2.94	800	LM	40320	N	- 1Mv
13A	WEAN MALE	272	2.94	800	LM	10320	N	- 1Mv
13B	WEAN MALE	300	2.43	730	LM	30320	N	- 1Mv
13C	WEAN MALE	310	2.39	740	LM	120220	N	- 1Mv
13D	WEAN MALE	350	2.37	830	LM	180220	N	- 1Mv
13E	WEAN MALE	390	1.95	760	LM	60220	N	- 1Mv
14	WEAN MALE	307	2.35	720	LM	40220	N	- 1Mv
14	WEAN MALE	307	2.35	720	LM	160220	N	- 1Mv
14A	WEAN MALE	280	2.50	700	LM	40320	N	- 1Mv
14A	WEAN MALE	280	2.50	700	LM	190420	N	- 1Mv
14B	WEAN MALE	310	2.19	680	LM	50320	N	- 1Mv
14C	WEAN MALE	270	2.44	660	AU	90320	N	- 1Mv
14C	WEAN MALE	270	2.44	660	LM	60320	N	- 1Mv
14D	WEAN MALE	245	2.04	500	LM	100420	N	- 1Mv
15	WEAN MALE	210	2.38	500	AA	90420	Y	70+d - 1Mv
15	WEAN MALE	210	2.38	500	AA	10420	Y	70+d - 1Mv
15	WEAN MALE	210	2.38	500	AA	300320	Y	70+d - 1Mv
15	WEAN MALE	210	2.38	500	AA	280320	Y	70+d - 1Mv
15	WEAN MALE	210	2.38	500	AA	170420	Y	70+d - 1Mv
15A	WEAN MALE	255	2.00	510	AA	220320	Y	70+d - 1Mv
15A	WEAN MALE	255	2.00	510	AA	300320	Y	70+d - 1Mv
15K	WEAN MALE	380	2.08	790	CH	290320	Y	14d - 1Mv
17A	WEAN MALE	247	1.54	380	FR	80220	Y	70+d - 1Mv
17A	WEAN MALE	247	1.54	380	FR	40220	Y	70+d - 1Mv
17A	WEAN MALE	247	1.54	380	FR	130220	Y	70+d - 1Mv
17A	WEAN MALE	247	1.54	380	FR	300120	Y	70+d - 1Mv
17A	WEAN MALE	247	1.54	380	FR	90220	Y	70+d - 1Mv
17B	WEAN MALE	251	1.47	370	FR	20220	Y	70+d - 1Mv
17B	WEAN MALE	251	1.47	370	FR	50220	Y	70+d - 1Mv
17B	WEAN MALE	251	1.47	370	FR	130220	Y	70+d - 1Mv
17B	WEAN MALE	251	1.47	370	FR	30220	Y	70+d - 1Mv
17B	WEAN MALE	251	1.47	370	FR	40220	Y	70+d - 1Mv
18C	WEAN MALE	238	1.55	370	FR	190220	Y	70+d - 1Mv
18C	WEAN MALE	238	1.55	370	FR	20220	Y	70+d - 1Mv
18C	WEAN MALE	238	1.55	370	FR	150220	Y	70+d - 1Mv
18C	WEAN MALE	238	1.55	370	FR	50220	Y	70+d - 1Mv
18C	WEAN MALE	238	1.55	370	FR	180220	Y	70+d - 1Mv
19A	WEAN MALE	350	2.74	960	LM	150320	N	- 1Mv
19A	WEAN MALE	350	2.74	960	LM	140320	N	- 1Mv

19A	WEAN MALE	350	2.74	960	LM	40320	N	- 1Mv
19B	WEAN MALE	386	2.54	980	LM	120320	N	- 1Mv
19B	WEAN MALE	386	2.54	980	LM	90320	N	- 1Mv
19B	WEAN MALE	386	2.54	980	LM	220220	N	- 1Mv
19C	WEAN MALE	380	2.63	1000	LM	40320	N	- 1Mv
19D	WEAN MALE	320	2.84	910	LM	110220	N	- 1Mv
19E	WEAN MALE	355	2.65	940	LM	160320	N	- 1Mv
19H	WEAN MALE	425	2.35	1000	LM	160220	N	- 1Mv
19K	WEAN MALE	270	3.07	830	LM	190320	N	- 1Mv
20	WEAN MALE	425	2.31	980	CH	200320	N	- 1Mv
20A	WEAN MALE	395	2.43	960	CH	150320	N	- 1Mv
20B	WEAN MALE	367	2.32	850	CH	230320	N	- 1Mv
20B	WEAN MALE	367	2.32	850	CH	190320	N	- 1Mv
20B	WEAN MALE	367	2.32	850	CH	50320	N	- 1Mv
20B	WEAN MALE	367	2.32	850	CH	70320	N	- 1Mv
20C	WEAN MALE	320	2.63	840	CH	170320	N	- 1Mv
20C	WEAN MALE	320	2.63	840	CH	200320	N	- 1Mv
20C	WEAN MALE	320	2.63	840	CH	150320	N	- 1Mv
20C	WEAN MALE	320	2.63	840	CH	70320	N	- 1Mv
20D	WEAN MALE	310	2.45	760	LM	160320	N	- 2Mv
20D	WEAN MALE	310	2.45	760	SIM	200320	N	- 2Mv
20E	WEAN MALE	265	2.68	710	LM	100320	N	- 2Mv
20H	WEAN MALE	300	2.37	710	SIM	10420	N	- 2Mv
20K	WEAN MALE	280	2.54	710	CH	10520	N	- 1Mv
20L	WEAN MALE	235	2.34	550	CH	50520	N	- 1Mv
21	WEAN MALE	350	2.14	750	CH	170320	Y	70+d - 1Mv
21A	WEAN MALE	298	2.58	770	CH	200320	Y	70+d - 1Mv
21A	WEAN MALE	298	2.58	770	CH	190320	Y	70+d - 1Mv
21A	WEAN MALE	298	2.58	770	CH	160320	Y	70+d - 1Mv
21A	WEAN MALE	298	2.58	770	CH	140420	Y	70+d - 1Mv
21B	WEAN MALE	293	2.63	770	CH	180320	Y	70+d - 1Mv
21B	WEAN MALE	293	2.63	770	CH	270320	Y	70+d - 1Mv
21B	WEAN MALE	293	2.63	770	CH	250320	Y	70+d - 1Mv
21C	WEAN MALE	215	2.60	560			Y	#NAME?
22	WEAN MALE	351	2.79	980	LM	70320	Y	70+d - 1Mv
22	WEAN MALE	351	2.79	980	LM	30320	Y	70+d - 1Mv
22	WEAN MALE	351	2.79	980	LM	50320	Y	70+d - 1Mv
22A	WEAN MALE	357	2.80	1000	LM	90320	Y	70+d - 1Mv
22A	WEAN MALE	357	2.80	1000	LM	40320	Y	70+d - 1Mv
22B	WEAN MALE	317	2.78	880	LM	110320	Y	70+d - 1Mv
22B	WEAN MALE	317	2.78	880	LM	190320	Y	70+d - 1Mv
23	WEAN MALE	302	2.78	840	LM	40320	Y	70+d - 1Mv
23	WEAN MALE	302	2.78	840	LM	140320	Y	70+d - 1Mv
23A	WEAN MALE	295	2.61	770	LM	150320	Y	70+d - 1Mv
23B	WEAN MALE	285	2.98	850	LM	130320	Y	70+d - 1Mv
23C	WEAN MALE	280	2.71	760	LM	280320	Y	70+d - 1Mv
23H	WEAN MALE	485	2.23	1080	LM	70919	Y	70+d - 1Mv
23K	WEAN MALE	495	2.30	1140	LM	171219	Y	70+d - 1Mv
24	WEAN MALE	368	1.90	700	HE	30320	N	- 1Mv
24	WEAN MALE	368	1.90	700	HE	30320	N	- 1Mv

24	WEAN MALE	368	1.90	700	HE	250220	N	- 1Mv
24A	WEAN MALE	332	2.11	700	HE	220220	N	- 1Mv
24A	WEAN MALE	332	2.11	700	HE	280220	N	- 1Mv
24B	WEAN MALE	395	1.97	780	HE	240220	N	- 1Mv
25	WEAN MALE	485	1.90	920	CH	80120	N	- 1Mv
25A	WEAN MALE	365	1.89	690	BAX	150120	N	- 1Mv
25B	WEAN MALE	350	2.00	700	CH	240220	N	- 1Mv
25C	WEAN MALE	395	1.90	750	BAX	150120	N	- 1Mv
25E	WEAN MALE	295	2.14	630	BAX	60320	N	- 1Mv
26B	WEAN MALE	315	2.10	660	LM	100220	Y	70+d - 1Mv
26C	WEAN MALE	340	2.15	730	LM	311219	Y	70+d - 1Mv
26D	WEAN MALE	430	2.14	920	LM	240120	Y	70+d - 1Mv
26E	WEAN MALE	380	2.00	760	LM	130120	Y	70+d - 1Mv
26H	WEAN MALE	425	1.65	700	AA	151119	Y	70+d - 1Mv
26K	WEAN MALE	455	1.87	850	LM	241119	Y	70+d - 1Mv
27	WEAN MALE	355	2.06	730	LM	100220	N	- 1Mv
27	WEAN MALE	355	2.06	730	LM	120220	N	- 1Mv
27A	WEAN MALE	285	2.39	680	LM	10420	N	- 1Mv
28B	WEAN MALE	170	1.76	300	RM	190320	Y	70+d - 1Mv
28B	WEAN MALE	170	1.76	300	RM	210320	Y	70+d - 1Mv
28B	WEAN MALE	170	1.76	300	RM	310320	Y	70+d - 1Mv
29B	WEAN MALE	262	2.10	550	HE	40220	Y	70+d - 1Mv
29B	WEAN MALE	262	2.10	550	HE	20220	Y	70+d - 1Mv
29C	WEAN MALE	210	1.86	390	FR	170220	Y	70+d - 1Mv
29C	WEAN MALE	210	1.86	390	FR	250220	Y	70+d - 1Mv
29C	WEAN MALE	210	1.86	390	FR	180220	Y	70+d - 1Mv
29C	WEAN MALE	210	1.86	390	FR	10320	Y	70+d - 1Mv
29D	WEAN MALE	280	1.54	430	FR	170120	Y	70+d - 1Mv
29D	WEAN MALE	280	1.54	430	FR	150120	Y	70+d - 1Mv
30	WEAN MALE	480	2.24	1075	LM	50120	Y	70+d - 1Mv
30A	WEAN MALE	385	2.31	890	LM	170919	Y	70+d - 1Mv
30B	WEAN MALE	360	2.17	780	CH	20420	Y	70+d - 1Mv
30C	WEAN MALE	290	2.69	780	CH	220420	Y	70+d - 1Mv
30D	WEAN MALE	256	1.99	510	FR	20320	Y	70+d - 1Mv
30D	WEAN MALE	256	1.99	510	FR	220220	Y	70+d - 1Mv
30D	WEAN MALE	256	1.99	510	FR	270420	Y	70+d - 1Mv
30D	WEAN MALE	256	1.99	510	FR	250420	Y	70+d - 1Mv
31A	WEAN MALE	345	2.41	830	CH	100320	Y	70+d - 1Mv
31A	WEAN MALE	345	2.41	830	LM	200320	Y	70+d - 1Mv
31C	WEAN MALE	480	2.27	1090	CH	170220	Y	70+d - 1Mv
31E	WEAN MALE	320	2.28	730	LM	300320	Y	70+d - 1Mv
32	WEAN MALE	321	2.02	650	AA	30320	N	- 1Mv
32	WEAN MALE	321	2.02	650	AA	190220	N	- 1Mv
32	WEAN MALE	321	2.02	650	AA	130320	N	- 1Mv
32A	WEAN MALE	380	1.79	680	AA	280220	N	- 1Mv
32A	WEAN MALE	380	1.79	680	AA	260220	N	- 1Mv
32B	WEAN MALE	360	2.06	740	LM	220120	Y	70+d - 1Mv
32C	WEAN MALE	295	2.20	650	LM	90220	Y	70+d - 1Mv
33	WEAN MALE	289	2.25	650	SIM	280220	Y	- 2Mv
33	WEAN MALE	289	2.25	650	SIM	270320	Y	- 2Mv

33	WEAN MALE	289	2.25	650	SIM	70220	Y	- 2Mv
33	WEAN MALE	289	2.25	650	SIM	50220	Y	- 2Mv
33	WEAN MALE	289	2.25	650	SIM	100220	Y	- 2Mv
35	WEAN MALE	255	1.80	460	HE	200220	Y	70+d - 1Mv
35	WEAN MALE	255	1.80	460	FR	130220	Y	70+d - 1Mv
35	WEAN MALE	255	1.80	460	FR	130220	Y	70+d - 1Mv
36	WEAN MALE	385	2.16	830	LM	10320	N	- 1Mv
36A	WEAN MALE	355	2.45	870	LM	80220	N	- 1Mv
36B	WEAN MALE	315	2.22	700	LM	40320	N	- 1Mv
36C	WEAN MALE	310	2.61	810	LM	190220	N	- 1Mv
36D	WEAN MALE	280	2.71	760	LM	120220	N	- 1Mv
36D	WEAN MALE	280	2.71	760	LM	250220	N	- 1Mv
36E	WEAN MALE	265	2.79	740	LM	230320	N	- 1Mv
36E	WEAN MALE	265	2.79	740	LM	80320	N	- 1Mv
36H	WEAN MALE	260	2.77	720	LM	270220	N	- 1Mv
37B	WEAN MALE	330	2.58	850	LM	180220	Y	70+d - 1Mv
37C	WEAN MALE	305	2.03	620	CH	200420	Y	70+d - 1Mv
37C	WEAN MALE	305	2.03	620	CH	200420	Y	70+d - 1Mv
37D	WEAN MALE	270	1.96	530	HE	160320	Y	70+d - 2Mv
37E	WEAN MALE	162	2.47	400	HE	50420	Y	8d - 2Mv
37E	WEAN MALE	162	2.47	400	HE	130220	Y	8d - 2Mv
37E	WEAN MALE	162	2.47	400	HE	40320	Y	8d - 2Mv
37E	WEAN MALE	162	2.47	400	HE	80420	Y	8d - 2Mv
38	WEAN MALE	265	2.42	640	AA	240420	N	- 1Mv
38A	WEAN MALE	275	2.25	620	AA	50520	N	- 1Mv
38A	WEAN MALE	275	2.25	620	AA	100520	N	- 1Mv
38A	WEAN MALE	275	2.25	620	AA	220520	N	- 1Mv
38A	WEAN MALE	275	2.25	620	AA	250420	N	- 1Mv
38A	WEAN MALE	275	2.25	620	AA	30520	N	- 1Mv

WEANLING HEIFERS

LOT	RING	KG	€/KG	€/HD	Breed	DOB	QAS	QA Days
400K	WEAN FEMALE	193.3	2.79	540	AA	310320	Y	70+d - 1Mv
400K	WEAN FEMALE	193.3	2.79	540	AA	110420	Y	70+d - 1Mv
400K	WEAN FEMALE	193.3	2.79	540	AA	30420	Y	70+d - 1Mv
400K	WEAN FEMALE	193.3	2.79	540	AA	100420	Y	70+d - 1Mv
400K	WEAN FEMALE	193.3	2.79	540	AA	90420	Y	70+d - 1Mv
400K	WEAN FEMALE	193.3	2.79	540	AA	10420	Y	70+d - 1Mv
401	WEAN FEMALE	278	1.76	490	AA	290420	N	- 1Mv
401	WEAN FEMALE	278	1.76	490	AA	80420	N	- 1Mv
401	WEAN FEMALE	278	1.76	490	AA	310320	N	- 1Mv
401	WEAN FEMALE	278	1.76	490	AA	230320	N	- 1Mv
401A	WEAN FEMALE	165	3.03	500	AA	80620	N	- 1Mv
402	WEAN FEMALE	355	2.00	710	AA	80320	N	- 1Mv
402A	WEAN FEMALE	260	2.12	550	AA	10320	N	- 1Mv
402B	WEAN FEMALE	273	2.05	560	LM	60420	N	- 1Mv
402B	WEAN FEMALE	273	2.05	560	LM	90520	N	- 1Mv
402B	WEAN FEMALE	273	2.05	560	LM	160420	N	- 1Mv
402C	WEAN FEMALE	250	2.60	650	LM	120420	N	- 1Mv
402C	WEAN FEMALE	250	2.60	650	LM	200320	N	- 1Mv

402C	WEAN FEMALE	250	2.60	650	LM	120320	N	- 1Mv
403	WEAN FEMALE	365	2.33	850	CH	110220	N	- 1Mv
403A	WEAN FEMALE	322	2.55	820	CH	50320	N	- 1Mv
403A	WEAN FEMALE	322	2.55	820	CH	50320	N	- 1Mv
403A	WEAN FEMALE	322	2.55	820	CH	100320	N	- 1Mv
403A	WEAN FEMALE	322	2.55	820	CH	180220	N	- 1Mv
403B	WEAN FEMALE	316	2.34	740	CH	120420	N	- 1Mv
403B	WEAN FEMALE	316	2.34	740	CH	40320	N	- 1Mv
403B	WEAN FEMALE	316	2.34	740	CH	160320	N	- 1Mv
403C	WEAN FEMALE	335	2.33	780	CH	200220	N	- 1Mv
403C	WEAN FEMALE	335	2.33	780	CH	40320	N	- 1Mv
403D	WEAN FEMALE	280	2.71	760	CH	290420	N	- 1Mv
403E	WEAN FEMALE	260	2.54	660	CH	120320	N	- 1Mv
404	WEAN FEMALE	310	2.55	790	CH	140220	Y	70+d - 1Mv
404A	WEAN FEMALE	285	2.53	720	CH	240220	Y	70+d - 1Mv
404B	WEAN FEMALE	280	2.50	700	CH	10420	Y	70+d - 1Mv
404C	WEAN FEMALE	340	2.24	760	CH	210320	Y	70+d - 1Mv
404D	WEAN FEMALE	337	2.20	740	CH	130320	Y	70+d - 1Mv
404D	WEAN FEMALE	337	2.20	740	CH	220220	Y	70+d - 1Mv
404E	WEAN FEMALE	335	2.21	740	CH	200220	Y	70+d - 1Mv
404H	WEAN FEMALE	385	2.13	820	CH	190220	Y	70+d - 1Mv
404K	WEAN FEMALE	335	2.21	740	CH	130320	Y	70+d - 1Mv
404L	WEAN FEMALE	365	2.11	770	CH	270220	Y	70+d - 1Mv
404P	WEAN FEMALE	310	2.42	750	CH	100320	Y	70+d - 1Mv
404P	WEAN FEMALE	310	2.42	750	CH	120320	Y	70+d - 1Mv
405	WEAN FEMALE	305	2.26	690	LM	280220	N	- 1Mv
405A	WEAN FEMALE	270	2.48	670	LM	120420	N	- 1Mv
405B	WEAN FEMALE	275	2.51	690	LM	10320	N	- 1Mv
405C	WEAN FEMALE	280	2.04	570	LM	180320	N	- 1Mv
406	WEAN FEMALE	340	2.47	840	LM	70320	N	- 1Mv
406	WEAN FEMALE	340	2.47	840	LM	210120	N	- 1Mv
406A	WEAN FEMALE	337	2.34	790	LM	230120	N	- 1Mv
406A	WEAN FEMALE	337	2.34	790	LM	20320	N	- 1Mv
406B	WEAN FEMALE	340	2.21	750	LM	290220	N	- 1Mv
406C	WEAN FEMALE	400	2.33	930	LM	240120	N	- 1Mv
406D	WEAN FEMALE	325	2.74	890	LM	90320	N	- 1Mv
406E	WEAN FEMALE	310	2.16	670	LM	270220	N	- 1Mv
406H	WEAN FEMALE	360	2.11	760	LM	230220	N	- 1Mv
408	WEAN FEMALE	223	2.56	570	CH	290520	N	- 1Mv
408	WEAN FEMALE	223	2.56	570	CH	70520	N	- 1Mv
408	WEAN FEMALE	223	2.56	570	CH	20620	N	- 1Mv
408	WEAN FEMALE	223	2.56	570	CH	90520	N	- 1Mv
408A	WEAN FEMALE	250	2.60	650	LM	130320	N	- 2Mv
408B	WEAN FEMALE	265	2.23	590	CH	80520	N	- 1Mv
409	WEAN FEMALE	335	2.27	760	CH	190320	Y	70+d - 1Mv
409A	WEAN FEMALE	268	2.65	710	CH	180320	Y	70+d - 1Mv
409A	WEAN FEMALE	268	2.65	710	CH	200320	Y	70+d - 1Mv
409A	WEAN FEMALE	268	2.65	710	CH	280320	Y	70+d - 1Mv
409A	WEAN FEMALE	268	2.65	710	CH	230320	Y	70+d - 1Mv
409B	WEAN FEMALE	257	2.30	590	CH	120420	Y	70+d - 1Mv

409B	WEAN FEMALE	257	2.30	590	CH	210320	Y	70+d - 1Mv
410	WEAN FEMALE	321	2.06	660	HE	10320	N	- 1Mv
410	WEAN FEMALE	321	2.06	660	HE	310320	N	- 1Mv
410	WEAN FEMALE	321	2.06	660	HE	270220	N	- 1Mv
410A	WEAN FEMALE	235	2.30	540	HE	170520	N	- 1Mv
411	WEAN FEMALE	353	2.12	750	SIM	10220	Y	70+d - 1Mv
411	WEAN FEMALE	353	2.12	750	SIM	210220	Y	70+d - 1Mv
411	WEAN FEMALE	353	2.12	750	SIM	220220	Y	70+d - 1Mv
411A	WEAN FEMALE	343	2.27	780	SIM	240220	Y	70+d - 1Mv
411A	WEAN FEMALE	343	2.27	780	SIM	230220	Y	70+d - 1Mv
411A	WEAN FEMALE	343	2.27	780	SIM	210220	Y	70+d - 1Mv
411B	WEAN FEMALE	345	2.06	710	AA	230220	Y	70+d - 1Mv
411B	WEAN FEMALE	345	2.06	710	AA	220220	Y	70+d - 1Mv
411C	WEAN FEMALE	435	1.95	850	SIM	290220	Y	70+d - 1Mv
411D	WEAN FEMALE	286	2.20	630	LM	80420	N	- 1Mv
411D	WEAN FEMALE	286	2.20	630	LM	190220	N	- 1Mv
411D	WEAN FEMALE	286	2.20	630	LM	150220	N	- 1Mv
412	WEAN FEMALE	245	2.29	560	HE	30320	Y	70+d - 1Mv
412A	WEAN FEMALE	210	2.05	430	HE	30220	Y	70+d - 1Mv
412B	WEAN FEMALE	220	2.23	490	LM	90220	Y	70+d - 1Mv
412C	WEAN FEMALE	165	2.24	370	AA	90220	Y	70+d - 1Mv
412D	WEAN FEMALE	350	2.20	770	CH	30420	Y	70+d - 1Mv
412E	WEAN FEMALE	366	2.02	740	CH	300320	Y	70+d - 1Mv
412E	WEAN FEMALE	366	2.02	740	CH	300320	Y	70+d - 1Mv
412E	WEAN FEMALE	366	2.02	740	CH	300320	Y	70+d - 1Mv
412H	WEAN FEMALE	317	2.11	670	HE	60420	Y	70+d - 1Mv
412H	WEAN FEMALE	317	2.11	670	HE	60420	Y	70+d - 1Mv
412K	WEAN FEMALE	280	2.43	680	CH	30420	Y	70+d - 1Mv
413	WEAN FEMALE	255	2.16	550	AA	140420	Y	4d - 1Mv
413A	WEAN FEMALE	210	2.10	440	AA	160420	Y	4d - 1Mv
413B	WEAN FEMALE	293	2.42	710	LM	270220	N	- 2Mv
413B	WEAN FEMALE	293	2.42	710	LM	10320	N	- 2Mv
413B	WEAN FEMALE	293	2.42	710	LM	10320	N	- 2Mv
413B	WEAN FEMALE	293	2.42	710	LM	280220	N	- 2Mv
414	WEAN FEMALE	320	2.25	720	PI	170220	N	- 1Mv
414	WEAN FEMALE	320	2.25	720	PI	160220	N	- 1Mv
414A	WEAN FEMALE	360	2.06	740	PI	140220	N	- 1Mv
414A	WEAN FEMALE	360	2.06	740	PI	100220	N	- 1Mv
414B	WEAN FEMALE	191	2.62	500	HE	260120	Y	8d - 2Mv
414B	WEAN FEMALE	191	2.62	500	HE	60320	Y	8d - 2Mv
414B	WEAN FEMALE	191	2.62	500	HE	280320	Y	8d - 2Mv
414B	WEAN FEMALE	191	2.62	500	HE	140120	Y	8d - 2Mv

